

CLIENT INFORMATION

CLIENT PROJECT INFORMATION

CLIENT BILLING INFORMATION

REPORT TO BE SENT TO:

COMPANY: Verini Consulting Group
ADDRESS: 1011 US Highway 22, Suite 302
CITY: Bridgewater STATE: NJ ZIP: 08807
ATTENTION: Michael Valenzi
PHONE: 908-864-4401 FAX: 908-864-4401

PROJECT NAME: Rotarclip
PROJECT NO.: 5183-000 LOCATION: NJ
PROJECT MANAGER: Michael Valenzi
e-mail: mvalenzi@vcg-llc.com
PHONE: 908-864-4401 FAX: 908-864-4401

BILL TO: see left PO#:
ADDRESS:
CITY: STATE: ZIP:
ATTENTION: PHONE:

ANALYSIS

DATA TURNAROUND INFORMATION

DATA DELIVERABLE INFORMATION

FAX (RUSH) 5 DAYS*
HARDCOPY (DATA PACKAGE): 5 DAYS*
EDD: 5 DAYS*
*TO BE APPROVED BY CHEMTECH
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B
+ Raw Data ☐ Other
☐ EDD FORMAT

1	2	3	4	5	6	7	8	9

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS	
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	← Specify Preservatives A-HCl D-NaOH B-HNO3 E-ICE C-H2SO4 F-OTHER	
1.	Water Treatment Discharge WW	X			10/16/25	10:25	1	X										
2.																		
3.																		
4.																		
5.																		
6.																		
7.																		
8.																		
9.																		
10.																		

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 1.	DATE/TIME: 10/16/25 14:27	RECEIVED BY: 1427	Conditions of bottles or coolers at receipt: ☐ COMPLIANT ☐ NON COMPLIANT ☐ COOLER TEMP 2.7 °C
RELINQUISHED BY SAMPLER: 2.	DATE/TIME:	RECEIVED BY: 	Comments: Flow Rate = 59 pH = 9.20 Temperature = 66.2 °F Cr, Cu, Ni, Zn = Metals Group 4
RELINQUISHED BY SAMPLER: 3.	DATE/TIME: 10-16-25	RECEIVED BY: 3.	Page ____ of CLIENT: ☐ Hand Delivered ☐ Other Shipment Complete ☐ YES ☐ NO