

Report of Analysis

Client: Tetra Tech NUS, Inc.
Project: NWIRP Bethpage 112G08005-WE13
Client Sample ID: VX1020WBS01
Lab Sample ID: VX1020WBS01
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected:
Date Received:
SDG No.: Q3371
Matrix: Water
% Solid: 0
Test: VOC-TCLVOA-10

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS										
75-71-8	Dichlorodifluoromethane	17.8		1	0.22	0.50	1.00	ug/L	10/20/25 15:50	VX102025
74-87-3	Chloromethane	19.4		1	0.32	0.50	1.00	ug/L	10/20/25 15:50	VX102025
75-01-4	Vinyl Chloride	19.2		1	0.26	0.75	1.00	ug/L	10/20/25 15:50	VX102025
74-83-9	Bromomethane	21.5		1	1.40	3.80	5.00	ug/L	10/20/25 15:50	VX102025
75-00-3	Chloroethane	21.1		1	0.47	0.75	1.00	ug/L	10/20/25 15:50	VX102025
75-69-4	Trichlorofluoromethane	18.7		1	0.33	0.50	1.00	ug/L	10/20/25 15:50	VX102025
76-13-1	1,1,2-Trichlorotrifluoroethane	18.3		1	0.25	0.50	1.00	ug/L	10/20/25 15:50	VX102025
75-35-4	1,1-Dichloroethene	19.3		1	0.23	0.75	1.00	ug/L	10/20/25 15:50	VX102025
67-64-1	Acetone	85.7		1	1.50	3.80	5.00	ug/L	10/20/25 15:50	VX102025
75-15-0	Carbon Disulfide	17.9		1	0.21	0.75	1.00	ug/L	10/20/25 15:50	VX102025
1634-04-4	Methyl tert-butyl Ether	18.7		1	0.16	0.50	1.00	ug/L	10/20/25 15:50	VX102025
79-20-9	Methyl Acetate	19.7		1	0.27	0.75	1.00	ug/L	10/20/25 15:50	VX102025
75-09-2	Methylene Chloride	19.9		1	0.28	0.50	1.00	ug/L	10/20/25 15:50	VX102025
156-60-5	trans-1,2-Dichloroethene	19.5		1	0.23	0.50	1.00	ug/L	10/20/25 15:50	VX102025
75-34-3	1,1-Dichloroethane	18.8		1	0.23	0.50	1.00	ug/L	10/20/25 15:50	VX102025
110-82-7	Cyclohexane	18.7		1	1.50	2.50	5.00	ug/L	10/20/25 15:50	VX102025
78-93-3	2-Butanone	92.0		1	0.98	2.50	5.00	ug/L	10/20/25 15:50	VX102025
56-23-5	Carbon Tetrachloride	17.6		1	0.25	0.50	1.00	ug/L	10/20/25 15:50	VX102025
156-59-2	cis-1,2-Dichloroethene	19.1		1	0.19	0.75	1.00	ug/L	10/20/25 15:50	VX102025
74-97-5	Bromochloromethane	21.4		1	0.22	0.50	1.00	ug/L	10/20/25 15:50	VX102025
67-66-3	Chloroform	19.3		1	0.25	0.50	1.00	ug/L	10/20/25 15:50	VX102025
71-55-6	1,1,1-Trichloroethane	18.8		1	0.20	0.50	1.00	ug/L	10/20/25 15:50	VX102025
108-87-2	Methylcyclohexane	17.3		1	0.16	0.50	1.00	ug/L	10/20/25 15:50	VX102025
71-43-2	Benzene	18.8		1	0.15	0.50	1.00	ug/L	10/20/25 15:50	VX102025
107-06-2	1,2-Dichloroethane	18.8		1	0.22	0.50	1.00	ug/L	10/20/25 15:50	VX102025
79-01-6	Trichloroethene	19.2		1	0.090	0.75	1.00	ug/L	10/20/25 15:50	VX102025
78-87-5	1,2-Dichloropropane	19.4		1	0.20	0.50	1.00	ug/L	10/20/25 15:50	VX102025
75-27-4	Bromodichloromethane	18.9		1	0.22	0.50	1.00	ug/L	10/20/25 15:50	VX102025
108-10-1	4-Methyl-2-Pentanone	94.8		1	0.68	2.50	5.00	ug/L	10/20/25 15:50	VX102025
108-88-3	Toluene	19.3		1	0.14	0.50	1.00	ug/L	10/20/25 15:50	VX102025
10061-02-6	t-1,3-Dichloropropene	18.9		1	0.17	0.50	1.00	ug/L	10/20/25 15:50	VX102025
10061-01-5	cis-1,3-Dichloropropene	19.0		1	0.16	0.50	1.00	ug/L	10/20/25 15:50	VX102025
79-00-5	1,1,2-Trichloroethane	19.5		1	0.21	0.50	1.00	ug/L	10/20/25 15:50	VX102025
591-78-6	2-Hexanone	94.6		1	0.89	2.50	5.00	ug/L	10/20/25 15:50	VX102025
124-48-1	Dibromochloromethane	18.5		1	0.18	0.50	1.00	ug/L	10/20/25 15:50	VX102025
106-93-4	1,2-Dibromoethane	19.1		1	0.15	0.50	1.00	ug/L	10/20/25 15:50	VX102025
127-18-4	Tetrachloroethene	17.7		1	0.23	0.50	1.00	ug/L	10/20/25 15:50	VX102025
108-90-7	Chlorobenzene	19.0		1	0.12	0.50	1.00	ug/L	10/20/25 15:50	VX102025
100-41-4	Ethyl Benzene	18.5		1	0.13	0.50	1.00	ug/L	10/20/25 15:50	VX102025
179601-23-1	m/p-Xylenes	38.5		1	0.24	1.00	2.00	ug/L	10/20/25 15:50	VX102025
95-47-6	o-Xylene	18.7		1	0.12	0.50	1.00	ug/L	10/20/25 15:50	VX102025
100-42-5	Styrene	19.1		1	0.15	0.50	1.00	ug/L	10/20/25 15:50	VX102025
75-25-2	Bromoform	18.6		1	0.19	0.50	1.00	ug/L	10/20/25 15:50	VX102025

Report of Analysis

Client: Tetra Tech NUS, Inc.
Project: NWIRP Bethpage 112G08005-WE13
Client Sample ID: VX1020WBS01
Lab Sample ID: VX1020WBS01
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level : LOW
Final Vol: 5000 uL

Date Collected:
Date Received:
SDG No.: Q3371
Matrix: Water
% Solid: 0
Test: VOC-TCLVOA-10

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Date Ana.	BatchID
98-82-8	Isopropylbenzene	18.3		1	0.12	0.50	1.00	ug/L	10/20/25 15:50	VX102025
79-34-5	1,1,2,2-Tetrachloroethane	19.0		1	0.26	0.50	1.00	ug/L	10/20/25 15:50	VX102025
541-73-1	1,3-Dichlorobenzene	18.0		1	0.16	0.50	1.00	ug/L	10/20/25 15:50	VX102025
106-46-7	1,4-Dichlorobenzene	17.9		1	0.19	0.50	1.00	ug/L	10/20/25 15:50	VX102025
95-50-1	1,2-Dichlorobenzene	18.3		1	0.16	0.50	1.00	ug/L	10/20/25 15:50	VX102025
96-12-8	1,2-Dibromo-3-Chloropropane	17.6		1	0.53	0.75	1.00	ug/L	10/20/25 15:50	VX102025
120-82-1	1,2,4-Trichlorobenzene	16.1		1	0.20	0.50	1.00	ug/L	10/20/25 15:50	VX102025
87-61-6	1,2,3-Trichlorobenzene	16.8		1	0.20	0.75	1.00	ug/L	10/20/25 15:50	VX102025
SURROGATES										
17060-07-0	1,2-Dichloroethane-d4	51.7			81 - 118		103%	SPK: 50		
1868-53-7	Dibromofluoromethane	51.2			80 - 119		102%	SPK: 50		
2037-26-5	Toluene-d8	51.9			89 - 112		104%	SPK: 50		
460-00-4	4-Bromofluorobenzene	51.1			85 - 114		102%	SPK: 50		
INTERNAL STANDARDS										
		Area Count								
363-72-4	Pentafluorobenzene	135000								
540-36-3	1,4-Difluorobenzene	222000								
3114-55-4	Chlorobenzene-d5	201000								
3855-82-1	1,4-Dichlorobenzene-d4	102000								

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products