

DATA PACKAGE

VOLATILE ORGANICS

PROJECT NAME : WEEKLY STORAGE BLANKS

CHEMTECH CONSULTING GROUP

284 Sheffield St,

Mountainside, NJ - 07092

Phone No: 908-789-8900

ORDER ID : Q3373

ATTENTION : QA Officer



Laboratory Certification ID # 20012



1) Signature Page	3
2) Qualifier Page	4
3) QA Checklist	5
4) VOC- Chemtech Full Data	6
5) Shipping Document	24
5.1) CHAIN OF CUSTODY	25
5.2) Lab Certificate	26

Cover Page

Order ID : Q3373

Project ID : Weekly Storage Blanks

Client : Chemtech Consulting Group

Lab Sample Number

Q3373-01
Q3373-02
Q3373-03
Q3373-04

Client Sample Number

STORAGE-BLANK-SOIL-REF-6
STORAGE-BLANK-WATER-REF-5
STORAGE-BLANK-WATER-REF-4
STORAGE-BLANK-SAMPLE-MANAG

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 12/4/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “ Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q3373

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 12/04/2025

Hit Summary Sheet SW-846

SDG No.: Q3373
Client: Chemtech Consulting Group

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	STORAGE-BLANK-SOIL-REF-6							
Q3373-01	STORAGE-BLANK	Water	Acetone	36.7		1.50	5.00	ug/L
			Total Voc :	36.7				
			Total Concentration:	36.7				



SAMPLE DATA

Report of Analysis

Client: Chemtech Consulting Group
Project: Weekly Storage Blanks
Client Sample ID: STORAGE-BLANK-SOIL-1
Lab Sample ID: Q3373-01
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 10/10/25
Date Received: 10/17/25
SDG No.: Q3373
Matrix: Water
% Solid: 0
Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-71-8	Dichlorodifluoromethane	0.22	U	1	0.22	1.00	ug/L	10/22/25 14:27	VX102225
74-87-3	Chloromethane	0.32	U	1	0.32	1.00	ug/L	10/22/25 14:27	VX102225
75-01-4	Vinyl Chloride	0.26	U	1	0.26	1.00	ug/L	10/22/25 14:27	VX102225
141-78-6	Ethyl Acetate	0.31	U	1	0.31	1.00	ug/L	10/22/25 14:27	VX102225
74-83-9	Bromomethane	1.40	U	1	1.40	5.00	ug/L	10/22/25 14:27	VX102225
75-00-3	Chloroethane	0.47	U	1	0.47	1.00	ug/L	10/22/25 14:27	VX102225
75-69-4	Trichlorofluoromethane	0.33	U	1	0.33	1.00	ug/L	10/22/25 14:27	VX102225
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	1	0.25	1.00	ug/L	10/22/25 14:27	VX102225
75-65-0	Tert butyl alcohol	5.50	U	1	5.50	25.0	ug/L	10/22/25 14:27	VX102225
75-35-4	1,1-Dichloroethene	0.23	U	1	0.23	1.00	ug/L	10/22/25 14:27	VX102225
107-02-8	Acrolein	7.10	U	1	7.10	25.0	ug/L	10/22/25 14:27	VX102225
107-13-1	Acrylonitrile	0.83	U	1	0.83	5.00	ug/L	10/22/25 14:27	VX102225
67-64-1	Acetone	36.7		1	1.50	5.00	ug/L	10/22/25 14:27	VX102225
75-15-0	Carbon Disulfide	0.21	U	1	0.21	1.00	ug/L	10/22/25 14:27	VX102225
1634-04-4	Methyl tert-butyl Ether	0.16	U	1	0.16	1.00	ug/L	10/22/25 14:27	VX102225
79-20-9	Methyl Acetate	0.27	U	1	0.27	1.00	ug/L	10/22/25 14:27	VX102225
75-09-2	Methylene Chloride	0.28	U	1	0.28	1.00	ug/L	10/22/25 14:27	VX102225
156-60-5	trans-1,2-Dichloroethene	0.23	U	1	0.23	1.00	ug/L	10/22/25 14:27	VX102225
108-05-4	Vinyl Acetate	0.66	U	1	0.66	5.00	ug/L	10/22/25 14:27	VX102225
75-34-3	1,1-Dichloroethane	0.23	U	1	0.23	1.00	ug/L	10/22/25 14:27	VX102225
110-82-7	Cyclohexane	1.50	U	1	1.50	5.00	ug/L	10/22/25 14:27	VX102225
78-93-3	2-Butanone	0.98	U	1	0.98	5.00	ug/L	10/22/25 14:27	VX102225
56-23-5	Carbon Tetrachloride	0.25	U	1	0.25	1.00	ug/L	10/22/25 14:27	VX102225
594-20-7	2,2-Dichloropropane	0.21	U	1	0.21	1.00	ug/L	10/22/25 14:27	VX102225
156-59-2	cis-1,2-Dichloroethene	0.19	U	1	0.19	1.00	ug/L	10/22/25 14:27	VX102225
74-97-5	Bromochloromethane	0.22	U	1	0.22	1.00	ug/L	10/22/25 14:27	VX102225
67-66-3	Chloroform	0.25	U	1	0.25	1.00	ug/L	10/22/25 14:27	VX102225
71-55-6	1,1,1-Trichloroethane	0.20	U	1	0.20	1.00	ug/L	10/22/25 14:27	VX102225
108-87-2	Methylcyclohexane	0.16	U	1	0.16	1.00	ug/L	10/22/25 14:27	VX102225
563-58-6	1,1-Dichloropropene	0.15	U	1	0.15	1.00	ug/L	10/22/25 14:27	VX102225
71-43-2	Benzene	0.15	U	1	0.15	1.00	ug/L	10/22/25 14:27	VX102225
107-06-2	1,2-Dichloroethane	0.22	U	1	0.22	1.00	ug/L	10/22/25 14:27	VX102225
79-01-6	Trichloroethene	0.090	U	1	0.090	1.00	ug/L	10/22/25 14:27	VX102225
78-87-5	1,2-Dichloropropane	0.20	U	1	0.20	1.00	ug/L	10/22/25 14:27	VX102225
74-95-3	Dibromomethane	0.25	U	1	0.25	1.00	ug/L	10/22/25 14:27	VX102225
75-27-4	Bromodichloromethane	0.22	U	1	0.22	1.00	ug/L	10/22/25 14:27	VX102225
108-10-1	4-Methyl-2-Pentanone	0.68	U	1	0.68	5.00	ug/L	10/22/25 14:27	VX102225
108-88-3	Toluene	0.14	U	1	0.14	1.00	ug/L	10/22/25 14:27	VX102225
10061-02-6	t-1,3-Dichloropropene	0.17	U	1	0.17	1.00	ug/L	10/22/25 14:27	VX102225
10061-01-5	cis-1,3-Dichloropropene	0.16	U	1	0.16	1.00	ug/L	10/22/25 14:27	VX102225
79-00-5	1,1,2-Trichloroethane	0.21	U	1	0.21	1.00	ug/L	10/22/25 14:27	VX102225
142-28-9	1,3-Dichloropropane	0.19	U	1	0.19	1.00	ug/L	10/22/25 14:27	VX102225
110-75-8	2-Chloroethyl Vinyl ether	0.30	U	1	0.30	5.00	ug/L	10/22/25 14:27	VX102225

Report of Analysis

Client: Chemtech Consulting Group
Project: Weekly Storage Blanks
Client Sample ID: STORAGE-BLANK-SOIL-1
Lab Sample ID: Q3373-01
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 10/10/25
Date Received: 10/17/25
SDG No.: Q3373
Matrix: Water
% Solid: 0
Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
591-78-6	2-Hexanone	0.89	U	1	0.89	5.00	ug/L	10/22/25 14:27	VX102225
124-48-1	Dibromochloromethane	0.18	U	1	0.18	1.00	ug/L	10/22/25 14:27	VX102225
106-93-4	1,2-Dibromoethane	0.15	U	1	0.15	1.00	ug/L	10/22/25 14:27	VX102225
127-18-4	Tetrachloroethene	0.23	U	1	0.23	1.00	ug/L	10/22/25 14:27	VX102225
108-90-7	Chlorobenzene	0.12	U	1	0.12	1.00	ug/L	10/22/25 14:27	VX102225
630-20-6	1,1,1,2-Tetrachloroethane	0.19	U	1	0.19	1.00	ug/L	10/22/25 14:27	VX102225
67-72-1	Hexachloroethane	0.32	U	1	0.32	1.00	ug/L	10/22/25 14:27	VX102225
100-41-4	Ethyl Benzene	0.13	U	1	0.13	1.00	ug/L	10/22/25 14:27	VX102225
179601-23-1	m/p-Xylenes	0.24	U	1	0.24	2.00	ug/L	10/22/25 14:27	VX102225
95-47-6	o-Xylene	0.12	U	1	0.12	1.00	ug/L	10/22/25 14:27	VX102225
100-42-5	Styrene	0.15	U	1	0.15	1.00	ug/L	10/22/25 14:27	VX102225
75-25-2	Bromoform	0.19	U	1	0.19	1.00	ug/L	10/22/25 14:27	VX102225
98-82-8	Isopropylbenzene	0.12	U	1	0.12	1.00	ug/L	10/22/25 14:27	VX102225
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	1	0.26	1.00	ug/L	10/22/25 14:27	VX102225
96-18-4	1,2,3-Trichloropropane	0.35	U	1	0.35	1.00	ug/L	10/22/25 14:27	VX102225
108-86-1	Bromobenzene	0.24	U	1	0.24	1.00	ug/L	10/22/25 14:27	VX102225
103-65-1	n-propylbenzene	0.13	U	1	0.13	1.00	ug/L	10/22/25 14:27	VX102225
95-49-8	2-Chlorotoluene	0.14	U	1	0.14	1.00	ug/L	10/22/25 14:27	VX102225
108-67-8	1,3,5-Trimethylbenzene	0.15	U	1	0.15	1.00	ug/L	10/22/25 14:27	VX102225
106-43-4	4-Chlorotoluene	0.13	U	1	0.13	1.00	ug/L	10/22/25 14:27	VX102225
98-06-6	tert-Butylbenzene	0.14	U	1	0.14	1.00	ug/L	10/22/25 14:27	VX102225
95-63-6	1,2,4-Trimethylbenzene	0.14	U	1	0.14	1.00	ug/L	10/22/25 14:27	VX102225
135-98-8	sec-Butylbenzene	0.13	U	1	0.13	1.00	ug/L	10/22/25 14:27	VX102225
99-87-6	p-Isopropyltoluene	0.13	U	1	0.13	1.00	ug/L	10/22/25 14:27	VX102225
541-73-1	1,3-Dichlorobenzene	0.16	U	1	0.16	1.00	ug/L	10/22/25 14:27	VX102225
106-46-7	1,4-Dichlorobenzene	0.19	U	1	0.19	1.00	ug/L	10/22/25 14:27	VX102225
104-51-8	n-Butylbenzene	0.15	U	1	0.15	1.00	ug/L	10/22/25 14:27	VX102225
95-50-1	1,2-Dichlorobenzene	0.16	U	1	0.16	1.00	ug/L	10/22/25 14:27	VX102225
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	1	0.53	1.00	ug/L	10/22/25 14:27	VX102225
120-82-1	1,2,4-Trichlorobenzene	0.20	U	1	0.20	1.00	ug/L	10/22/25 14:27	VX102225
87-68-3	Hexachlorobutadiene	0.30	U	1	0.30	1.00	ug/L	10/22/25 14:27	VX102225
91-20-3	Naphthalene	0.20	U	1	0.20	1.00	ug/L	10/22/25 14:27	VX102225
87-61-6	1,2,3-Trichlorobenzene	0.20	U	1	0.20	1.00	ug/L	10/22/25 14:27	VX102225
SURROGATES									
17060-07-0	1,2-Dichloroethane-d4	54.7			74 - 125	109%	SPK: 50		
1868-53-7	Dibromofluoromethane	45.6			75 - 124	91%	SPK: 50		
2037-26-5	Toluene-d8	40.5	*		86 - 113	81%	SPK: 50		
460-00-4	4-Bromofluorobenzene	47.5			77 - 121	95%	SPK: 50		
INTERNAL STANDARDS									
		Area Count							
363-72-4	Pentafluorobenzene	133000							
540-36-3	1,4-Difluorobenzene	267000							
3114-55-4	Chlorobenzene-d5	243000							
3855-82-1	1,4-Dichlorobenzene-d4	131000							

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	10/10/25
Project:	Weekly Storage Blanks	Date Received:	10/17/25
Client Sample ID:	STORAGE-BLANK-SOIL-]	SDG No.:	Q3373
Lab Sample ID:	Q3373-01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 mL	Test:	VOC- Chemtech Full
	Level: LOW		
	Final Vol: 5000 uL		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
------------	-----------	-------	------	----	-----	------------	-------	-----------	---------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client: Chemtech Consulting Group
Project: Weekly Storage Blanks
Client Sample ID: STORAGE-BLANK-SOIL-1
Lab Sample ID: Q3373-01RE
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 10/10/25
Date Received: 10/17/25
SDG No.: Q3373
Matrix: Water
% Solid: 0
Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-71-8	Dichlorodifluoromethane	0.22	U	1	0.22	1.00	ug/L	10/24/25 14:37	VN102425
74-87-3	Chloromethane	0.32	U	1	0.32	1.00	ug/L	10/24/25 14:37	VN102425
75-01-4	Vinyl Chloride	0.26	U	1	0.26	1.00	ug/L	10/24/25 14:37	VN102425
141-78-6	Ethyl Acetate	0.31	U	1	0.31	1.00	ug/L	10/24/25 14:37	VN102425
74-83-9	Bromomethane	1.40	U	1	1.40	5.00	ug/L	10/24/25 14:37	VN102425
75-00-3	Chloroethane	0.47	U	1	0.47	1.00	ug/L	10/24/25 14:37	VN102425
75-69-4	Trichlorofluoromethane	0.33	U	1	0.33	1.00	ug/L	10/24/25 14:37	VN102425
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	1	0.25	1.00	ug/L	10/24/25 14:37	VN102425
75-65-0	Tert butyl alcohol	5.50	U	1	5.50	25.0	ug/L	10/24/25 14:37	VN102425
75-35-4	1,1-Dichloroethene	0.23	U	1	0.23	1.00	ug/L	10/24/25 14:37	VN102425
107-02-8	Acrolein	7.10	U	1	7.10	25.0	ug/L	10/24/25 14:37	VN102425
107-13-1	Acrylonitrile	0.83	U	1	0.83	5.00	ug/L	10/24/25 14:37	VN102425
67-64-1	Acetone	1.50	U	1	1.50	5.00	ug/L	10/24/25 14:37	VN102425
75-15-0	Carbon Disulfide	0.21	U	1	0.21	1.00	ug/L	10/24/25 14:37	VN102425
1634-04-4	Methyl tert-butyl Ether	0.16	U	1	0.16	1.00	ug/L	10/24/25 14:37	VN102425
79-20-9	Methyl Acetate	0.27	U	1	0.27	1.00	ug/L	10/24/25 14:37	VN102425
75-09-2	Methylene Chloride	0.28	U	1	0.28	1.00	ug/L	10/24/25 14:37	VN102425
156-60-5	trans-1,2-Dichloroethene	0.23	U	1	0.23	1.00	ug/L	10/24/25 14:37	VN102425
108-05-4	Vinyl Acetate	0.66	U	1	0.66	5.00	ug/L	10/24/25 14:37	VN102425
75-34-3	1,1-Dichloroethane	0.23	U	1	0.23	1.00	ug/L	10/24/25 14:37	VN102425
110-82-7	Cyclohexane	1.50	U	1	1.50	5.00	ug/L	10/24/25 14:37	VN102425
78-93-3	2-Butanone	0.98	U	1	0.98	5.00	ug/L	10/24/25 14:37	VN102425
56-23-5	Carbon Tetrachloride	0.25	U	1	0.25	1.00	ug/L	10/24/25 14:37	VN102425
594-20-7	2,2-Dichloropropane	0.21	U	1	0.21	1.00	ug/L	10/24/25 14:37	VN102425
156-59-2	cis-1,2-Dichloroethene	0.19	U	1	0.19	1.00	ug/L	10/24/25 14:37	VN102425
74-97-5	Bromochloromethane	0.22	U	1	0.22	1.00	ug/L	10/24/25 14:37	VN102425
67-66-3	Chloroform	0.25	U	1	0.25	1.00	ug/L	10/24/25 14:37	VN102425
71-55-6	1,1,1-Trichloroethane	0.20	U	1	0.20	1.00	ug/L	10/24/25 14:37	VN102425
108-87-2	Methylcyclohexane	0.16	U	1	0.16	1.00	ug/L	10/24/25 14:37	VN102425
563-58-6	1,1-Dichloropropene	0.15	U	1	0.15	1.00	ug/L	10/24/25 14:37	VN102425
71-43-2	Benzene	0.15	U	1	0.15	1.00	ug/L	10/24/25 14:37	VN102425
107-06-2	1,2-Dichloroethane	0.22	U	1	0.22	1.00	ug/L	10/24/25 14:37	VN102425
79-01-6	Trichloroethene	0.090	U	1	0.090	1.00	ug/L	10/24/25 14:37	VN102425
78-87-5	1,2-Dichloropropane	0.20	U	1	0.20	1.00	ug/L	10/24/25 14:37	VN102425
74-95-3	Dibromomethane	0.25	U	1	0.25	1.00	ug/L	10/24/25 14:37	VN102425
75-27-4	Bromodichloromethane	0.22	U	1	0.22	1.00	ug/L	10/24/25 14:37	VN102425
108-10-1	4-Methyl-2-Pentanone	0.68	U	1	0.68	5.00	ug/L	10/24/25 14:37	VN102425
108-88-3	Toluene	0.14	U	1	0.14	1.00	ug/L	10/24/25 14:37	VN102425
10061-02-6	t-1,3-Dichloropropene	0.17	U	1	0.17	1.00	ug/L	10/24/25 14:37	VN102425
10061-01-5	cis-1,3-Dichloropropene	0.16	U	1	0.16	1.00	ug/L	10/24/25 14:37	VN102425
79-00-5	1,1,2-Trichloroethane	0.21	U	1	0.21	1.00	ug/L	10/24/25 14:37	VN102425
142-28-9	1,3-Dichloropropane	0.19	U	1	0.19	1.00	ug/L	10/24/25 14:37	VN102425
110-75-8	2-Chloroethyl Vinyl ether	0.30	U	1	0.30	5.00	ug/L	10/24/25 14:37	VN102425

Report of Analysis

Client: Chemtech Consulting Group
Project: Weekly Storage Blanks
Client Sample ID: STORAGE-BLANK-SOIL-1
Lab Sample ID: Q3373-01RE
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 10/10/25
Date Received: 10/17/25
SDG No.: Q3373
Matrix: Water
% Solid: 0
Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
591-78-6	2-Hexanone	0.89	U	1	0.89	5.00	ug/L	10/24/25 14:37	VN102425
124-48-1	Dibromochloromethane	0.18	U	1	0.18	1.00	ug/L	10/24/25 14:37	VN102425
106-93-4	1,2-Dibromoethane	0.15	U	1	0.15	1.00	ug/L	10/24/25 14:37	VN102425
127-18-4	Tetrachloroethene	0.23	U	1	0.23	1.00	ug/L	10/24/25 14:37	VN102425
108-90-7	Chlorobenzene	0.12	U	1	0.12	1.00	ug/L	10/24/25 14:37	VN102425
630-20-6	1,1,1,2-Tetrachloroethane	0.19	U	1	0.19	1.00	ug/L	10/24/25 14:37	VN102425
67-72-1	Hexachloroethane	0.32	U	1	0.32	1.00	ug/L	10/24/25 14:37	VN102425
100-41-4	Ethyl Benzene	0.13	U	1	0.13	1.00	ug/L	10/24/25 14:37	VN102425
179601-23-1	m/p-Xylenes	0.24	U	1	0.24	2.00	ug/L	10/24/25 14:37	VN102425
95-47-6	o-Xylene	0.12	U	1	0.12	1.00	ug/L	10/24/25 14:37	VN102425
100-42-5	Styrene	0.15	U	1	0.15	1.00	ug/L	10/24/25 14:37	VN102425
75-25-2	Bromoform	0.19	U	1	0.19	1.00	ug/L	10/24/25 14:37	VN102425
98-82-8	Isopropylbenzene	0.12	U	1	0.12	1.00	ug/L	10/24/25 14:37	VN102425
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	1	0.26	1.00	ug/L	10/24/25 14:37	VN102425
96-18-4	1,2,3-Trichloropropane	0.35	U	1	0.35	1.00	ug/L	10/24/25 14:37	VN102425
108-86-1	Bromobenzene	0.24	U	1	0.24	1.00	ug/L	10/24/25 14:37	VN102425
103-65-1	n-propylbenzene	0.13	U	1	0.13	1.00	ug/L	10/24/25 14:37	VN102425
95-49-8	2-Chlorotoluene	0.14	U	1	0.14	1.00	ug/L	10/24/25 14:37	VN102425
108-67-8	1,3,5-Trimethylbenzene	0.15	U	1	0.15	1.00	ug/L	10/24/25 14:37	VN102425
106-43-4	4-Chlorotoluene	0.13	U	1	0.13	1.00	ug/L	10/24/25 14:37	VN102425
98-06-6	tert-Butylbenzene	0.14	U	1	0.14	1.00	ug/L	10/24/25 14:37	VN102425
95-63-6	1,2,4-Trimethylbenzene	0.14	U	1	0.14	1.00	ug/L	10/24/25 14:37	VN102425
135-98-8	sec-Butylbenzene	0.13	U	1	0.13	1.00	ug/L	10/24/25 14:37	VN102425
99-87-6	p-Isopropyltoluene	0.13	U	1	0.13	1.00	ug/L	10/24/25 14:37	VN102425
541-73-1	1,3-Dichlorobenzene	0.16	U	1	0.16	1.00	ug/L	10/24/25 14:37	VN102425
106-46-7	1,4-Dichlorobenzene	0.19	U	1	0.19	1.00	ug/L	10/24/25 14:37	VN102425
104-51-8	n-Butylbenzene	0.15	U	1	0.15	1.00	ug/L	10/24/25 14:37	VN102425
95-50-1	1,2-Dichlorobenzene	0.16	U	1	0.16	1.00	ug/L	10/24/25 14:37	VN102425
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	1	0.53	1.00	ug/L	10/24/25 14:37	VN102425
120-82-1	1,2,4-Trichlorobenzene	0.20	U	1	0.20	1.00	ug/L	10/24/25 14:37	VN102425
87-68-3	Hexachlorobutadiene	0.30	U	1	0.30	1.00	ug/L	10/24/25 14:37	VN102425
91-20-3	Naphthalene	0.20	U	1	0.20	1.00	ug/L	10/24/25 14:37	VN102425
87-61-6	1,2,3-Trichlorobenzene	0.20	U	1	0.20	1.00	ug/L	10/24/25 14:37	VN102425
SURROGATES									
17060-07-0	1,2-Dichloroethane-d4	64.4	*		74 - 125	129%	SPK: 50		
1868-53-7	Dibromofluoromethane	53.4			75 - 124	107%	SPK: 50		
2037-26-5	Toluene-d8	49.9			86 - 113	100%	SPK: 50		
460-00-4	4-Bromofluorobenzene	56.1			77 - 121	112%	SPK: 50		
INTERNAL STANDARDS									
		Area Count							
363-72-4	Pentafluorobenzene	245000							
540-36-3	1,4-Difluorobenzene	553000							
3114-55-4	Chlorobenzene-d5	541000							
3855-82-1	1,4-Dichlorobenzene-d4	259000							

Report of Analysis

Client: Chemtech Consulting Group
Project: Weekly Storage Blanks
Client Sample ID: STORAGE-BLANK-SOIL-
Lab Sample ID: Q3373-01RE
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 10/10/25
Date Received: 10/17/25
SDG No.: Q3373
Matrix: Water
% Solid: 0
Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
------------	-----------	-------	------	----	-----	------------	-------	-----------	---------

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Report of Analysis

Client: Chemtech Consulting Group
Project: Weekly Storage Blanks
Client Sample ID: STORAGE-BLANK-WATE
Lab Sample ID: Q3373-02
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 10/10/25
Date Received: 10/17/25
SDG No.: Q3373
Matrix: Water
% Solid: 0
Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-71-8	Dichlorodifluoromethane	0.22	U	1	0.22	1.00	ug/L	10/24/25 14:58	VN102425
74-87-3	Chloromethane	0.32	U	1	0.32	1.00	ug/L	10/24/25 14:58	VN102425
75-01-4	Vinyl Chloride	0.26	U	1	0.26	1.00	ug/L	10/24/25 14:58	VN102425
141-78-6	Ethyl Acetate	0.31	U	1	0.31	1.00	ug/L	10/24/25 14:58	VN102425
74-83-9	Bromomethane	1.40	U	1	1.40	5.00	ug/L	10/24/25 14:58	VN102425
75-00-3	Chloroethane	0.47	U	1	0.47	1.00	ug/L	10/24/25 14:58	VN102425
75-69-4	Trichlorofluoromethane	0.33	U	1	0.33	1.00	ug/L	10/24/25 14:58	VN102425
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	1	0.25	1.00	ug/L	10/24/25 14:58	VN102425
75-65-0	Tert butyl alcohol	5.50	U	1	5.50	25.0	ug/L	10/24/25 14:58	VN102425
75-35-4	1,1-Dichloroethene	0.23	U	1	0.23	1.00	ug/L	10/24/25 14:58	VN102425
107-02-8	Acrolein	7.10	U	1	7.10	25.0	ug/L	10/24/25 14:58	VN102425
107-13-1	Acrylonitrile	0.83	U	1	0.83	5.00	ug/L	10/24/25 14:58	VN102425
67-64-1	Acetone	1.50	U	1	1.50	5.00	ug/L	10/24/25 14:58	VN102425
75-15-0	Carbon Disulfide	0.21	U	1	0.21	1.00	ug/L	10/24/25 14:58	VN102425
1634-04-4	Methyl tert-butyl Ether	0.16	U	1	0.16	1.00	ug/L	10/24/25 14:58	VN102425
79-20-9	Methyl Acetate	0.27	U	1	0.27	1.00	ug/L	10/24/25 14:58	VN102425
75-09-2	Methylene Chloride	0.28	U	1	0.28	1.00	ug/L	10/24/25 14:58	VN102425
156-60-5	trans-1,2-Dichloroethene	0.23	U	1	0.23	1.00	ug/L	10/24/25 14:58	VN102425
108-05-4	Vinyl Acetate	0.66	U	1	0.66	5.00	ug/L	10/24/25 14:58	VN102425
75-34-3	1,1-Dichloroethane	0.23	U	1	0.23	1.00	ug/L	10/24/25 14:58	VN102425
110-82-7	Cyclohexane	1.50	U	1	1.50	5.00	ug/L	10/24/25 14:58	VN102425
78-93-3	2-Butanone	0.98	U	1	0.98	5.00	ug/L	10/24/25 14:58	VN102425
56-23-5	Carbon Tetrachloride	0.25	U	1	0.25	1.00	ug/L	10/24/25 14:58	VN102425
594-20-7	2,2-Dichloropropane	0.21	U	1	0.21	1.00	ug/L	10/24/25 14:58	VN102425
156-59-2	cis-1,2-Dichloroethene	0.19	U	1	0.19	1.00	ug/L	10/24/25 14:58	VN102425
74-97-5	Bromochloromethane	0.22	U	1	0.22	1.00	ug/L	10/24/25 14:58	VN102425
67-66-3	Chloroform	0.25	U	1	0.25	1.00	ug/L	10/24/25 14:58	VN102425
71-55-6	1,1,1-Trichloroethane	0.20	U	1	0.20	1.00	ug/L	10/24/25 14:58	VN102425
108-87-2	Methylcyclohexane	0.16	U	1	0.16	1.00	ug/L	10/24/25 14:58	VN102425
563-58-6	1,1-Dichloropropene	0.15	U	1	0.15	1.00	ug/L	10/24/25 14:58	VN102425
71-43-2	Benzene	0.15	U	1	0.15	1.00	ug/L	10/24/25 14:58	VN102425
107-06-2	1,2-Dichloroethane	0.22	U	1	0.22	1.00	ug/L	10/24/25 14:58	VN102425
79-01-6	Trichloroethene	0.090	U	1	0.090	1.00	ug/L	10/24/25 14:58	VN102425
78-87-5	1,2-Dichloropropane	0.20	U	1	0.20	1.00	ug/L	10/24/25 14:58	VN102425
74-95-3	Dibromomethane	0.25	U	1	0.25	1.00	ug/L	10/24/25 14:58	VN102425
75-27-4	Bromodichloromethane	0.22	U	1	0.22	1.00	ug/L	10/24/25 14:58	VN102425
108-10-1	4-Methyl-2-Pentanone	0.68	U	1	0.68	5.00	ug/L	10/24/25 14:58	VN102425
108-88-3	Toluene	0.14	U	1	0.14	1.00	ug/L	10/24/25 14:58	VN102425
10061-02-6	t-1,3-Dichloropropene	0.17	U	1	0.17	1.00	ug/L	10/24/25 14:58	VN102425
10061-01-5	cis-1,3-Dichloropropene	0.16	U	1	0.16	1.00	ug/L	10/24/25 14:58	VN102425
79-00-5	1,1,2-Trichloroethane	0.21	U	1	0.21	1.00	ug/L	10/24/25 14:58	VN102425
142-28-9	1,3-Dichloropropane	0.19	U	1	0.19	1.00	ug/L	10/24/25 14:58	VN102425
110-75-8	2-Chloroethyl Vinyl ether	0.30	U	1	0.30	5.00	ug/L	10/24/25 14:58	VN102425

Report of Analysis

Client: Chemtech Consulting Group
Project: Weekly Storage Blanks
Client Sample ID: STORAGE-BLANK-WATE
Lab Sample ID: Q3373-02
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 10/10/25
Date Received: 10/17/25
SDG No.: Q3373
Matrix: Water
% Solid: 0
Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
591-78-6	2-Hexanone	0.89	U	1	0.89	5.00	ug/L	10/24/25 14:58	VN102425
124-48-1	Dibromochloromethane	0.18	U	1	0.18	1.00	ug/L	10/24/25 14:58	VN102425
106-93-4	1,2-Dibromoethane	0.15	U	1	0.15	1.00	ug/L	10/24/25 14:58	VN102425
127-18-4	Tetrachloroethene	0.23	U	1	0.23	1.00	ug/L	10/24/25 14:58	VN102425
108-90-7	Chlorobenzene	0.12	U	1	0.12	1.00	ug/L	10/24/25 14:58	VN102425
630-20-6	1,1,1,2-Tetrachloroethane	0.19	U	1	0.19	1.00	ug/L	10/24/25 14:58	VN102425
67-72-1	Hexachloroethane	0.32	U	1	0.32	1.00	ug/L	10/24/25 14:58	VN102425
100-41-4	Ethyl Benzene	0.13	U	1	0.13	1.00	ug/L	10/24/25 14:58	VN102425
179601-23-1	m/p-Xylenes	0.24	U	1	0.24	2.00	ug/L	10/24/25 14:58	VN102425
95-47-6	o-Xylene	0.12	U	1	0.12	1.00	ug/L	10/24/25 14:58	VN102425
100-42-5	Styrene	0.15	U	1	0.15	1.00	ug/L	10/24/25 14:58	VN102425
75-25-2	Bromoform	0.19	U	1	0.19	1.00	ug/L	10/24/25 14:58	VN102425
98-82-8	Isopropylbenzene	0.12	U	1	0.12	1.00	ug/L	10/24/25 14:58	VN102425
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	1	0.26	1.00	ug/L	10/24/25 14:58	VN102425
96-18-4	1,2,3-Trichloropropane	0.35	U	1	0.35	1.00	ug/L	10/24/25 14:58	VN102425
108-86-1	Bromobenzene	0.24	U	1	0.24	1.00	ug/L	10/24/25 14:58	VN102425
103-65-1	n-propylbenzene	0.13	U	1	0.13	1.00	ug/L	10/24/25 14:58	VN102425
95-49-8	2-Chlorotoluene	0.14	U	1	0.14	1.00	ug/L	10/24/25 14:58	VN102425
108-67-8	1,3,5-Trimethylbenzene	0.15	U	1	0.15	1.00	ug/L	10/24/25 14:58	VN102425
106-43-4	4-Chlorotoluene	0.13	U	1	0.13	1.00	ug/L	10/24/25 14:58	VN102425
98-06-6	tert-Butylbenzene	0.14	U	1	0.14	1.00	ug/L	10/24/25 14:58	VN102425
95-63-6	1,2,4-Trimethylbenzene	0.14	U	1	0.14	1.00	ug/L	10/24/25 14:58	VN102425
135-98-8	sec-Butylbenzene	0.13	U	1	0.13	1.00	ug/L	10/24/25 14:58	VN102425
99-87-6	p-Isopropyltoluene	0.13	U	1	0.13	1.00	ug/L	10/24/25 14:58	VN102425
541-73-1	1,3-Dichlorobenzene	0.16	U	1	0.16	1.00	ug/L	10/24/25 14:58	VN102425
106-46-7	1,4-Dichlorobenzene	0.19	U	1	0.19	1.00	ug/L	10/24/25 14:58	VN102425
104-51-8	n-Butylbenzene	0.15	U	1	0.15	1.00	ug/L	10/24/25 14:58	VN102425
95-50-1	1,2-Dichlorobenzene	0.16	U	1	0.16	1.00	ug/L	10/24/25 14:58	VN102425
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	1	0.53	1.00	ug/L	10/24/25 14:58	VN102425
120-82-1	1,2,4-Trichlorobenzene	0.20	U	1	0.20	1.00	ug/L	10/24/25 14:58	VN102425
87-68-3	Hexachlorobutadiene	0.30	U	1	0.30	1.00	ug/L	10/24/25 14:58	VN102425
91-20-3	Naphthalene	0.20	U	1	0.20	1.00	ug/L	10/24/25 14:58	VN102425
87-61-6	1,2,3-Trichlorobenzene	0.20	U	1	0.20	1.00	ug/L	10/24/25 14:58	VN102425

SURROGATES

17060-07-0	1,2-Dichloroethane-d4	59.3		74 - 125	119%	SPK: 50
1868-53-7	Dibromofluoromethane	52.4		75 - 124	105%	SPK: 50
2037-26-5	Toluene-d8	50.0		86 - 113	100%	SPK: 50
460-00-4	4-Bromofluorobenzene	53.2		77 - 121	106%	SPK: 50

INTERNAL STANDARDS

363-72-4	Pentafluorobenzene	217000
540-36-3	1,4-Difluorobenzene	476000
3114-55-4	Chlorobenzene-d5	452000
3855-82-1	1,4-Dichlorobenzene-d4	219000

Report of Analysis

Client: Chemtech Consulting Group
Project: Weekly Storage Blanks
Client Sample ID: STORAGE-BLANK-WATE
Lab Sample ID: Q3373-02
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 10/10/25
Date Received: 10/17/25
SDG No.: Q3373
Matrix: Water
% Solid: 0
Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
------------	-----------	-------	------	----	-----	------------	-------	-----------	---------

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Report of Analysis

Client: Chemtech Consulting Group
Project: Weekly Storage Blanks
Client Sample ID: STORAGE-BLANK-WATE
Lab Sample ID: Q3373-03
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 10/10/25
Date Received: 10/17/25
SDG No.: Q3373
Matrix: Water
% Solid: 0
Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-71-8	Dichlorodifluoromethane	0.22	U	1	0.22	1.00	ug/L	10/24/25 15:18	VN102425
74-87-3	Chloromethane	0.32	U	1	0.32	1.00	ug/L	10/24/25 15:18	VN102425
75-01-4	Vinyl Chloride	0.26	U	1	0.26	1.00	ug/L	10/24/25 15:18	VN102425
141-78-6	Ethyl Acetate	0.31	U	1	0.31	1.00	ug/L	10/24/25 15:18	VN102425
74-83-9	Bromomethane	1.40	U	1	1.40	5.00	ug/L	10/24/25 15:18	VN102425
75-00-3	Chloroethane	0.47	U	1	0.47	1.00	ug/L	10/24/25 15:18	VN102425
75-69-4	Trichlorofluoromethane	0.33	U	1	0.33	1.00	ug/L	10/24/25 15:18	VN102425
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	1	0.25	1.00	ug/L	10/24/25 15:18	VN102425
75-65-0	Tert butyl alcohol	5.50	U	1	5.50	25.0	ug/L	10/24/25 15:18	VN102425
75-35-4	1,1-Dichloroethene	0.23	U	1	0.23	1.00	ug/L	10/24/25 15:18	VN102425
107-02-8	Acrolein	7.10	U	1	7.10	25.0	ug/L	10/24/25 15:18	VN102425
107-13-1	Acrylonitrile	0.83	U	1	0.83	5.00	ug/L	10/24/25 15:18	VN102425
67-64-1	Acetone	1.50	U	1	1.50	5.00	ug/L	10/24/25 15:18	VN102425
75-15-0	Carbon Disulfide	0.21	U	1	0.21	1.00	ug/L	10/24/25 15:18	VN102425
1634-04-4	Methyl tert-butyl Ether	0.16	U	1	0.16	1.00	ug/L	10/24/25 15:18	VN102425
79-20-9	Methyl Acetate	0.27	U	1	0.27	1.00	ug/L	10/24/25 15:18	VN102425
75-09-2	Methylene Chloride	0.28	U	1	0.28	1.00	ug/L	10/24/25 15:18	VN102425
156-60-5	trans-1,2-Dichloroethene	0.23	U	1	0.23	1.00	ug/L	10/24/25 15:18	VN102425
108-05-4	Vinyl Acetate	0.66	U	1	0.66	5.00	ug/L	10/24/25 15:18	VN102425
75-34-3	1,1-Dichloroethane	0.23	U	1	0.23	1.00	ug/L	10/24/25 15:18	VN102425
110-82-7	Cyclohexane	1.50	U	1	1.50	5.00	ug/L	10/24/25 15:18	VN102425
78-93-3	2-Butanone	0.98	U	1	0.98	5.00	ug/L	10/24/25 15:18	VN102425
56-23-5	Carbon Tetrachloride	0.25	U	1	0.25	1.00	ug/L	10/24/25 15:18	VN102425
594-20-7	2,2-Dichloropropane	0.21	U	1	0.21	1.00	ug/L	10/24/25 15:18	VN102425
156-59-2	cis-1,2-Dichloroethene	0.19	U	1	0.19	1.00	ug/L	10/24/25 15:18	VN102425
74-97-5	Bromochloromethane	0.22	U	1	0.22	1.00	ug/L	10/24/25 15:18	VN102425
67-66-3	Chloroform	0.25	U	1	0.25	1.00	ug/L	10/24/25 15:18	VN102425
71-55-6	1,1,1-Trichloroethane	0.20	U	1	0.20	1.00	ug/L	10/24/25 15:18	VN102425
108-87-2	Methylcyclohexane	0.16	U	1	0.16	1.00	ug/L	10/24/25 15:18	VN102425
563-58-6	1,1-Dichloropropene	0.15	U	1	0.15	1.00	ug/L	10/24/25 15:18	VN102425
71-43-2	Benzene	0.15	U	1	0.15	1.00	ug/L	10/24/25 15:18	VN102425
107-06-2	1,2-Dichloroethane	0.22	U	1	0.22	1.00	ug/L	10/24/25 15:18	VN102425
79-01-6	Trichloroethene	0.090	U	1	0.090	1.00	ug/L	10/24/25 15:18	VN102425
78-87-5	1,2-Dichloropropane	0.20	U	1	0.20	1.00	ug/L	10/24/25 15:18	VN102425
74-95-3	Dibromomethane	0.25	U	1	0.25	1.00	ug/L	10/24/25 15:18	VN102425
75-27-4	Bromodichloromethane	0.22	U	1	0.22	1.00	ug/L	10/24/25 15:18	VN102425
108-10-1	4-Methyl-2-Pentanone	0.68	U	1	0.68	5.00	ug/L	10/24/25 15:18	VN102425
108-88-3	Toluene	0.14	U	1	0.14	1.00	ug/L	10/24/25 15:18	VN102425
10061-02-6	t-1,3-Dichloropropene	0.17	U	1	0.17	1.00	ug/L	10/24/25 15:18	VN102425
10061-01-5	cis-1,3-Dichloropropene	0.16	U	1	0.16	1.00	ug/L	10/24/25 15:18	VN102425
79-00-5	1,1,2-Trichloroethane	0.21	U	1	0.21	1.00	ug/L	10/24/25 15:18	VN102425
142-28-9	1,3-Dichloropropane	0.19	U	1	0.19	1.00	ug/L	10/24/25 15:18	VN102425
110-75-8	2-Chloroethyl Vinyl ether	0.30	U	1	0.30	5.00	ug/L	10/24/25 15:18	VN102425

Report of Analysis

Client: Chemtech Consulting Group
Project: Weekly Storage Blanks
Client Sample ID: STORAGE-BLANK-WATE
Lab Sample ID: Q3373-03
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 10/10/25
Date Received: 10/17/25
SDG No.: Q3373
Matrix: Water
% Solid: 0
Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
591-78-6	2-Hexanone	0.89	U	1	0.89	5.00	ug/L	10/24/25 15:18	VN102425
124-48-1	Dibromochloromethane	0.18	U	1	0.18	1.00	ug/L	10/24/25 15:18	VN102425
106-93-4	1,2-Dibromoethane	0.15	U	1	0.15	1.00	ug/L	10/24/25 15:18	VN102425
127-18-4	Tetrachloroethene	0.23	U	1	0.23	1.00	ug/L	10/24/25 15:18	VN102425
108-90-7	Chlorobenzene	0.12	U	1	0.12	1.00	ug/L	10/24/25 15:18	VN102425
630-20-6	1,1,1,2-Tetrachloroethane	0.19	U	1	0.19	1.00	ug/L	10/24/25 15:18	VN102425
67-72-1	Hexachloroethane	0.32	U	1	0.32	1.00	ug/L	10/24/25 15:18	VN102425
100-41-4	Ethyl Benzene	0.13	U	1	0.13	1.00	ug/L	10/24/25 15:18	VN102425
179601-23-1	m/p-Xylenes	0.24	U	1	0.24	2.00	ug/L	10/24/25 15:18	VN102425
95-47-6	o-Xylene	0.12	U	1	0.12	1.00	ug/L	10/24/25 15:18	VN102425
100-42-5	Styrene	0.15	U	1	0.15	1.00	ug/L	10/24/25 15:18	VN102425
75-25-2	Bromoform	0.19	U	1	0.19	1.00	ug/L	10/24/25 15:18	VN102425
98-82-8	Isopropylbenzene	0.12	U	1	0.12	1.00	ug/L	10/24/25 15:18	VN102425
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	1	0.26	1.00	ug/L	10/24/25 15:18	VN102425
96-18-4	1,2,3-Trichloropropane	0.35	U	1	0.35	1.00	ug/L	10/24/25 15:18	VN102425
108-86-1	Bromobenzene	0.24	U	1	0.24	1.00	ug/L	10/24/25 15:18	VN102425
103-65-1	n-propylbenzene	0.13	U	1	0.13	1.00	ug/L	10/24/25 15:18	VN102425
95-49-8	2-Chlorotoluene	0.14	U	1	0.14	1.00	ug/L	10/24/25 15:18	VN102425
108-67-8	1,3,5-Trimethylbenzene	0.15	U	1	0.15	1.00	ug/L	10/24/25 15:18	VN102425
106-43-4	4-Chlorotoluene	0.13	U	1	0.13	1.00	ug/L	10/24/25 15:18	VN102425
98-06-6	tert-Butylbenzene	0.14	U	1	0.14	1.00	ug/L	10/24/25 15:18	VN102425
95-63-6	1,2,4-Trimethylbenzene	0.14	U	1	0.14	1.00	ug/L	10/24/25 15:18	VN102425
135-98-8	sec-Butylbenzene	0.13	U	1	0.13	1.00	ug/L	10/24/25 15:18	VN102425
99-87-6	p-Isopropyltoluene	0.13	U	1	0.13	1.00	ug/L	10/24/25 15:18	VN102425
541-73-1	1,3-Dichlorobenzene	0.16	U	1	0.16	1.00	ug/L	10/24/25 15:18	VN102425
106-46-7	1,4-Dichlorobenzene	0.19	U	1	0.19	1.00	ug/L	10/24/25 15:18	VN102425
104-51-8	n-Butylbenzene	0.15	U	1	0.15	1.00	ug/L	10/24/25 15:18	VN102425
95-50-1	1,2-Dichlorobenzene	0.16	U	1	0.16	1.00	ug/L	10/24/25 15:18	VN102425
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	1	0.53	1.00	ug/L	10/24/25 15:18	VN102425
120-82-1	1,2,4-Trichlorobenzene	0.20	U	1	0.20	1.00	ug/L	10/24/25 15:18	VN102425
87-68-3	Hexachlorobutadiene	0.30	U	1	0.30	1.00	ug/L	10/24/25 15:18	VN102425
91-20-3	Naphthalene	0.20	U	1	0.20	1.00	ug/L	10/24/25 15:18	VN102425
87-61-6	1,2,3-Trichlorobenzene	0.20	U	1	0.20	1.00	ug/L	10/24/25 15:18	VN102425
SURROGATES									
17060-07-0	1,2-Dichloroethane-d4	59.0			74 - 125	118%	SPK: 50		
1868-53-7	Dibromofluoromethane	51.5			75 - 124	103%	SPK: 50		
2037-26-5	Toluene-d8	49.1			86 - 113	98%	SPK: 50		
460-00-4	4-Bromofluorobenzene	52.5			77 - 121	105%	SPK: 50		
INTERNAL STANDARDS									
		Area Count							
363-72-4	Pentafluorobenzene	218000							
540-36-3	1,4-Difluorobenzene	488000							
3114-55-4	Chlorobenzene-d5	461000							
3855-82-1	1,4-Dichlorobenzene-d4	220000							

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	10/10/25
Project:	Weekly Storage Blanks	Date Received:	10/17/25
Client Sample ID:	STORAGE-BLANK-WATE	SDG No.:	Q3373
Lab Sample ID:	Q3373-03	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 mL	Test:	VOC- Chemtech Full
	Level: LOW		
	Final Vol: 5000 uL		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
------------	-----------	-------	------	----	-----	------------	-------	-----------	---------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client: Chemtech Consulting Group
Project: Weekly Storage Blanks
Client Sample ID: STORAGE-BLANK-SAMP
Lab Sample ID: Q3373-04
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 10/10/25
Date Received: 10/17/25
SDG No.: Q3373
Matrix: Water
% Solid: 0
Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-71-8	Dichlorodifluoromethane	0.22	U	1	0.22	1.00	ug/L	10/24/25 15:39	VN102425
74-87-3	Chloromethane	0.32	U	1	0.32	1.00	ug/L	10/24/25 15:39	VN102425
75-01-4	Vinyl Chloride	0.26	U	1	0.26	1.00	ug/L	10/24/25 15:39	VN102425
141-78-6	Ethyl Acetate	0.31	U	1	0.31	1.00	ug/L	10/24/25 15:39	VN102425
74-83-9	Bromomethane	1.40	U	1	1.40	5.00	ug/L	10/24/25 15:39	VN102425
75-00-3	Chloroethane	0.47	U	1	0.47	1.00	ug/L	10/24/25 15:39	VN102425
75-69-4	Trichlorofluoromethane	0.33	U	1	0.33	1.00	ug/L	10/24/25 15:39	VN102425
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	1	0.25	1.00	ug/L	10/24/25 15:39	VN102425
75-65-0	Tert butyl alcohol	5.50	U	1	5.50	25.0	ug/L	10/24/25 15:39	VN102425
75-35-4	1,1-Dichloroethene	0.23	U	1	0.23	1.00	ug/L	10/24/25 15:39	VN102425
107-02-8	Acrolein	7.10	U	1	7.10	25.0	ug/L	10/24/25 15:39	VN102425
107-13-1	Acrylonitrile	0.83	U	1	0.83	5.00	ug/L	10/24/25 15:39	VN102425
67-64-1	Acetone	1.50	U	1	1.50	5.00	ug/L	10/24/25 15:39	VN102425
75-15-0	Carbon Disulfide	0.21	U	1	0.21	1.00	ug/L	10/24/25 15:39	VN102425
1634-04-4	Methyl tert-butyl Ether	0.16	U	1	0.16	1.00	ug/L	10/24/25 15:39	VN102425
79-20-9	Methyl Acetate	0.27	U	1	0.27	1.00	ug/L	10/24/25 15:39	VN102425
75-09-2	Methylene Chloride	0.28	U	1	0.28	1.00	ug/L	10/24/25 15:39	VN102425
156-60-5	trans-1,2-Dichloroethene	0.23	U	1	0.23	1.00	ug/L	10/24/25 15:39	VN102425
108-05-4	Vinyl Acetate	0.66	U	1	0.66	5.00	ug/L	10/24/25 15:39	VN102425
75-34-3	1,1-Dichloroethane	0.23	U	1	0.23	1.00	ug/L	10/24/25 15:39	VN102425
110-82-7	Cyclohexane	1.50	U	1	1.50	5.00	ug/L	10/24/25 15:39	VN102425
78-93-3	2-Butanone	0.98	U	1	0.98	5.00	ug/L	10/24/25 15:39	VN102425
56-23-5	Carbon Tetrachloride	0.25	U	1	0.25	1.00	ug/L	10/24/25 15:39	VN102425
594-20-7	2,2-Dichloropropane	0.21	U	1	0.21	1.00	ug/L	10/24/25 15:39	VN102425
156-59-2	cis-1,2-Dichloroethene	0.19	U	1	0.19	1.00	ug/L	10/24/25 15:39	VN102425
74-97-5	Bromochloromethane	0.22	U	1	0.22	1.00	ug/L	10/24/25 15:39	VN102425
67-66-3	Chloroform	0.25	U	1	0.25	1.00	ug/L	10/24/25 15:39	VN102425
71-55-6	1,1,1-Trichloroethane	0.20	U	1	0.20	1.00	ug/L	10/24/25 15:39	VN102425
108-87-2	Methylcyclohexane	0.16	U	1	0.16	1.00	ug/L	10/24/25 15:39	VN102425
563-58-6	1,1-Dichloropropene	0.15	U	1	0.15	1.00	ug/L	10/24/25 15:39	VN102425
71-43-2	Benzene	0.15	U	1	0.15	1.00	ug/L	10/24/25 15:39	VN102425
107-06-2	1,2-Dichloroethane	0.22	U	1	0.22	1.00	ug/L	10/24/25 15:39	VN102425
79-01-6	Trichloroethene	0.090	U	1	0.090	1.00	ug/L	10/24/25 15:39	VN102425
78-87-5	1,2-Dichloropropane	0.20	U	1	0.20	1.00	ug/L	10/24/25 15:39	VN102425
74-95-3	Dibromomethane	0.25	U	1	0.25	1.00	ug/L	10/24/25 15:39	VN102425
75-27-4	Bromodichloromethane	0.22	U	1	0.22	1.00	ug/L	10/24/25 15:39	VN102425
108-10-1	4-Methyl-2-Pentanone	0.68	U	1	0.68	5.00	ug/L	10/24/25 15:39	VN102425
108-88-3	Toluene	0.14	U	1	0.14	1.00	ug/L	10/24/25 15:39	VN102425
10061-02-6	t-1,3-Dichloropropene	0.17	U	1	0.17	1.00	ug/L	10/24/25 15:39	VN102425
10061-01-5	cis-1,3-Dichloropropene	0.16	U	1	0.16	1.00	ug/L	10/24/25 15:39	VN102425
79-00-5	1,1,2-Trichloroethane	0.21	U	1	0.21	1.00	ug/L	10/24/25 15:39	VN102425
142-28-9	1,3-Dichloropropane	0.19	U	1	0.19	1.00	ug/L	10/24/25 15:39	VN102425
110-75-8	2-Chloroethyl Vinyl ether	0.30	U	1	0.30	5.00	ug/L	10/24/25 15:39	VN102425

Report of Analysis

Client: Chemtech Consulting Group
Project: Weekly Storage Blanks
Client Sample ID: STORAGE-BLANK-SAMP
Lab Sample ID: Q3373-04
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 10/10/25
Date Received: 10/17/25
SDG No.: Q3373
Matrix: Water
% Solid: 0
Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
591-78-6	2-Hexanone	0.89	U	1	0.89	5.00	ug/L	10/24/25 15:39	VN102425
124-48-1	Dibromochloromethane	0.18	U	1	0.18	1.00	ug/L	10/24/25 15:39	VN102425
106-93-4	1,2-Dibromoethane	0.15	U	1	0.15	1.00	ug/L	10/24/25 15:39	VN102425
127-18-4	Tetrachloroethene	0.23	U	1	0.23	1.00	ug/L	10/24/25 15:39	VN102425
108-90-7	Chlorobenzene	0.12	U	1	0.12	1.00	ug/L	10/24/25 15:39	VN102425
630-20-6	1,1,1,2-Tetrachloroethane	0.19	U	1	0.19	1.00	ug/L	10/24/25 15:39	VN102425
67-72-1	Hexachloroethane	0.32	U	1	0.32	1.00	ug/L	10/24/25 15:39	VN102425
100-41-4	Ethyl Benzene	0.13	U	1	0.13	1.00	ug/L	10/24/25 15:39	VN102425
179601-23-1	m/p-Xylenes	0.24	U	1	0.24	2.00	ug/L	10/24/25 15:39	VN102425
95-47-6	o-Xylene	0.12	U	1	0.12	1.00	ug/L	10/24/25 15:39	VN102425
100-42-5	Styrene	0.15	U	1	0.15	1.00	ug/L	10/24/25 15:39	VN102425
75-25-2	Bromoform	0.19	U	1	0.19	1.00	ug/L	10/24/25 15:39	VN102425
98-82-8	Isopropylbenzene	0.12	U	1	0.12	1.00	ug/L	10/24/25 15:39	VN102425
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	1	0.26	1.00	ug/L	10/24/25 15:39	VN102425
96-18-4	1,2,3-Trichloropropane	0.35	U	1	0.35	1.00	ug/L	10/24/25 15:39	VN102425
108-86-1	Bromobenzene	0.24	U	1	0.24	1.00	ug/L	10/24/25 15:39	VN102425
103-65-1	n-propylbenzene	0.13	U	1	0.13	1.00	ug/L	10/24/25 15:39	VN102425
95-49-8	2-Chlorotoluene	0.14	U	1	0.14	1.00	ug/L	10/24/25 15:39	VN102425
108-67-8	1,3,5-Trimethylbenzene	0.15	U	1	0.15	1.00	ug/L	10/24/25 15:39	VN102425
106-43-4	4-Chlorotoluene	0.13	U	1	0.13	1.00	ug/L	10/24/25 15:39	VN102425
98-06-6	tert-Butylbenzene	0.14	U	1	0.14	1.00	ug/L	10/24/25 15:39	VN102425
95-63-6	1,2,4-Trimethylbenzene	0.14	U	1	0.14	1.00	ug/L	10/24/25 15:39	VN102425
135-98-8	sec-Butylbenzene	0.13	U	1	0.13	1.00	ug/L	10/24/25 15:39	VN102425
99-87-6	p-Isopropyltoluene	0.13	U	1	0.13	1.00	ug/L	10/24/25 15:39	VN102425
541-73-1	1,3-Dichlorobenzene	0.16	U	1	0.16	1.00	ug/L	10/24/25 15:39	VN102425
106-46-7	1,4-Dichlorobenzene	0.19	U	1	0.19	1.00	ug/L	10/24/25 15:39	VN102425
104-51-8	n-Butylbenzene	0.15	U	1	0.15	1.00	ug/L	10/24/25 15:39	VN102425
95-50-1	1,2-Dichlorobenzene	0.16	U	1	0.16	1.00	ug/L	10/24/25 15:39	VN102425
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	1	0.53	1.00	ug/L	10/24/25 15:39	VN102425
120-82-1	1,2,4-Trichlorobenzene	0.20	U	1	0.20	1.00	ug/L	10/24/25 15:39	VN102425
87-68-3	Hexachlorobutadiene	0.30	U	1	0.30	1.00	ug/L	10/24/25 15:39	VN102425
91-20-3	Naphthalene	0.20	U	1	0.20	1.00	ug/L	10/24/25 15:39	VN102425
87-61-6	1,2,3-Trichlorobenzene	0.20	U	1	0.20	1.00	ug/L	10/24/25 15:39	VN102425
SURROGATES									
17060-07-0	1,2-Dichloroethane-d4	59.1			74 - 125	118%	SPK: 50		
1868-53-7	Dibromofluoromethane	51.8			75 - 124	104%	SPK: 50		
2037-26-5	Toluene-d8	49.5			86 - 113	99%	SPK: 50		
460-00-4	4-Bromofluorobenzene	52.0			77 - 121	104%	SPK: 50		
INTERNAL STANDARDS									
		Area Count							
363-72-4	Pentafluorobenzene	215000							
540-36-3	1,4-Difluorobenzene	480000							
3114-55-4	Chlorobenzene-d5	454000							
3855-82-1	1,4-Dichlorobenzene-d4	217000							

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	10/10/25
Project:	Weekly Storage Blanks	Date Received:	10/17/25
Client Sample ID:	STORAGE-BLANK-SAMP	SDG No.:	Q3373
Lab Sample ID:	Q3373-04	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 mL	Test:	VOC- Chemtech Full
	Level: LOW		
	Final Vol: 5000 uL		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
------------	-----------	-------	------	----	-----	------------	-------	-----------	---------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q3373	OrderDate:	10/17/2025 9:40:00 AM
Client:	Chemtech Consulting Group	Project:	Weekly Storage Blanks
Contact:	QA Officer	Location:	J32,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3373-01	STORAGE-BLANK-SOIL-REF-6	Water			10/10/25			10/17/25
			VOC- Chemtech Full	8260-Low			10/22/25	
Q3373-01RE	STORAGE-BLANK-SOIL-REF-6RE	Water			10/10/25			10/17/25
			VOC- Chemtech Full	8260-Low			10/24/25	
Q3373-02	STORAGE-BLANK-WATER-REF-5	Water			10/10/25			10/17/25
			VOC- Chemtech Full	8260-Low			10/24/25	
Q3373-03	STORAGE-BLANK-WATER-REF-4	Water			10/10/25			10/17/25
			VOC- Chemtech Full	8260-Low			10/24/25	
Q3373-04	STORAGE-BLANK-SAMPLE-MANAGEMENT	Water			10/10/25			10/17/25
			VOC- Chemtech Full	8260-Low			10/24/25	



SHIPPING DOCUMENTS

 284 Sheffield Street, Mountainside, NJ 07092 (908) 789-8900 Fax: (908) 788-9222 www.chemtech.net CHAIN OF CUSTODY RECORD		Alliance Project Number: 23373																									
		COC Number:																									
CLIENT INFORMATION		PROJECT INFORMATION		BILLING INFORMATION																							
COMPANY: Alliance Technical Group, LLC - Newark		PROJECT NAME: Weekly Storage Blanks		BILL TO: PO#																							
ADDRESS: 284 Sheffield Street		PROJECT #: LOCATION:		ADDRESS:																							
CITY Mountainside STATE: NJ ZIP: 07092		PROJECT MANAGER:		CITY: STATE: ZIP:																							
ATTENTION:		E-MAIL:		ATTENTION: PHONE:																							
PHONE: FAX:		PHONE: FAX:																									
DATA TURNAROUND INFORMATION		DATA DELIVERABLE INFORMATION		ANALYSIS																							
FAX: NA DAYS*		☐ RESULTS ONLY ☐ USEPA CLP		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="writing-mode: vertical-rl; transform: rotate(180deg);">VOC</td> <td style="writing-mode: vertical-rl; transform: rotate(180deg);">SVOC</td> <td style="writing-mode: vertical-rl; transform: rotate(180deg);">PESTICIDES</td> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td></td><td></td> </tr> </table>		VOC	SVOC	PESTICIDES									1	2	3	4	5	6	7	8	9		
VOC	SVOC	PESTICIDES																									
1	2	3	4			5	6	7	8	9																	
HARD COPY: 10 DAYS*		☐ RESULTS + QC ☐ New York State ASP "B"																									
EDD NA DAYS*		☐ New Jersey REDUCED ☐ New York State ASP "A"																									
* TO BE APPROVED BY ALLIANCE		☐ New Jersey CLP ☐ Other _____																									
STANDARD TURNAROUND TIME IS 10 BUSINESS DAYS		☐ EDD Format _____		PRESERVATIVES																							
CHEMTECH SAMPLE ID		PROJECT SAMPLE IDENTIFICATION		SAMPLE MATRIX																							
SAMPLE TYPE		SAMPLE COLLECTION		# of Bottles																							
COMP		GRAB		DATE																							
TIME		DATE		TIME																							
1		2		3																							
4		5		6																							
7		8		9																							
10		11		12																							
13		14		15																							
16		17		18																							
19		20		21																							
22		23		24																							
25		26		27																							
28		29		30																							
31		32		33																							
34		35		36																							
37		38		39																							
40		41		42																							
43		44		45																							
46		47		48																							
49		50		51																							
52		53		54																							
55		56		57																							
58		59		60																							
61		62		63																							
64		65		66																							
67		68		69																							
70		71		72																							
73		74		75																							
76		77		78																							
79		80		81																							
82		83		84																							
85		86		87																							
88		89		90																							
91		92		93																							
94		95		96																							
97		98		99																							
100		101		102																							
103		104		105																							
106		107		108																							
109		110		111																							
112		113		114																							
115		116		117																							
118		119		120																							
121		122		123																							
124		125		126																							
127		128		129																							
130		131		132																							
133		134		135																							
136		137		138																							
139		140		141																							
142		143		144																							
145		146		147																							
148		149		150																							
151		152		153																							
154		155		156																							
157		158		159																							
160		161		162																							
163		164		165																							
166		167		168																							
169		170		171																							
172		173		174																							
175		176		177																							
178		179		180																							
181		182		183																							
184		185		186																							
187		188		189																							
190		191		192																							
193		194		195																							
196		197		198																							
199		200		201																							
202		203		204																							
205		206		207																							
208		209		210																							
211		212		213																							
214		215		216																							
217		218		219																							
220		221		222																							
223		224		225																							
226		227		228																							
229		230		231																							
232		233		234																							
235		236		237																							
238		239		240																							
241		242		243																							
244		245		246																							
247		248		249																							
250		251		252																							
253		254		255																							
256		257		258																							
259		260		261																							
262		263		264																							
265		266		267																							
268		269		270																							
271		272		273																							
274		275		276																							
277		278		279																							
280		281		282																							
283		284		285																							
286		287		288																							
289		290		29																							

Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312