

Fax: 908 789 8922

Report of Analysis

Client: **PSEG**

Project: PSEG Onyx- STL

Parameter

Total EPH

PB170169BS Client Sample ID: PB170169BS Lab Sample ID: Analytical Method: NJEPH

Total AliphaticEPH Total AliphaticEPH

Sample Wt/Vol: 30.03 g Final Vol: 2000 uL Prep Date: 10/20/25

Conc.

96.4

96.4

Prep Method:

CAS Number

TARGETS

Total EPH

Matrix: Solid % Solid: 100

SDG No.:

Test: EPH NF

Q3374

Date Collected:

Date Received:

· F					
Qua. DF	MDL	LOQ / CRQL Units	Datafile	Date Ana.	Prep BatchID

mg/kg

mg/kg

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C40 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C40 concentration for the sample is reported as the Total EPH.

2.09

2.09

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

5.99

5.99

* = Values outside of QC limits

D = Dilution



Fax: 908 789 8922

Report of Analysis

Client: **PSEG**

Project: PSEG Onyx- STL

Parameter

Total EPH

PB170169BS Client Sample ID: PB170169BS Lab Sample ID: Analytical Method: NJEPH

Total AliphaticEPH Total AliphaticEPH

Sample Wt/Vol: 30.03 g Final Vol: 2000 uL Prep Date: 10/20/25

Conc.

96.4

96.4

Prep Method:

CAS Number

TARGETS

Total EPH

Matrix: Solid % Solid: 100

SDG No.:

Test: EPH NF

Q3374

Date Collected:

Date Received:

· F					
Qua. DF	MDL	LOQ / CRQL Units	Datafile	Date Ana.	Prep BatchID

mg/kg

mg/kg

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C40 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C40 concentration for the sample is reported as the Total EPH.

2.09

2.09

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

5.99

5.99

* = Values outside of QC limits

D = Dilution



Fax: 908 789 8922

Report of Analysis

Client: **PSEG**

Project: PSEG Onyx-STL

Client Sample ID: PB170169BS Lab Sample ID: PB170169BS Analytical Method: NJEPH

Sample Wt/Vol: Final Vol: 2000 uL 30.03 g Prep Date: 10/20/25

Prep Method:

Date Collected: Date Received:

SDG No.: Q3374 Matrix: Solid

% Solid: 100

Test: EPH NF

CAS Number	Parameter	Conc.	Qua. DF	MDL	LOQ / CRQL	Units	Datafile	Date Ana.	Prep BatchID
TARGETS									
Aliphatic C28-C40	Aliphatic C28-C40	24.8	1	1.18	2.00	mg/kg	FF016570.D	10/20/25 1	6:14 PB170169
Aliphatic C9-C28	Aliphatic C9-C28	71.6	1	0.91	3.99	mg/kg	FF016570.D	10/20/25 1	6:14 PB170169
Total AliphaticEPF	H Total AliphaticEPH	96.4		2.09	5.99	mg/kg			
Total EPH	Total EPH	96.4		2.09	5.99	mg/kg			

^{*} As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C40 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C40 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution



Fax: 908 789 8922

Report of Analysis

Client: PSEG

Project: PSEG Onyx- STL

Client Sample ID: PB170169BS Lab Sample ID: PB170169BS Analytical Method: NJEPH

Sample Wt/Vol: 30.03 g

Prep Method:

Final Vol: 2000 uL Prep Date 10/20/25 Date Collected:

Date Received:

SDG No.: Q3374

Matrix: Solid % Solid: 100

EPH_NF Test:

CAS Number	Parameter	Conc.	Qua. DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	71.6	1	0.91	3.99	mg/kg	10/20/25	PB170169
Aliphatic C28-C40	Aliphatic C28-C40	24.8	1	1.18	2.00	mg/kg	10/20/25	PB170169
SURROGATES								
3383-33-2	1-chlorooctadecane (SURF	29.9		40 - 140	60%	SPK: 50)	
84-15-1	ortho-Terphenyl (SURR)	30.1		40 - 140	60%	SPK: 50)	



Quantitation Report For Aliphatic EPH Range.

Lab Sample ID: PB170169BS Acq On: 20 Oct 2025 16:14

Client Sample ID: PB170169BS Operator: YP\AJ

Data file: FF016570.D Misc:

Instrument: FID_F ALS Vial: 72

Dilution Factor: 1 Sample Multiplier: 1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.220	6.761	24679137	206.534	300	ug/ml
Aliphatic C12-C16	6.762	10.304	31838293	256.151	200	ug/ml
Aliphatic C16-C21	10.305	13.679	36565791	280.419	300	ug/ml
Aliphatic C21-C28	13.680	17.353	44225400	330.874	400	ug/ml
Aliphatic C28-C40	17.354	22.324	40286355	371.766	600	ug/ml
Aliphatic EPH	3.220	22.324	177594976	1450		ug/ml
ortho-Terphenyl (SURR)	11.971	11.971	4350625	30.08		ug/ml
1-chlorooctadecane (SURR)	13.412	13.412	3329818	29.85		ug/ml
Aliphatic C9-C28	3.220	17.353	137308621	1070	1200	ug/ml