

Report of Analysis

Client:	AECOM		Date Collected:	10/16/25
Project:	AE1-CTY 3.2.Z-PR-DOCK-Des-ODC - 60693795-1719206		Date Received:	10/16/25
Client Sample ID:	PR132-DP02-20251016		SDG No.:	Q3375
Lab Sample ID:	Q3375-05		Matrix:	SOIL
Analytical Method:	8081B		% Solid:	66.7
Sample Wt/Vol:	30.07 g	Final Vol:	10000 uL	Test:
Prep Method:	SW3510C	Prep Date	10/20/25	Pesticide-TCL

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
319-84-6	alpha-BHC	2.50	U	1	0.19	2.50	ug/kg	10/20/25 20:44	PB170163
319-85-7	beta-BHC	2.50	U	1	0.27	2.50	ug/kg	10/20/25 20:44	PB170163
319-86-8	delta-BHC	2.50	U	1	0.58	2.50	ug/kg	10/20/25 20:44	PB170163
58-89-9	gamma-BHC (Lindane)	2.50	U	1	0.21	2.50	ug/kg	10/20/25 20:44	PB170163
76-44-8	Heptachlor	2.50	U	1	0.18	2.50	ug/kg	10/20/25 20:44	PB170163
309-00-2	Aldrin	2.50	U	1	0.18	2.50	ug/kg	10/20/25 20:44	PB170163
1024-57-3	Heptachlor epoxide	2.50	U	1	0.28	2.50	ug/kg	10/20/25 20:44	PB170163
959-98-8	Endosulfan I	2.50	U	1	0.21	2.50	ug/kg	10/20/25 20:44	PB170163
60-57-1	Dieldrin	1.10	JP	1	0.21	2.50	ug/kg	10/20/25 20:44	PB170163
72-55-9	4,4-DDE	2.70	P	1	0.21	2.50	ug/kg	10/20/25 20:44	PB170163
72-20-8	Endrin	2.50	U	1	0.21	2.50	ug/kg	10/20/25 20:44	PB170163
33213-65-9	Endosulfan II	2.50	U	1	0.43	2.50	ug/kg	10/20/25 20:44	PB170163
72-54-8	4,4-DDD	3.50		1	0.22	2.50	ug/kg	10/20/25 20:44	PB170163
1031-07-8	Endosulfan Sulfate	2.50	U	1	0.19	2.50	ug/kg	10/20/25 20:44	PB170163
50-29-3	4,4-DDT	2.50	U	1	0.21	2.50	ug/kg	10/20/25 20:44	PB170163
72-43-5	Methoxychlor	2.50	U	1	0.55	2.50	ug/kg	10/20/25 20:44	PB170163
53494-70-5	Endrin ketone	2.50	U	1	0.28	2.50	ug/kg	10/20/25 20:44	PB170163
7421-93-4	Endrin aldehyde	2.50	U	1	0.55	2.50	ug/kg	10/20/25 20:44	PB170163
5103-71-9	alpha-Chlordane	0.57	JP	1	0.18	2.50	ug/kg	10/20/25 20:44	PB170163
5103-74-2	gamma-Chlordane	0.77	J	1	0.22	2.50	ug/kg	10/20/25 20:44	PB170163
8001-35-2	Toxaphene	49.4	U	1	8.10	49.4	ug/kg	10/20/25 20:44	PB170163
SURROGATES									
2051-24-3	Decachlorobiphenyl	13.1			20 - 144	65%	SPK: 20		
877-09-8	Tetrachloro-m-xylene	15.3			19 - 148	76%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit