

Report of Analysis

Client:	AECOM		Date Collected:	
Project:	AE1-CTY 3.2.Z-PR-DOCK-Des-ODC - 60693795-1719206		Date Received:	
Client Sample ID:	PB170163BS		SDG No.:	Q3375
Lab Sample ID:	PB170163BS		Matrix:	SOIL
Analytical Method:	8081B		% Solid:	100
Sample Wt/Vol:	30.01 g	Final Vol:	10000 uL	Test:
Prep Method:	SW3510C	Prep Date	10/20/25	Pesticide-TCL

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
319-84-6	alpha-BHC	17.6		1	0.13	1.70	ug/kg	10/20/25 14:12	PB170163
319-85-7	beta-BHC	16.9		1	0.18	1.70	ug/kg	10/20/25 14:12	PB170163
319-86-8	delta-BHC	17.4		1	0.39	1.70	ug/kg	10/20/25 14:12	PB170163
58-89-9	gamma-BHC (Lindane)	17.4		1	0.14	1.70	ug/kg	10/20/25 14:12	PB170163
76-44-8	Heptachlor	20.3		1	0.12	1.70	ug/kg	10/20/25 14:12	PB170163
309-00-2	Aldrin	17.4		1	0.12	1.70	ug/kg	10/20/25 14:12	PB170163
1024-57-3	Heptachlor epoxide	17.6		1	0.19	1.70	ug/kg	10/20/25 14:12	PB170163
959-98-8	Endosulfan I	17.4		1	0.14	1.70	ug/kg	10/20/25 14:12	PB170163
60-57-1	Dieldrin	17.6		1	0.14	1.70	ug/kg	10/20/25 14:12	PB170163
72-55-9	4,4-DDE	18.1		1	0.14	1.70	ug/kg	10/20/25 14:12	PB170163
72-20-8	Endrin	17.9		1	0.14	1.70	ug/kg	10/20/25 14:12	PB170163
33213-65-9	Endosulfan II	17.5		1	0.29	1.70	ug/kg	10/20/25 14:12	PB170163
72-54-8	4,4-DDD	18.0		1	0.15	1.70	ug/kg	10/20/25 14:12	PB170163
1031-07-8	Endosulfan Sulfate	17.2		1	0.13	1.70	ug/kg	10/20/25 14:12	PB170163
50-29-3	4,4-DDT	19.1		1	0.14	1.70	ug/kg	10/20/25 14:12	PB170163
72-43-5	Methoxychlor	18.0		1	0.37	1.70	ug/kg	10/20/25 14:12	PB170163
53494-70-5	Endrin ketone	17.3		1	0.19	1.70	ug/kg	10/20/25 14:12	PB170163
7421-93-4	Endrin aldehyde	17.9		1	0.37	1.70	ug/kg	10/20/25 14:12	PB170163
5103-71-9	alpha-Chlordane	16.9		1	0.12	1.70	ug/kg	10/20/25 14:12	PB170163
5103-74-2	gamma-Chlordane	17.5		1	0.15	1.70	ug/kg	10/20/25 14:12	PB170163
8001-35-2	Toxaphene	33.0	U	1	5.40	33.0	ug/kg	10/20/25 14:12	PB170163
SURROGATES									
2051-24-3	Decachlorobiphenyl	20.7			20 - 144	103%	SPK: 20		
877-09-8	Tetrachloro-m-xylene	16.8			19 - 148	84%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit