

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102125\
 Data File : BF144017.D
 Acq On : 21 Oct 2025 17:31
 Operator : RC/JU
 Sample : Q3375-03
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PR132-S05-000057-20251016

Quant Time: Oct 21 17:51:35 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF100625.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 06 15:29:47 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.881	152	111644	20.000	ng	0.00
21) Naphthalene-d8	8.163	136	395479	20.000	ng	0.00
39) Acenaphthene-d10	9.922	164	186629	20.000	ng	0.00
64) Phenanthrene-d10	11.410	188	279883	20.000	ng	0.00
76) Chrysene-d12	14.057	240	258346	20.000	ng	-0.01
86) Perylene-d12	15.545	264	324753	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.499	112	420283	59.780	ng	0.00
7) Phenol-d6	6.504	99	482723	57.604	ng	-0.01
23) Nitrobenzene-d5	7.440	82	263431	40.469	ng	-0.02
42) 2,4,6-Tribromophenol	10.710	330	88473	47.595	ng	-0.01
45) 2-Fluorobiphenyl	9.239	172	432755	36.793	ng	-0.01
79) Terphenyl-d14	12.998	244	354121	23.427	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102125\
Data File : BF144017.D
Acq On : 21 Oct 2025 17:31
Operator : RC/JU
Sample : Q3375-03
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PR132-S05-000057-20251016

Quant Time: Oct 21 17:51:35 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF100625.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 06 15:29:47 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.881 min Scan# 79
Delta R.T. -0.005 min
Lab File: BF144017.D
Acq: 21 Oct 2025 17:31




Instrument :
BNA_F
ClientSampleId :
PR132-S05-000057-20251016

Tgt Ion:152 Resp: 111644
Ion Ratio Lower Upper
152 100
150 156.3 124.4 186.6
115 61.4 48.1 72.1



#5
2-Fluorophenol
Concen: 59.780 ng
RT: 5.499 min Scan# 562
Delta R.T. 0.000 min
Lab File: BF144017.D
Acq: 21 Oct 2025 17:31

Tgt Ion:112 Resp: 420283
Ion Ratio Lower Upper
112 100
64 60.5 49.1 73.7
63 28.6 24.5 36.7









#7
Phenol-d6
Concen: 57.604 ng
RT: 6.504 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF144017.D
Acq: 21 Oct 2025 17:31




Instrument :
BNA_F
ClientSampleId :
PR132-S05-000057-20251016


Tgt Ion: 99 Resp: 482723
Ion Ratio Lower Upper
99 100
42 24.2 21.0 31.4
71 32.6 27.8 41.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.163 min Scan# 1015
Delta R.T. -0.006 min
Lab File: BF144017.D
Acq: 21 Oct 2025 17:31

Tgt Ion: 136 Resp: 395479
Ion Ratio Lower Upper
136 100
137 11.1 8.5 12.7
54 11.3 8.2 12.4
68 8.0 6.2 9.4





#23

Nitrobenzene-d5

Concen: 40.469 ng

RT: 7.440 min Scan# 893

Delta R.T. -0.017 min

Lab File: BF144017.D

Acq: 21 Oct 2025 17:31

Instrument :

BNA_F

ClientSampleId :

PR132-S05-000057-20251016





Tgt Ion: 82 Resp: 263431

Ion Ratio Lower Upper

82 100

128 43.2 34.0 51.0

54 63.8 53.2 79.8



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.922 min Scan# 1314

Delta R.T. -0.005 min

Lab File: BF144017.D

Acq: 21 Oct 2025 17:31




Tgt Ion: 164 Resp: 186629


Ion Ratio Lower Upper

164 100

162 100.4 80.2 120.2

160 44.1 35.4 53.0





#42

2,4,6-Tribromophenol

Concen: 47.595 ng

RT: 10.710 min Scan# 1449

Delta R.T. -0.012 min

Lab File: BF144017.D


Acq: 21 Oct 2025 17:31

Instrument :

BNA_F

ClientSampleId :

PR132-S05-000057-20251016






Tgt Ion:330 Resp: 88473

Ion Ratio Lower Upper

330 100

332 98.4 76.9 115.3

141 28.9 20.2 30.4



#45

2-Fluorobiphenyl

Concen: 36.793 ng

RT: 9.239 min Scan# 1198

Delta R.T. -0.011 min

Lab File: BF144017.D

Acq: 21 Oct 2025 17:31




Tgt Ion:172 Resp: 432755


Ion Ratio Lower Upper

172 100

171 34.4 27.4 41.0

170 22.7 18.6 28.0





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.410 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF144017.D

Acq: 21 Oct 2025 17:31

Instrument :

BNA_F

ClientSampleId :

PR132-S05-000057-20251016





Tgt Ion:188 Resp: 279883

Ion Ratio Lower Upper

188 100

94 10.3 7.8 11.6

80 11.0 7.9 11.9



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.057 min Scan# 2017

Delta R.T. -0.011 min

Lab File: BF144017.D

Acq: 21 Oct 2025 17:31




Tgt Ion:240 Resp: 258346


Ion Ratio Lower Upper

240 100

120 12.2 8.6 13.0

236 25.0 21.1 31.7









#79
 Terphenyl-d14
 Concen: 23.427 ng
 RT: 12.998 min Scan# 11
 Delta R.T. -0.012 min
 Lab File: BF144017.D
 Acq: 21 Oct 2025 17:31

Instrument :
 BNA_F
 ClientSampleId :
 PR132-S05-000057-20251016

Tgt Ion:244 Resp: 354121
 Ion Ratio Lower Upper
 244 100
 212 6.5 5.4 8.0
 122 9.9 6.4 9.6#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.545 min Scan# 2270
 Delta R.T. 0.000 min
 Lab File: BF144017.D
 Acq: 21 Oct 2025 17:31

Tgt Ion:264 Resp: 324753
 Ion Ratio Lower Upper
 264 100
 260 22.4 17.8 26.8
 265 21.4 17.5 26.3

