

Report of Analysis

Client: AECOM
Project: AE1-CTY 3.2.Z-PR-DOCK-Des-ODC - 60693795-1719206
Client Sample ID: PR132-DP02-20251016
Lab Sample ID: Q3375-05
Analytical Method: 8260D
Sample Wt/Vol: 3.08 g

Level : LOW
Final Vol: 5000 uL

Date Collected: 10/16/25
Date Received: 10/16/25
SDG No.: Q3375
Matrix: SOIL
% Solid: 66.7
Test: VOC-TCLVOA-10

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-71-8	Dichlorodifluoromethane	12.2	U	1	2.80	12.2	ug/Kg	10/20/25 14:34	VW102025
74-87-3	Chloromethane	12.2	U	1	2.80	12.2	ug/Kg	10/20/25 14:34	VW102025
75-01-4	Vinyl Chloride	12.2	U	1	1.90	12.2	ug/Kg	10/20/25 14:34	VW102025
74-83-9	Bromomethane	12.2	U	1	2.60	12.2	ug/Kg	10/20/25 14:34	VW102025
75-00-3	Chloroethane	12.2	U	1	3.10	12.2	ug/Kg	10/20/25 14:34	VW102025
75-69-4	Trichlorofluoromethane	12.2	U	1	2.90	12.2	ug/Kg	10/20/25 14:34	VW102025
76-13-1	1,1,2-Trichlorotrifluoroethane	12.2	U	1	2.60	12.2	ug/Kg	10/20/25 14:34	VW102025
75-35-4	1,1-Dichloroethene	12.2	U	1	2.40	12.2	ug/Kg	10/20/25 14:34	VW102025
67-64-1	Acetone	370		1	11.5	60.8	ug/Kg	10/20/25 14:34	VW102025
75-15-0	Carbon Disulfide	15.1		1	2.60	12.2	ug/Kg	10/20/25 14:34	VW102025
1634-04-4	Methyl tert-butyl Ether	12.2	U	1	1.80	12.2	ug/Kg	10/20/25 14:34	VW102025
79-20-9	Methyl Acetate	12.2	U	1	3.70	12.2	ug/Kg	10/20/25 14:34	VW102025
75-09-2	Methylene Chloride	24.3	U	1	8.60	24.3	ug/Kg	10/20/25 14:34	VW102025
156-60-5	trans-1,2-Dichloroethene	12.2	U	1	2.10	12.2	ug/Kg	10/20/25 14:34	VW102025
75-34-3	1,1-Dichloroethane	12.2	U	1	1.90	12.2	ug/Kg	10/20/25 14:34	VW102025
110-82-7	Cyclohexane	12.2	U	1	1.90	12.2	ug/Kg	10/20/25 14:34	VW102025
78-93-3	2-Butanone	110		1	15.9	60.8	ug/Kg	10/20/25 14:34	VW102025
56-23-5	Carbon Tetrachloride	12.2	U	1	2.40	12.2	ug/Kg	10/20/25 14:34	VW102025
156-59-2	cis-1,2-Dichloroethene	12.2	U	1	1.80	12.2	ug/Kg	10/20/25 14:34	VW102025
74-97-5	Bromochloromethane	12.2	U	1	2.80	12.2	ug/Kg	10/20/25 14:34	VW102025
67-66-3	Chloroform	12.2	U	1	2.00	12.2	ug/Kg	10/20/25 14:34	VW102025
71-55-6	1,1,1-Trichloroethane	12.2	U	1	2.30	12.2	ug/Kg	10/20/25 14:34	VW102025
108-87-2	Methylcyclohexane	36.8		1	2.20	12.2	ug/Kg	10/20/25 14:34	VW102025
71-43-2	Benzene	6.40	J	1	1.90	12.2	ug/Kg	10/20/25 14:34	VW102025
107-06-2	1,2-Dichloroethane	12.2	U	1	1.90	12.2	ug/Kg	10/20/25 14:34	VW102025
79-01-6	Trichloroethene	12.2	U	1	2.00	12.2	ug/Kg	10/20/25 14:34	VW102025
78-87-5	1,2-Dichloropropane	12.2	U	1	2.20	12.2	ug/Kg	10/20/25 14:34	VW102025
75-27-4	Bromodichloromethane	12.2	U	1	1.90	12.2	ug/Kg	10/20/25 14:34	VW102025
108-10-1	4-Methyl-2-Pentanone	60.8	U	1	8.70	60.8	ug/Kg	10/20/25 14:34	VW102025
108-88-3	Toluene	12.2	U	1	1.90	12.2	ug/Kg	10/20/25 14:34	VW102025
10061-02-6	t-1,3-Dichloropropene	12.2	U	1	1.60	12.2	ug/Kg	10/20/25 14:34	VW102025
10061-01-5	cis-1,3-Dichloropropene	12.2	U	1	1.50	12.2	ug/Kg	10/20/25 14:34	VW102025
79-00-5	1,1,2-Trichloroethane	12.2	U	1	2.20	12.2	ug/Kg	10/20/25 14:34	VW102025
591-78-6	2-Hexanone	60.8	U	1	9.00	60.8	ug/Kg	10/20/25 14:34	VW102025
124-48-1	Dibromochloromethane	12.2	U	1	2.10	12.2	ug/Kg	10/20/25 14:34	VW102025
106-93-4	1,2-Dibromoethane	12.2	U	1	2.10	12.2	ug/Kg	10/20/25 14:34	VW102025
127-18-4	Tetrachloroethene	12.2	U	1	2.60	12.2	ug/Kg	10/20/25 14:34	VW102025
108-90-7	Chlorobenzene	12.2	U	1	2.20	12.2	ug/Kg	10/20/25 14:34	VW102025
100-41-4	Ethyl Benzene	12.2	U	1	1.60	12.2	ug/Kg	10/20/25 14:34	VW102025
179601-23-1	m/p-Xylenes	24.3	U	1	3.00	24.3	ug/Kg	10/20/25 14:34	VW102025
95-47-6	o-Xylene	11.5	J	1	2.00	12.2	ug/Kg	10/20/25 14:34	VW102025
100-42-5	Styrene	12.2	U	1	1.70	12.2	ug/Kg	10/20/25 14:34	VW102025
75-25-2	Bromoform	12.2	U	1	2.10	12.2	ug/Kg	10/20/25 14:34	VW102025

Report of Analysis

Client:	AECOM	Date Collected:	10/16/25
Project:	AE1-CTY 3.2.Z-PR-DOCK-Des-ODC - 60693795-1719206	Date Received:	10/16/25
Client Sample ID:	PR132-DP02-20251016	SDG No.:	Q3375
Lab Sample ID:	Q3375-05	Matrix:	SOIL
Analytical Method:	8260D	% Solid:	66.7
Sample Wt/Vol:	3.08 g	Level :	LOW
		Final Vol:	5000 uL
		Test:	VOC-TCLVOA-10

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
98-82-8	Isopropylbenzene	12.2	U	1	1.90	12.2	ug/Kg	10/20/25 14:34	VW102025
79-34-5	1,1,2,2-Tetrachloroethane	12.2	U	1	2.90	12.2	ug/Kg	10/20/25 14:34	VW102025
541-73-1	1,3-Dichlorobenzene	12.2	U	1	4.20	12.2	ug/Kg	10/20/25 14:34	VW102025
106-46-7	1,4-Dichlorobenzene	12.2	U	1	3.80	12.2	ug/Kg	10/20/25 14:34	VW102025
95-50-1	1,2-Dichlorobenzene	12.2	U	1	3.50	12.2	ug/Kg	10/20/25 14:34	VW102025
96-12-8	1,2-Dibromo-3-Chloropropane	12.2	U	1	4.50	12.2	ug/Kg	10/20/25 14:34	VW102025
120-82-1	1,2,4-Trichlorobenzene	12.2	U	1	7.20	12.2	ug/Kg	10/20/25 14:34	VW102025
87-61-6	1,2,3-Trichlorobenzene	12.2	U	1	7.70	12.2	ug/Kg	10/20/25 14:34	VW102025
SURROGATES									
17060-07-0	1,2-Dichloroethane-d4	63.6			63 - 155	127%	SPK: 50		
1868-53-7	Dibromofluoromethane	53.9			70 - 134	108%	SPK: 50		
2037-26-5	Toluene-d8	53.8			74 - 123	108%	SPK: 50		
460-00-4	4-Bromofluorobenzene	62.9			17 - 146	126%	SPK: 50		
INTERNAL STANDARDS									
		Area Count							
363-72-4	Pentafluorobenzene	214000							
540-36-3	1,4-Difluorobenzene	486000							
3114-55-4	Chlorobenzene-d5	482000							
3855-82-1	1,4-Dichlorobenzene-d4	228000							
TENTATIVE IDENTIFIED COMPOUNDS									
001839-63-0	Cyclohexane, 1,3,5-trimethyl-	49.3	J			11.4	ug/Kg		
002051-30-1	Octane, 2,6-dimethyl-	96.7	J			12.3	ug/Kg		
014676-29-0	Heptane, 3-ethyl-2-methyl-	210	J			12.4	ug/Kg		
108-67-8	1,3,5-Trimethylbenzene	5.20	J			12.9	ug/Kg		
95-63-6	1,2,4-Trimethylbenzene	5.80	J			13.2	ug/Kg		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products