

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Report of Analysis

Client: PSEG Date Collected: 10/17/25 08:28

Project: Sewaren Central Maintenance Shop Date Received: 10/17/25
Client Sample ID: VNJ-222
Lab Sample ID: Q3381-01
Matrix: SOIL
% Solid: 89.4

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Hexavalent Chromium	0.18	J	1	0.077	0.44	mg/Kg	10/20/25 11:50	10/20/25 15:14	7196A
Ignitability	NO		1	0	0	oC		10/17/25 15:50	1030
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		10/20/25 12:00	9095B

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits