

Report of Analysis

Client: PSEG
Project: Sewaren Central Maintenance Shop
Client Sample ID: VNJ-222
Lab Sample ID: Q3381-02

Date Collected: 10/17/25 08:28
Date Received: 10/17/25
SDG No.: Q3381
Matrix: SOIL
% Solid: 100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	5.31	H	1	0	0	pH		10/17/25 16:55	9045D
Ignitability	NO		1	0	0	oC		10/17/25 15:57	1030
Reactive Cyanide	0.050	U	1	0.0084	0.050	mg/Kg	10/20/25 14:20	10/21/25 12:24	9012B
Reactive Sulfide	3.17	J	1	0.20	10.0	mg/Kg	10/20/25 14:10	10/21/25 09:17	9034

Comments: pH result reported at temperature 20.6 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits