

SOP ID : M200.7-Trace Elements-22

SDG No : N/A

Matrix : WATER

Pipette ID : ICP A

Balance ID : N/A

Filter paper ID : N/A

pH Strip ID : M6069

Hood ID : #3

Block ID: 1. HOT BLOCK #1 2. N/A

Start Digest Date: 10/30/2025 Time : 10:45 Temp : 96 °C

End Digest Date: 10/30/2025 Time : 13:50 Temp : 96 °C

Digestion tube ID: M5595

Block thermometer ID: MET-DIG. #1

Dig Technician Signature: *SPJ*

Supervisor Signature: *SPJ*

Temp : 1. 96°C 2. N/A

Standard Name	MLS USED	STD REF. # FROM LOG
LFS-1	0.25	M6180
LFS-2	0.25	M6181
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
Conc. HNO3	3.00	M6158
1:1 HCL	5.00	MP87148
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

HOT BLOCK#1 CELL#50 96C

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
10/30/25 14:50	<i>SPJ met dig</i>	<i>SPJ (met dig)</i>
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	pH	Initial Vol (ml)	Final Vol (ml)	Color Before	Color After	Clarity Before	Clarity After	Comment	Prep Pos
PB170328BL	PBW328	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	14
PB170328BS	LCS328	<2	50	25	Colorless	Colorless	Clear	Clear	M6209,M6201	15
Q3385-04DUP	EFF-WWDUP	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	17
Q3385-04	EFF-WW	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	16
Q3385-05	Q3385-04MS	<2	50	25	Colorless	Colorless	Clear	Clear	M6209,M6201	18
Q3385-06	Q3385-04MSD	<2	50	25	Colorless	Colorless	Clear	Clear	M6209,M6201	19