

Report of Analysis

Client: PSEG
Project: PSEG Spring Valley - Maywood
Client Sample ID: MH-20
Lab Sample ID: Q3392-04

Date Collected: 10/17/25 10:30
Date Received: 10/17/25
SDG No.: Q3392
Matrix: SOIL
% Solid: 100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	5.76	H	1	0	0	pH		10/17/25 17:35	9045D
Ignitability	NO		1	0	0	oC		10/21/25 11:10	1030
Reactive Cyanide	0.050	U	1	0.0084	0.050	mg/Kg	10/20/25 14:20	10/21/25 12:32	9012B
Reactive Sulfide	4.74	J	1	0.20	10.0	mg/Kg	10/22/25 09:20	10/22/25 12:53	9034

Comments: pH result reported at temperature 20.4 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits