



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

AECOM

Project Name: AE1-CTY 3.2.Z-PR-DOCK-Des-ODC - 60693795-1719206

Project # N/A

Order ID # Q3393

Test Name: Mercury, Metals ICP-TAL

A. Number of Samples and Date of Receipt:

5 Solid samples were received on 10/17/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Mercury, Metals ICP-TAL. This data package contains results for Mercury, Metals ICP-TAL.

C. Analytical Techniques:

The analysis of Metals ICP-TAL was based on method 6020B, digestion based on method 3050 (soils). The analysis and digestion of Mercury was based on method 7471B.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

Sample PR132-S10-000022-20251017 was diluted due to high concentrations for Chromium, Mercury & Sample PR132-S10-022047-20251017 was diluted due to high concentrations for Chromium, Mercury & Sample PR132-S08-013038-20251017 was diluted due to high concentrations for Arsenic, Mercury, Selenium & Sample PR132-S06-000021-20251017 was diluted due to high concentrations for Chromium, Mercury & Sample PR132-S08-000013-20251017 was diluted due to high concentrations for Chromium, Iron, Mercury.

The Blank Spike met requirements for all compounds.

The Duplicate analysis met criteria for all compounds.

The Matrix Spike (PR132-S07-000102-20251017MS) analysis met criteria for all compounds except for Barium, Lead, Nickel, Selenium, Silver due to matrix interference.

The Matrix Spike Duplicate (PR132-S07-000102-20251017MSD) analysis met criteria for all compounds except for Barium, Lead, Nickel, Selenium, Silver due to matrix interference.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution met criteria for all compounds.



E. Additional Comments:

The Post Digest Spike (PR132-S07-000102-20251017A) analysis met criteria for all compounds except for Selenium, Silver due to unknown chemical interference of matrix with the addition of spike amount after digestion and before analysis; matrix has suppression effect during addition of spike.

Internal std 89Y(1&2) Failing for Q3393-03, So affected parameters are reported from 5X Dilution. Internal std 89Y(2) Failing for Q3393-05, So affected parameters are reported from 5X Dilution.

Collision cell is being used to remove potential interferences. The analytes Na, Mg, Al, K, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, As are being analyzed with collision cell and analytes Be, B, Ca, Ti, Se, Sr, Zr, Mo, Ag, Cd, Sn, Sb, Ba, Tl, Pb, U are being analyzed with Non-Collision Cell. Helium gas is used for the Collision Cell analysis.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____