

Matrix Spike Summary

Client:	AECOM	SDG No.:	Q3395
Project:	AE1-CTY 3.2.Z-PR-DOCK-Des-ODC - 60693795-171	Sample ID:	Q3395-02
Client ID:	PR132-S07-000102-20251017MS	Percent Solids for Spike Sample:	47.9

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Hexavalent Chromium	mg/Kg	75-125	2560		0.14	U	2680	40	96		10/23/2025

Matrix Spike Summary

Client:	AECOM	SDG No.:	Q3395
Project:	AE1-CTY 3.2.Z-PR-DOCK-Des-ODC - 60693795-171	Sample ID:	Q3395-02
Client ID:	PR132-S07-000102-20251017MS	Percent Solids for Spike Sample:	47.9

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Hexavalent Chromium	mg/Kg	85-115	75.0		0.14	U	83.5	2	90		10/23/2025

Matrix Spike Summary

Client:	AECOM	SDG No.:	Q3395
Project:	AE1-CTY 3.2.Z-PR-DOCK-Des-ODC - 60693795-171	Sample ID:	Q3395-02
Client ID:	PR132-S07-000102-20251017MS	Percent Solids for Spike Sample:	47.9

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Hexavalent Chromium	mg/Kg	75-125	64.3		0.14	U	83.5	2	77		10/23/2025

Matrix Spike Summary

Client:	AECOM	SDG No.:	Q3395
Project:	AE1-CTY 3.2.Z-PR-DOCK-Des-ODC - 60693795-171	Sample ID:	Q3395-02
Client ID:	PR132-S07-000102-20251017MS	Percent Solids for Spike Sample:	47.9

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
TOC	mg/Kg	75-125	33000	OR	31800	OR	1000	1	120		10/21/2025

Matrix Spike Summary

Client:	AECOM	SDG No.:	Q3395
Project:	AE1-CTY 3.2.Z-PR-DOCK-Des-ODC - 60693795-171	Sample ID:	Q3395-02
Client ID:	PR132-S07-000102-20251017MSD	Percent Solids for Spike Sample:	47.9

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
TOC	mg/Kg	75-125	33000	OR	31800	OR	1000	1	120		10/21/2025