

Report of Analysis

Client: AECOM
Project: AE1-CTY 3.2.Z-PR-DOCK-Des-ODC - 60693795-1719206
Client Sample ID: PR132-S09-000051-202510
Lab Sample ID: Q3395-01
Analytical Method: 8260D
Sample Wt/Vol: 5.33 g

Level : LOW
Final Vol: 5000 uL

Date Collected: 10/17/25
Date Received: 10/17/25
SDG No.: Q3395
Matrix: SOIL
% Solid: 52.9
Test: VOC-TCLVOA-10

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-71-8	Dichlorodifluoromethane	8.90	U	1	2.00	8.90	ug/Kg	10/20/25 17:51	VW102025
74-87-3	Chloromethane	8.90	U	1	2.00	8.90	ug/Kg	10/20/25 17:51	VW102025
75-01-4	Vinyl Chloride	8.90	U	1	1.40	8.90	ug/Kg	10/20/25 17:51	VW102025
74-83-9	Bromomethane	8.90	U	1	1.90	8.90	ug/Kg	10/20/25 17:51	VW102025
75-00-3	Chloroethane	8.90	U	1	2.20	8.90	ug/Kg	10/20/25 17:51	VW102025
75-69-4	Trichlorofluoromethane	8.90	U	1	2.10	8.90	ug/Kg	10/20/25 17:51	VW102025
76-13-1	1,1,2-Trichlorotrifluoroethane	8.90	U	1	1.90	8.90	ug/Kg	10/20/25 17:51	VW102025
75-35-4	1,1-Dichloroethene	8.90	U	1	1.80	8.90	ug/Kg	10/20/25 17:51	VW102025
67-64-1	Acetone	140		1	8.40	44.3	ug/Kg	10/20/25 17:51	VW102025
75-15-0	Carbon Disulfide	43.9		1	1.90	8.90	ug/Kg	10/20/25 17:51	VW102025
1634-04-4	Methyl tert-butyl Ether	8.90	U	1	1.30	8.90	ug/Kg	10/20/25 17:51	VW102025
79-20-9	Methyl Acetate	8.90	U	1	2.70	8.90	ug/Kg	10/20/25 17:51	VW102025
75-09-2	Methylene Chloride	17.7	U	1	6.30	17.7	ug/Kg	10/20/25 17:51	VW102025
156-60-5	trans-1,2-Dichloroethene	8.90	U	1	1.50	8.90	ug/Kg	10/20/25 17:51	VW102025
75-34-3	1,1-Dichloroethane	8.90	U	1	1.40	8.90	ug/Kg	10/20/25 17:51	VW102025
110-82-7	Cyclohexane	8.90	U	1	1.40	8.90	ug/Kg	10/20/25 17:51	VW102025
78-93-3	2-Butanone	38.6	J	1	11.6	44.3	ug/Kg	10/20/25 17:51	VW102025
56-23-5	Carbon Tetrachloride	8.90	U	1	1.70	8.90	ug/Kg	10/20/25 17:51	VW102025
156-59-2	cis-1,2-Dichloroethene	8.90	U	1	1.30	8.90	ug/Kg	10/20/25 17:51	VW102025
74-97-5	Bromochloromethane	8.90	U	1	2.00	8.90	ug/Kg	10/20/25 17:51	VW102025
67-66-3	Chloroform	8.90	U	1	1.50	8.90	ug/Kg	10/20/25 17:51	VW102025
71-55-6	1,1,1-Trichloroethane	8.90	U	1	1.60	8.90	ug/Kg	10/20/25 17:51	VW102025
108-87-2	Methylcyclohexane	8.90	U	1	1.60	8.90	ug/Kg	10/20/25 17:51	VW102025
71-43-2	Benzene	2.70	J	1	1.40	8.90	ug/Kg	10/20/25 17:51	VW102025
107-06-2	1,2-Dichloroethane	8.90	U	1	1.40	8.90	ug/Kg	10/20/25 17:51	VW102025
79-01-6	Trichloroethene	8.90	U	1	1.40	8.90	ug/Kg	10/20/25 17:51	VW102025
78-87-5	1,2-Dichloropropane	8.90	U	1	1.60	8.90	ug/Kg	10/20/25 17:51	VW102025
75-27-4	Bromodichloromethane	8.90	U	1	1.40	8.90	ug/Kg	10/20/25 17:51	VW102025
108-10-1	4-Methyl-2-Pentanone	44.3	U	1	6.30	44.3	ug/Kg	10/20/25 17:51	VW102025
108-88-3	Toluene	8.90	U	1	1.40	8.90	ug/Kg	10/20/25 17:51	VW102025
10061-02-6	t-1,3-Dichloropropene	8.90	U	1	1.20	8.90	ug/Kg	10/20/25 17:51	VW102025
10061-01-5	cis-1,3-Dichloropropene	8.90	U	1	1.10	8.90	ug/Kg	10/20/25 17:51	VW102025
79-00-5	1,1,2-Trichloroethane	8.90	U	1	1.60	8.90	ug/Kg	10/20/25 17:51	VW102025
591-78-6	2-Hexanone	44.3	U	1	6.50	44.3	ug/Kg	10/20/25 17:51	VW102025
124-48-1	Dibromochloromethane	8.90	U	1	1.50	8.90	ug/Kg	10/20/25 17:51	VW102025
106-93-4	1,2-Dibromoethane	8.90	U	1	1.60	8.90	ug/Kg	10/20/25 17:51	VW102025
127-18-4	Tetrachloroethene	8.90	U	1	1.90	8.90	ug/Kg	10/20/25 17:51	VW102025
108-90-7	Chlorobenzene	8.90	U	1	1.60	8.90	ug/Kg	10/20/25 17:51	VW102025
100-41-4	Ethyl Benzene	8.90	U	1	1.20	8.90	ug/Kg	10/20/25 17:51	VW102025
179601-23-1	m/p-Xylenes	17.7	U	1	2.20	17.7	ug/Kg	10/20/25 17:51	VW102025
95-47-6	o-Xylene	8.90	U	1	1.50	8.90	ug/Kg	10/20/25 17:51	VW102025
100-42-5	Styrene	8.90	U	1	1.30	8.90	ug/Kg	10/20/25 17:51	VW102025
75-25-2	Bromoform	8.90	U	1	1.50	8.90	ug/Kg	10/20/25 17:51	VW102025

Report of Analysis

Client: AECOM
Project: AE1-CTY 3.2.Z-PR-DOCK-Des-ODC - 60693795-1719206
Client Sample ID: PR132-S09-000051-202510
Lab Sample ID: Q3395-01
Analytical Method: 8260D
Sample Wt/Vol: 5.33 g

Level : LOW
Final Vol: 5000 uL

Date Collected: 10/17/25
Date Received: 10/17/25
SDG No.: Q3395
Matrix: SOIL
% Solid: 52.9
Test: VOC-TCLVOA-10

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
98-82-8	Isopropylbenzene	8.90	U	1	1.40	8.90	ug/Kg	10/20/25 17:51	VW102025
79-34-5	1,1,2,2-Tetrachloroethane	8.90	U	1	2.10	8.90	ug/Kg	10/20/25 17:51	VW102025
541-73-1	1,3-Dichlorobenzene	8.90	U	1	3.00	8.90	ug/Kg	10/20/25 17:51	VW102025
106-46-7	1,4-Dichlorobenzene	8.90	U	1	2.80	8.90	ug/Kg	10/20/25 17:51	VW102025
95-50-1	1,2-Dichlorobenzene	8.90	U	1	2.60	8.90	ug/Kg	10/20/25 17:51	VW102025
96-12-8	1,2-Dibromo-3-Chloropropane	8.90	U	1	3.30	8.90	ug/Kg	10/20/25 17:51	VW102025
120-82-1	1,2,4-Trichlorobenzene	8.90	U	1	5.30	8.90	ug/Kg	10/20/25 17:51	VW102025
87-61-6	1,2,3-Trichlorobenzene	8.90	U	1	5.60	8.90	ug/Kg	10/20/25 17:51	VW102025
SURROGATES									
17060-07-0	1,2-Dichloroethane-d4	60.8			63 - 155	122%	SPK: 50		
1868-53-7	Dibromofluoromethane	53.9			70 - 134	108%	SPK: 50		
2037-26-5	Toluene-d8	53.3			74 - 123	107%	SPK: 50		
460-00-4	4-Bromofluorobenzene	64.8			17 - 146	130%	SPK: 50		
INTERNAL STANDARDS									
		Area Count							
363-72-4	Pentafluorobenzene	242000							
540-36-3	1,4-Difluorobenzene	528000							
3114-55-4	Chlorobenzene-d5	532000							
3855-82-1	1,4-Dichlorobenzene-d4	278000							
TENTATIVE IDENTIFIED COMPOUNDS									
000141-70-8	Heptane, 2,2,6,6-tetramethyl-4-met	120	J			13.1	ug/Kg		
000123-48-8	3-Heptene, 2,2,4,6,6-pentamethyl-	140	J			13.1	ug/Kg		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products