

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-21

SDG No : N/A

Start Digest Date: 10/20/2025 Time : 14:20 Temp : N/A

Matrix : SOIL

End Digest Date: 10/20/2025 Time : 15:50 Temp : N/A

Pipette ID : N/A

Balance ID : WC SC-7

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1,MC-2

Filter paper ID : N/A

Prep Technician Signature: RM

Weigh By : RM

pH Meter ID : N/A

Supervisor Signature: 12

Standardized Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP113836
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
10/20/2025 16:05	RM (WC)	RM (WC)
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB170152BL	PBS152	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3369-04DUP	MH-22DUP	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3369-04	MH-22	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3369-08	MH-21	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3374-04	TP-4-WC	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3374-08	TP-5-WC	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3381-02	VNJ-222	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3381-04	VNJ-245	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3381-06	RBR200059	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3381-08	VNJ-255	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3388-02	461	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3390-02	4175	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3392-04	MH-20	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3392-08	MH-19	5.08	50	N/A	N/A	N/A	N/A	N/A	N/A