

SOP ID : M9030B-Sulfide-13

SDG No : N/A

Start Digest Date: 10/22/2025 Time : 09:20 Temp : N/A

Matrix : SOIL

End Digest Date: 10/22/2025 Time : 10:20 Temp : N/A

Pipette ID : WC

Balance ID : WC SC-7

Hood ID : HOOD#2

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : WC-DIST-BLOCK-1

Filter paper ID : N/A

Prep Technician Signature: 12

Weigh By : IZ

pH Meter ID : N/A

Supervisor Signature:

Standard Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.5M ZINC ACETATE	5.0ML	WP114311
FORMALDEHYDE	2.0ML	W3220
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
	Preparation Group	Analysis Group

12 10/22/25

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB170195BL	PBS195	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3392-04DUP	MH-20DUP	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3392-04	MH-20	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3392-08	MH-19	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3399-02	COMP-ROLLOFF	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3404-02	MOO-25-0285-0288	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3404-06	MOO-25-0292	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3406-02	ARS20-0037	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3412-04	TP-6	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3427-04	TP-8	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A