

## Report of Analysis

Client:	ICE Service Group, Inc.		Date Collected:	10/20/25
Project:	NWIRP Northrup Grumman Site – Bethpage, NY		Date Received:	10/20/25
Client Sample ID:	COMP-ROLLOFF		SDG No.:	Q3399
Lab Sample ID:	Q3399-01		Matrix:	SOIL
Analytical Method:	8015D DRO		% Solid:	89.9
Sample Wt/Vol:	30.04 g	Final Vol:	1 mL	Test:
Prep Method:	SW3541	Prep Date	10/22/25 Diesel Range Organics	

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Date Ana.	BatchID
<b>TARGETS</b>										
DRO	DRO	1310	J	1	188	926	1850	ug/kg	10/22/25 14:43	PB170209
<b>SURROGATES</b>										
16416-32-3	Tetracosane-d50	10.5			37 - 130		52%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit