

Analytical Sequence

Client: ICE Service Group, Inc.	SDG No.: Q3399
Project: NWIRP Northrup Grumman Site – Bethpage	Instrument ID: ECD_S
GC Column: RTX-CLP	ID: 0.32 (mm) Inst. Calib. Date(s): 10/13/2025 10/13/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
IBLK	IBLK	10/13/2025	10:29	PS031982.D	7.29	0.00
HSTDICC200	HSTDICC200	10/13/2025	10:53	PS031983.D	7.29	0.00
HSTDICC500	HSTDICC500	10/13/2025	11:17	PS031984.D	7.28	0.00
HSTDICC750	HSTDICC750	10/13/2025	11:41	PS031985.D	7.28	0.00
HSTDICC1000	HSTDICC1000	10/13/2025	12:05	PS031986.D	7.28	0.00
HSTDICC1500	HSTDICC1500	10/13/2025	12:29	PS031987.D	7.28	0.00
IBLK	IBLK	10/23/2025	09:40	PS032131.D	7.29	0.00
HSTDCCC750	HSTDCCC750	10/23/2025	10:04	PS032132.D	7.28	0.00
PB170220BL	PB170220BL	10/23/2025	10:31	PS032133.D	7.28	0.00
PB170220BS	PB170220BS	10/23/2025	10:55	PS032134.D	7.28	0.00
COMP-ROLLOFF	Q3399-02	10/23/2025	11:44	PS032136.D	7.28	0.00
IBLK	IBLK	10/23/2025	14:36	PS032143.D	7.28	0.00
HSTDCCC750	HSTDCCC750	10/23/2025	15:00	PS032144.D	7.28	0.00
COMP-ROLLOFFMS	Q3399-02MS	10/23/2025	15:25	PS032145.D	7.28	0.00
COMP-ROLLOFFMSD	Q3399-02MSD	10/23/2025	15:49	PS032146.D	7.28	0.00
IBLK	IBLK	10/23/2025	16:49	PS032147.D	7.28	0.00
HSTDCCC750	HSTDCCC750	10/23/2025	17:13	PS032148.D	7.28	0.00
IBLK	IBLK	10/24/2025	10:10	PS032150.D	7.29	0.00
HSTDCCC750	HSTDCCC750	10/24/2025	10:34	PS032151.D	7.28	0.00
PB170172TB	PB170172TB	10/24/2025	12:28	PS032152.D	7.28	0.00
IBLK	IBLK	10/24/2025	14:04	PS032153.D	7.28	0.00
HSTDCCC750	HSTDCCC750	10/24/2025	14:28	PS032154.D	7.28	0.00

Analytical Sequence

Client: ICE Service Group, Inc.	SDG No.: Q3399
Project: NWIRP Northrup Grumman Site – Bethpage	Instrument ID: ECD_S
GC Column: RTX-CLP2	ID: 0.32 (mm) Inst. Calib. Date(s): 10/13/2025 10/13/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
IBLK	IBLK	10/13/2025	10:29	PS031982.D	7.75	0.00
HSTDICC200	HSTDICC200	10/13/2025	10:53	PS031983.D	7.76	0.00
HSTDICC500	HSTDICC500	10/13/2025	11:17	PS031984.D	7.75	0.00
HSTDICC750	HSTDICC750	10/13/2025	11:41	PS031985.D	7.74	0.00
HSTDICC1000	HSTDICC1000	10/13/2025	12:05	PS031986.D	7.74	0.00
HSTDICC1500	HSTDICC1500	10/13/2025	12:29	PS031987.D	7.74	0.00
IBLK	IBLK	10/23/2025	09:40	PS032131.D	7.75	0.00
HSTDCCC750	HSTDCCC750	10/23/2025	10:04	PS032132.D	7.74	0.00
PB170220BL	PB170220BL	10/23/2025	10:31	PS032133.D	7.75	0.00
PB170220BS	PB170220BS	10/23/2025	10:55	PS032134.D	7.75	0.00
COMP-ROLLOFF	Q3399-02	10/23/2025	11:44	PS032136.D	7.74	0.00
IBLK	IBLK	10/23/2025	14:36	PS032143.D	7.75	0.00
HSTDCCC750	HSTDCCC750	10/23/2025	15:00	PS032144.D	7.74	0.00
COMP-ROLLOFFMS	Q3399-02MS	10/23/2025	15:25	PS032145.D	7.74	0.00
COMP-ROLLOFFMSD	Q3399-02MSD	10/23/2025	15:49	PS032146.D	7.74	0.00
IBLK	IBLK	10/23/2025	16:49	PS032147.D	7.75	0.00
HSTDCCC750	HSTDCCC750	10/23/2025	17:13	PS032148.D	7.74	0.00
IBLK	IBLK	10/24/2025	10:10	PS032150.D	7.75	0.00
HSTDCCC750	HSTDCCC750	10/24/2025	10:34	PS032151.D	7.74	0.00
PB170172TB	PB170172TB	10/24/2025	12:28	PS032152.D	7.75	0.00
IBLK	IBLK	10/24/2025	14:04	PS032153.D	7.75	0.00
HSTDCCC750	HSTDCCC750	10/24/2025	14:28	PS032154.D	7.74	0.00