

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Report of Analysis

Client: ICE Service Group, Inc. Date Collected:
Project: NWIRP Northrup Grumman Site – Bethpage, NY Date Received:

Client Sample ID:PB170220BLSDG No.:Q3399Lab Sample ID:PB170220BLMatrix:TCLPAnalytical Method:8151A% Solid:0

Sample Wt/Vol: 1000 mL Final Vol: 10000 uL Test: TCLP Herbicide

Prep Method: 8151A Prep Date 10/22/25

CAS Number	· Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS										
94-75-7	2,4-D	1.50	U	1	0.92	1.50	2.00	ug/L	10/23/25 10:31	PB170220
93-72-1	2,4,5-TP (Silvex)	1.50	U	1	0.78	1.50	2.00	ug/L	10/23/25 10:31	PB170220
SURROGATES										
19719-28-9	2,4-DCAA	472			32 - 138		94%	SPK: 500		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit