

Report of Analysis

Client: ICE Service Group, Inc.
Project: NWIRP Northrup Grumman Site – Bethpage, NY
Client Sample ID: VX1024WBS01
Lab Sample ID: VX1024WBS01
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected:
Date Received:
SDG No.: Q3399
Matrix: TCLP
% Solid: 0
Test: TCLP VOA

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS										
75-01-4	Vinyl Chloride	27.8		1	0.26	0.75	1.00	ug/L	10/24/25 10:15	VX102425
75-35-4	1,1-Dichloroethene	20.7		1	0.23	0.75	1.00	ug/L	10/24/25 10:15	VX102425
78-93-3	2-Butanone	84.6		1	0.98	2.50	5.00	ug/L	10/24/25 10:15	VX102425
56-23-5	Carbon Tetrachloride	18.5		1	0.25	0.50	1.00	ug/L	10/24/25 10:15	VX102425
67-66-3	Chloroform	20.8		1	0.25	0.50	1.00	ug/L	10/24/25 10:15	VX102425
71-43-2	Benzene	20.2		1	0.15	0.50	1.00	ug/L	10/24/25 10:15	VX102425
107-06-2	1,2-Dichloroethane	21.0		1	0.22	0.50	1.00	ug/L	10/24/25 10:15	VX102425
79-01-6	Trichloroethene	19.2		1	0.090	0.75	1.00	ug/L	10/24/25 10:15	VX102425
127-18-4	Tetrachloroethene	20.9		1	0.23	0.50	1.00	ug/L	10/24/25 10:15	VX102425
108-90-7	Chlorobenzene	19.8		1	0.12	0.50	1.00	ug/L	10/24/25 10:15	VX102425
SURROGATES										
17060-07-0	1,2-Dichloroethane-d4	51.3			81 - 118		103%	SPK: 50		
1868-53-7	Dibromofluoromethane	41.6			80 - 119		83%	SPK: 50		
2037-26-5	Toluene-d8	49.6			89 - 112		99%	SPK: 50		
460-00-4	4-Bromofluorobenzene	48.3			85 - 114		97%	SPK: 50		
INTERNAL STANDARDS										
		Area Count								
363-72-4	Pentafluorobenzene	146000								
540-36-3	1,4-Difluorobenzene	239000								
3114-55-4	Chlorobenzene-d5	209000								
3855-82-1	1,4-Dichlorobenzene-d4	104000								

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products