

Report of Analysis

Client: ICE Service Group, Inc.
Project: NWIRP Northrup Grumman Site – Bethpage, NY
Client Sample ID: COMP-ROLLOFF
Lab Sample ID: Q3399-04
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 10/20/25
Date Received: 10/20/25
SDG No.: Q3399
Matrix: TCLP
% Solid: 0
Test: TCLP VOA

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS										
75-01-4	Vinyl Chloride	0.75	U	1	0.26	0.75	5.00	ug/L	10/22/25 15:50	VX102225
75-35-4	1,1-Dichloroethene	0.75	U	1	0.23	0.75	5.00	ug/L	10/22/25 15:50	VX102225
78-93-3	2-Butanone	2.50	U	1	0.98	2.50	25.0	ug/L	10/22/25 15:50	VX102225
56-23-5	Carbon Tetrachloride	0.50	U	1	0.25	0.50	5.00	ug/L	10/22/25 15:50	VX102225
67-66-3	Chloroform	0.50	U	1	0.25	0.50	5.00	ug/L	10/22/25 15:50	VX102225
71-43-2	Benzene	0.50	U	1	0.15	0.50	5.00	ug/L	10/22/25 15:50	VX102225
107-06-2	1,2-Dichloroethane	0.75	U	1	0.22	0.75	5.00	ug/L	10/22/25 15:50	VX102225
79-01-6	Trichloroethene	0.75	U	1	0.090	0.75	5.00	ug/L	10/22/25 15:50	VX102225
127-18-4	Tetrachloroethene	0.50	U	1	0.23	0.50	5.00	ug/L	10/22/25 15:50	VX102225
108-90-7	Chlorobenzene	0.50	U	1	0.12	0.50	5.00	ug/L	10/22/25 15:50	VX102225
SURROGATES										
17060-07-0	1,2-Dichloroethane-d4	51.0			81 - 118		102%	SPK: 50		
1868-53-7	Dibromofluoromethane	43.7			80 - 119		87%	SPK: 50		
2037-26-5	Toluene-d8	41.4	*		89 - 112		83%	SPK: 50		
460-00-4	4-Bromofluorobenzene	46.2			85 - 114		92%	SPK: 50		
INTERNAL STANDARDS										
		Area Count								
363-72-4	Pentafluorobenzene	156000								
540-36-3	1,4-Difluorobenzene	307000								
3114-55-4	Chlorobenzene-d5	274000								
3855-82-1	1,4-Dichlorobenzene-d4	141000								

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products