

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.:	<u>Q3399</u>	Analytical Method:	<u>SW8260D</u>
Client:	<u>ICE Service Group, Inc.</u>	Datafile :	<u>VY023524.D</u>

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VY1021SBSD01	Dichlorodifluoromethane	20	20.9	ug/Kg	104	2		29	149	20
	Chloromethane	20	19.3	ug/Kg	97	1		50	136	20
	Vinyl chloride	20	20.0	ug/Kg	100	1		56	135	20
	Bromomethane	20	20.7	ug/Kg	104	4		53	143	20
	Chloroethane	20	21.4	ug/Kg	107	1		59	139	20
	Trichlorofluoromethane	20	20.6	ug/Kg	103	1		62	140	20
	1,1,2-Trichlorotrifluoroethane	20	20.7	ug/Kg	104	2		66	136	20
	1,1-Dichloroethene	20	20.6	ug/Kg	103	2		70	131	20
	Acetone	100	120	ug/Kg	120	0		36	164	20
	Carbon disulfide	20	19.7	ug/Kg	99	2		63	132	20
	Methyl tert-butyl Ether	20	18.2	ug/Kg	91	1		73	125	20
	Methyl Acetate	20	15.6	ug/Kg	78	1		53	144	20
	Methylene Chloride	20	18.9	ug/Kg	95	0		70	128	20
	trans-1,2-Dichloroethene	20	20.6	ug/Kg	103	2		74	125	20
	1,1-Dichloroethane	20	20.6	ug/Kg	103	0		76	125	20
	Cyclohexane	20	18.6	ug/Kg	93	1		67	131	20
	2-Butanone	100	100	ug/Kg	100	0		51	148	20
	Carbon Tetrachloride	20	21.0	ug/Kg	105	4		70	135	20
	cis-1,2-Dichloroethene	20	20.5	ug/Kg	103	1		77	123	20
	Bromochloromethane	20	19.6	ug/Kg	98	1		78	125	20
	Chloroform	20	21.0	ug/Kg	105	3		78	123	20
	1,1,1-Trichloroethane	20	20.8	ug/Kg	104	2		73	130	20
	Methylcyclohexane	20	19.5	ug/Kg	98	1		66	133	20
	Benzene	20	21.6	ug/Kg	108	0		77	121	20
	1,2-Dichloroethane	20	20.0	ug/Kg	100	0		73	128	20
	Trichloroethene	20	21.2	ug/Kg	106	4		77	123	20
	1,2-Dichloropropane	20	20.7	ug/Kg	104	4		76	123	20
	Bromodichloromethane	20	21.2	ug/Kg	106	0		75	127	20
	4-Methyl-2-Pentanone	100	86.8	ug/Kg	87	0		65	135	20
	Toluene	20	21.4	ug/Kg	107	3		77	121	20
	t-1,3-Dichloropropene	20	19.5	ug/Kg	98	2		71	130	20
	cis-1,3-Dichloropropene	20	20.2	ug/Kg	101	3		74	126	20
	1,1,2-Trichloroethane	20	20.2	ug/Kg	101	4		78	121	20
	2-Hexanone	100	96.5	ug/Kg	97	1		53	145	20
	Dibromochloromethane	20	20.5	ug/Kg	103	1		74	126	20
	1,2-Dibromoethane	20	20.2	ug/Kg	101	0		78	122	20
	Tetrachloroethene	20	22.1	ug/Kg	111	1		73	128	20
	Chlorobenzene	20	21.2	ug/Kg	106	0		79	120	20
	Ethyl Benzene	20	20.8	ug/Kg	104	1		76	122	20
	m/p-Xylenes	40	42.7	ug/Kg	107	1		77	124	20
	o-Xylene	20	20.7	ug/Kg	104	1		77	123	20
	Styrene	20	20.5	ug/Kg	103	2		76	124	20
	Bromoform	20	19.6	ug/Kg	98	0		67	132	20
	Isopropylbenzene	20	20.3	ug/Kg	102	0		68	134	20
	1,1,2,2-Tetrachloroethane	20	18.8	ug/Kg	94	3		70	124	20
	1,3-Dichlorobenzene	20	20.8	ug/Kg	104	0		77	121	20
	1,4-Dichlorobenzene	20	20.6	ug/Kg	103	0		75	120	20
	1,2-Dichlorobenzene	20	20.5	ug/Kg	103	0		78	121	20

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.:	<u>Q3399</u>	Analytical Method:	<u>SW8260D</u>
Client:	<u>ICE Service Group, Inc.</u>	Datafile :	<u>VY023524.D</u>

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VY1021SBSD01	1,2-Dibromo-3-Chloropropane	20	17.3	ug/Kg	86	1		61	132	20
	1,2,4-Trichlorobenzene	20	19.1	ug/Kg	96	6		67	129	20
	1,2,3-Trichlorobenzene	20	18.8	ug/Kg	94	3		66	130	20