

Report of Analysis

Client:	ICE Service Group, Inc.		Date Collected:	10/10/25
Project:	NWIRP Northrup Grumman Site – Bethpage, NY		Date Received:	10/10/25
Client Sample ID:	PIBLK-PQ070972.D		SDG No.:	Q3400
Lab Sample ID:	I.BLK-PQ070972.D		Matrix:	WATER
Analytical Method:	8082A		% Solid:	0
Sample Wt/Vol:	1000 mL	Final Vol:	10000 uL	Test:
Prep Method:	5030	Prep Date:		PCB

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS										
12674-11-2	Aroclor-1016	0.25	U	1	0.097	0.25	0.50	ug/L	10/10/25	pq101025
11104-28-2	Aroclor-1221	0.40	U	1	0.13	0.40	0.50	ug/L	10/10/25	pq101025
11141-16-5	Aroclor-1232	0.25	U	1	0.096	0.25	0.50	ug/L	10/10/25	pq101025
53469-21-9	Aroclor-1242	0.25	U	1	0.12	0.25	0.50	ug/L	10/10/25	pq101025
12672-29-6	Aroclor-1248	0.25	U	1	0.071	0.25	0.50	ug/L	10/10/25	pq101025
11097-69-1	Aroclor-1254	0.25	U	1	0.094	0.25	0.50	ug/L	10/10/25	pq101025
11096-82-5	Aroclor-1260	0.25	U	1	0.081	0.25	0.50	ug/L	10/10/25	pq101025
37324-23-5	Aroclor-1262	0.40	U	1	0.14	0.40	0.50	ug/L	10/10/25	pq101025
11100-14-4	Aroclor-1268	0.25	U	1	0.11	0.25	0.50	ug/L	10/10/25	pq101025
SURROGATES										
877-09-8	Tetrachloro-m-xylene	18.3			60 - 140		91%	SPK: 20		
2051-24-3	Decachlorobiphenyl	19.0			60 - 140		95%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit