

Report of Analysis

Client: ICE Service Group, Inc.
Project: NWIRP Northrup Grumman Site – Bethpage, NY
Client Sample ID: FRAC-TANK-0760450
Lab Sample ID: Q3400-01
Analytical Method: 8270E Level : LOW
Sample Wt/Vol: 990 mL Final Vol: 1000 uL
Prep Method : Prep Date: 10/22/25

Date Collected: 10/20/25
Date Received: 10/20/25
SDG No.: Q3400
Matrix: Water
% Solid: 0
Test: SVOC-TCL BNA -20

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS										
100-52-7	Benzaldehyde	8.10	U	1	3.90	8.10	10.1	ug/L	10/27/25 18:47	PB170222
108-95-2	Phenol	4.00	U	1	0.92	4.00	5.10	ug/L	10/27/25 18:47	PB170222
111-44-4	bis(2-Chloroethyl)ether	4.00	U	1	0.82	4.00	5.10	ug/L	10/27/25 18:47	PB170222
95-57-8	2-Chlorophenol	4.00	U	1	0.59	4.00	5.10	ug/L	10/27/25 18:47	PB170222
95-48-7	2-Methylphenol	4.00	U	1	1.10	4.00	5.10	ug/L	10/27/25 18:47	PB170222
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1	1.30	4.00	5.10	ug/L	10/27/25 18:47	PB170222
98-86-2	Acetophenone	4.00	U	1	0.75	4.00	5.10	ug/L	10/27/25 18:47	PB170222
65794-96-9	3+4-Methylphenols	8.10	U	1	1.10	8.10	10.1	ug/L	10/27/25 18:47	PB170222
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1	1.40	2.50	2.50	ug/L	10/27/25 18:47	PB170222
67-72-1	Hexachloroethane	4.00	U	1	0.66	4.00	5.10	ug/L	10/27/25 18:47	PB170222
98-95-3	Nitrobenzene	4.00	U	1	0.77	4.00	5.10	ug/L	10/27/25 18:47	PB170222
78-59-1	Isophorone	4.00	U	1	0.76	4.00	5.10	ug/L	10/27/25 18:47	PB170222
88-75-5	2-Nitrophenol	4.00	U	1	1.80	4.00	5.10	ug/L	10/27/25 18:47	PB170222
105-67-9	2,4-Dimethylphenol	4.00	U	1	1.90	4.00	5.10	ug/L	10/27/25 18:47	PB170222
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	1	0.69	4.00	5.10	ug/L	10/27/25 18:47	PB170222
120-83-2	2,4-Dichlorophenol	4.00	U	1	0.53	4.00	5.10	ug/L	10/27/25 18:47	PB170222
91-20-3	Naphthalene	4.00	U	1	0.51	4.00	5.10	ug/L	10/27/25 18:47	PB170222
106-47-8	4-Chloroaniline	4.00	U	1	0.85	4.00	5.10	ug/L	10/27/25 18:47	PB170222
87-68-3	Hexachlorobutadiene	4.00	U	1	0.55	4.00	5.10	ug/L	10/27/25 18:47	PB170222
105-60-2	Caprolactam	8.10	U	1	1.10	8.10	10.1	ug/L	10/27/25 18:47	PB170222
59-50-7	4-Chloro-3-methylphenol	4.00	U	1	0.60	4.00	5.10	ug/L	10/27/25 18:47	PB170222
91-57-6	2-Methylnaphthalene	4.00	U	1	0.57	4.00	5.10	ug/L	10/27/25 18:47	PB170222
77-47-4	Hexachlorocyclopentadiene	8.10	U	1	3.70	8.10	10.1	ug/L	10/27/25 18:47	PB170222
88-06-2	2,4,6-Trichlorophenol	4.00	U	1	0.52	4.00	5.10	ug/L	10/27/25 18:47	PB170222
95-95-4	2,4,5-Trichlorophenol	4.00	U	1	0.63	4.00	5.10	ug/L	10/27/25 18:47	PB170222
92-52-4	1,1-Biphenyl	4.00	U	1	0.54	4.00	5.10	ug/L	10/27/25 18:47	PB170222
91-58-7	2-Chloronaphthalene	4.00	U	1	0.62	4.00	5.10	ug/L	10/27/25 18:47	PB170222
88-74-4	2-Nitroaniline	4.00	U	1	1.30	4.00	5.10	ug/L	10/27/25 18:47	PB170222
131-11-3	Dimethylphthalate	4.00	U	1	0.62	4.00	5.10	ug/L	10/27/25 18:47	PB170222
208-96-8	Acenaphthylene	4.00	U	1	0.76	4.00	5.10	ug/L	10/27/25 18:47	PB170222
606-20-2	2,6-Dinitrotoluene	4.00	U	1	0.93	4.00	5.10	ug/L	10/27/25 18:47	PB170222
99-09-2	3-Nitroaniline	4.00	U	1	1.10	4.00	5.10	ug/L	10/27/25 18:47	PB170222
83-32-9	Acenaphthene	4.00	U	1	0.56	4.00	5.10	ug/L	10/27/25 18:47	PB170222
51-28-5	2,4-Dinitrophenol	8.10	U	1	6.00	8.10	10.1	ug/L	10/27/25 18:47	PB170222
100-02-7	4-Nitrophenol	8.10	U	1	2.40	8.10	10.1	ug/L	10/27/25 18:47	PB170222
132-64-9	Dibenzofuran	4.00	U	1	0.62	4.00	5.10	ug/L	10/27/25 18:47	PB170222
121-14-2	2,4-Dinitrotoluene	4.00	U	1	1.20	4.00	5.10	ug/L	10/27/25 18:47	PB170222
84-66-2	Diethylphthalate	4.00	U	1	0.70	4.00	5.10	ug/L	10/27/25 18:47	PB170222
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	1	0.69	4.00	5.10	ug/L	10/27/25 18:47	PB170222
86-73-7	Fluorene	4.00	U	1	0.64	4.00	5.10	ug/L	10/27/25 18:47	PB170222
100-01-6	4-Nitroaniline	4.00	U	1	1.50	4.00	5.10	ug/L	10/27/25 18:47	PB170222
534-52-1	4,6-Dinitro-2-methylphenol	8.10	U	1	2.90	8.10	10.1	ug/L	10/27/25 18:47	PB170222

Report of Analysis

Client: ICE Service Group, Inc.
Project: NWIRP Northrup Grumman Site – Bethpage, NY
Client Sample ID: FRAC-TANK-0760450
Lab Sample ID: Q3400-01
Analytical Method: 8270E Level : LOW
Sample Wt/Vol: 990 mL Final Vol: 1000 uL
Prep Method : Prep Date: 10/22/25

Date Collected: 10/20/25
Date Received: 10/20/25
SDG No.: Q3400
Matrix: Water
% Solid: 0
Test: SVOC-TCL BNA -20

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Date Ana.	Prep BatchID
86-30-6	n-Nitrosodiphenylamine	4.00	U	1	0.59	4.00	5.10	ug/L	10/27/25 18:47	PB170222
101-55-3	4-Bromophenyl-phenylether	4.00	U	1	0.40	4.00	5.10	ug/L	10/27/25 18:47	PB170222
118-74-1	Hexachlorobenzene	4.00	U	1	0.53	4.00	5.10	ug/L	10/27/25 18:47	PB170222
1912-24-9	Atrazine	4.00	U	1	1.00	4.00	5.10	ug/L	10/27/25 18:47	PB170222
87-86-5	Pentachlorophenol	8.10	U	1	1.60	8.10	10.1	ug/L	10/27/25 18:47	PB170222
85-01-8	Phenanthrene	4.00	U	1	0.51	4.00	5.10	ug/L	10/27/25 18:47	PB170222
120-12-7	Anthracene	4.00	U	1	0.62	4.00	5.10	ug/L	10/27/25 18:47	PB170222
86-74-8	Carbazole	4.00	U	1	0.73	4.00	5.10	ug/L	10/27/25 18:47	PB170222
84-74-2	Di-n-butylphthalate	4.00	U	1	1.20	4.00	5.10	ug/L	10/27/25 18:47	PB170222
206-44-0	Fluoranthene	4.00	U	1	0.83	4.00	5.10	ug/L	10/27/25 18:47	PB170222
129-00-0	Pyrene	4.00	U	1	0.51	4.00	5.10	ug/L	10/27/25 18:47	PB170222
85-68-7	Butylbenzylphthalate	4.00	U	1	1.90	4.00	5.10	ug/L	10/27/25 18:47	PB170222
91-94-1	3,3-Dichlorobenzidine	8.10	U	1	0.94	8.10	10.1	ug/L	10/27/25 18:47	PB170222
56-55-3	Benzo(a)anthracene	4.00	U	1	0.45	4.00	5.10	ug/L	10/27/25 18:47	PB170222
218-01-9	Chrysene	4.00	U	1	0.44	4.00	5.10	ug/L	10/27/25 18:47	PB170222
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1	1.60	4.00	5.10	ug/L	10/27/25 18:47	PB170222
117-84-0	Di-n-octyl phthalate	8.10	U	1	2.40	8.10	10.1	ug/L	10/27/25 18:47	PB170222
205-99-2	Benzo(b)fluoranthene	4.00	U	1	0.49	4.00	5.10	ug/L	10/27/25 18:47	PB170222
207-08-9	Benzo(k)fluoranthene	4.00	U	1	0.48	4.00	5.10	ug/L	10/27/25 18:47	PB170222
50-32-8	Benzo(a)pyrene	4.00	U	1	0.56	4.00	5.10	ug/L	10/27/25 18:47	PB170222
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	1	0.60	4.00	5.10	ug/L	10/27/25 18:47	PB170222
53-70-3	Dibenzo(a,h)anthracene	4.00	U	1	0.68	4.00	5.10	ug/L	10/27/25 18:47	PB170222
191-24-2	Benzo(g,h,i)perylene	4.00	U	1	0.70	4.00	5.10	ug/L	10/27/25 18:47	PB170222
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	1	0.53	4.00	5.10	ug/L	10/27/25 18:47	PB170222
123-91-1	1,4-Dioxane	4.00	UQ	1	1.00	4.00	5.10	ug/L	10/27/25 18:47	PB170222
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	1	0.73	4.00	5.10	ug/L	10/27/25 18:47	PB170222

SURROGATES

367-12-4	2-Fluorophenol	88.7		19 - 119	59%	SPK: 150
13127-88-3	Phenol-d6	57.7		10 - 130	38%	SPK: 150
4165-60-0	Nitrobenzene-d5	100		44 - 120	100%	SPK: 100
321-60-8	2-Fluorobiphenyl	84.6		44 - 119	85%	SPK: 100
118-79-6	2,4,6-Tribromophenol	137		43 - 140	91%	SPK: 150
1718-51-0	Terphenyl-d14	68.9		50 - 134	69%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	33800
1146-65-2	Naphthalene-d8	134000
15067-26-2	Acenaphthene-d10	109000
1517-22-2	Phenanthrene-d10	263000
1719-03-5	Chrysene-d12	285000
1520-96-3	Perylene-d12	311000

TENTATIVE IDENTIFIED COMPOUNDS

000119-61-9	Benzophenone	9.10	J	16.2	ug/L
000057-10-3	n-Hexadecanoic acid	6.60	J	18.5	ug/L

Report of Analysis

Client:	ICE Service Group, Inc.	Date Collected:	10/20/25
Project:	NWIRP Northrup Grumman Site – Bethpage, NY	Date Received:	10/20/25
Client Sample ID:	FRAC-TANK-0760450	SDG No.:	Q3400
Lab Sample ID:	Q3400-01	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 mL	Test:	SVOC-TCL BNA -20
Prep Method :			
	Level : LOW		
	Final Vol: 1000 uL		
	Prep Date: 10/22/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Date Ana.	Prep BatchID
------------	-----------	-------	------	----	-----	-----	------------	-------	-----------	--------------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products