

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.:	<u>Q3400</u>	Analytical Method:	<u>SW8260-Low</u>
Client:	<u>ICE Service Group, Inc.</u>	Datafile :	<u>VX048256.D</u>

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VX1021WBSD01	Dichlorodifluoromethane	20	18.0	ug/L	90	7		32	152	20
	Chloromethane	20	17.3	ug/L	86	3		50	139	20
	Vinyl chloride	20	16.9	ug/L	85	3		58	137	20
	Bromomethane	20	19.0	ug/L	95	2		53	141	20
	Chloroethane	20	19.0	ug/L	95	0		60	138	20
	Trichlorofluoromethane	20	17.9	ug/L	90	1		65	141	20
	1,1,2-Trichlorotrifluoroethane	20	17.7	ug/L	89	1		70	136	20
	1,1-Dichloroethene	20	17.9	ug/L	90	0		71	131	20
	Acetone	100	81.6	ug/L	82	0		39	160	20
	Carbon disulfide	20	16.9	ug/L	85	2		64	133	20
	Methyl tert-butyl Ether	20	18.0	ug/L	90	2		71	124	20
	Methyl Acetate	20	16.9	ug/L	85	3		56	136	20
	Methylene Chloride	20	18.5	ug/L	93	3		74	124	20
	trans-1,2-Dichloroethene	20	18.8	ug/L	94	4		75	124	20
	1,1-Dichloroethane	20	18.8	ug/L	94	2		77	125	20
	Cyclohexane	20	18.4	ug/L	92	4		71	130	20
	2-Butanone	100	85.7	ug/L	86	1		56	143	20
	Carbon Tetrachloride	20	17.2	ug/L	86	1		72	136	20
	cis-1,2-Dichloroethene	20	19.1	ug/L	96	1		78	123	20
	Bromochloromethane	20	21.3	ug/L	106	2		78	123	20
	Chloroform	20	19.0	ug/L	95	1		79	124	20
	1,1,1-Trichloroethane	20	18.3	ug/L	92	1		74	131	20
	Methylcyclohexane	20	18.2	ug/L	91	7		72	132	20
	Benzene	20	18.8	ug/L	94	1		79	120	20
	1,2-Dichloroethane	20	18.5	ug/L	93	3		73	128	20
	Trichloroethene	20	18.3	ug/L	92	1		79	123	20
	1,2-Dichloropropane	20	19.8	ug/L	99	2		78	122	20
	Bromodichloromethane	20	18.8	ug/L	94	1		79	125	20
	4-Methyl-2-Pentanone	100	89.0	ug/L	89	2		67	130	20
	Toluene	20	18.9	ug/L	95	1		80	121	20
	t-1,3-Dichloropropene	20	18.5	ug/L	93	1		73	127	20
	cis-1,3-Dichloropropene	20	18.5	ug/L	93	1		75	124	20
	1,1,2-Trichloroethane	20	19.3	ug/L	97	1		80	119	20
	2-Hexanone	100	87.8	ug/L	88	2		57	139	20
	Dibromochloromethane	20	18.3	ug/L	92	1		74	126	20
	1,2-Dibromoethane	20	18.6	ug/L	93	0		77	121	20
	Tetrachloroethene	20	17.5	ug/L	88	3		74	129	20
	Chlorobenzene	20	18.9	ug/L	95	5		82	118	20
	Ethyl Benzene	20	18.3	ug/L	92	3		79	121	20
	m/p-Xylenes	40	37.5	ug/L	94	2		80	121	20
	o-Xylene	20	18.5	ug/L	93	2		78	122	20
	Styrene	20	19.2	ug/L	96	2		78	123	20
	Bromoform	20	17.7	ug/L	89	5		66	130	20
	Isopropylbenzene	20	18.5	ug/L	93	8		72	131	20
	1,1,2,2-Tetrachloroethane	20	18.4	ug/L	92	7		71	121	20
	1,3-Dichlorobenzene	20	18.2	ug/L	91	6		80	119	20
	1,4-Dichlorobenzene	20	18.2	ug/L	91	9		79	118	20
	1,2-Dichlorobenzene	20	18.6	ug/L	93	8		80	119	20

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.:	<u>Q3400</u>	Analytical Method:	<u>SW8260-Low</u>
Client:	<u>ICE Service Group, Inc.</u>	Datafile :	<u>VX048256.D</u>

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VX1021WBSD01	1,2-Dibromo-3-Chloropropane	20	16.9	ug/L	85	18		62	128	20
	1,2,4-Trichlorobenzene	20	16.8	ug/L	84	10		69	130	20
	1,2,3-Trichlorobenzene	20	17.3	ug/L	86	10		69	129	20