

Report of Analysis

Client:	PSEG	Date Collected:	10/20/25
Project:	Ridgefield OH Row Bridge	Date Received:	10/20/25
Client Sample ID:	41-RA-E2	SDG No.:	Q3402
Lab Sample ID:	Q3402-05	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	56.7
Sample Wt/Vol:	30.08 g	Test:	EPH_NF
Prep Method :		Final Vol:	2000 uL
		Prep Date :	10/21/25

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Datafile	Date Ana.	Prep BatchID
TARGETS										
Aliphatic C28-C40	Aliphatic C28-C40	7.45		1	2.08	3.52	mg/kg	FE056440.D	10/22/25 12:42	PB170181
Aliphatic C9-C28	Aliphatic C9-C28	4.40	J	1	1.60	7.04	mg/kg	FE056440.D	10/22/25 12:42	PB170181
Total AliphaticEPH	Total AliphaticEPH	11.8			3.68	10.6	mg/kg			
Total EPH	Total EPH	11.8			3.68	10.6	mg/kg			

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C40 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C40 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	PSEG	Date Collected:	10/20/25
Project:	Ridgefield OH Row Bridge	Date Received:	10/20/25
Client Sample ID:	41-RA-E2	SDG No.:	Q3402
Lab Sample ID:	Q3402-05	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	56.7
Sample Wt/Vol:	30.08 g	Final Vol:	2000 uL
Prep Method :		Prep Date	10/21/25
		Test:	EPH_NF

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
Aliphatic C9-C28	Aliphatic C9-C28	4.40	J	1	1.60	7.04	mg/kg	10/22/25	PB170181
Aliphatic C28-C40	Aliphatic C28-C40	7.45		1	2.08	3.52	mg/kg	10/22/25	PB170181
SURROGATES									
3383-33-2	1-chlorooctadecane (SURR)	39.6			40 - 140	79%	SPK: 50		
84-15-1	ortho-Terphenyl (SURR)	58.8			40 - 140	118%	SPK: 50		

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q3402-05	Acq On:	22 Oct 2025 12:42
Client Sample ID:	41-RA-E2	Operator:	YP\AJ
Data file:	FE056440.D	Misc:	
Instrument:	FID_E	ALS Vial:	17
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.296	6.923	0	0	300	ug/ml
Aliphatic C12-C16	6.924	10.374	301135	1.766	200	ug/ml
Aliphatic C16-C21	10.375	13.753	0	0	300	ug/ml
Aliphatic C21-C28	13.754	17.425	6401727	35.746	400	ug/ml
Aliphatic C28-C40	17.426	22.420	8823153	63.566	600	ug/ml
Aliphatic EPH	3.296	22.420	15526015	101.078		ug/ml
ortho-Terphenyl (SURR)	12.055	12.055	12005311	58.77		ug/ml
1-chlorooctadecane (SURR)	13.489	13.489	6047763	39.64		ug/ml
Aliphatic C9-C28	3.296	17.425	6702862	37.512	1200	ug/ml