

Report of Analysis

Client:	PSEG	Date Collected:	10/20/25
Project:	Moorestown HQ	Date Received:	10/20/25
Client Sample ID:	SW-10-20-25	SDG No.:	Q3405
Lab Sample ID:	Q3405-04	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	100
Sample Wt/Vol:	30.02 g	Test:	EPH_NF
Prep Method :		Final Vol:	2000 uL
		Prep Date :	10/22/25

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Datafile	Date Ana.	Prep BatchID
TARGETS										
Aliphatic C28-C40	Aliphatic C28-C40	6.20		1	1.18	2.00	mg/kg	FE056469.D	10/23/25 18:19	PB170207
Aliphatic C9-C28	Aliphatic C9-C28	6.55		1	0.91	3.99	mg/kg	FE056469.D	10/23/25 18:19	PB170207
Total AliphaticEPH	Total AliphaticEPH	12.8			2.09	5.99	mg/kg			
Total EPH	Total EPH	12.8			2.09	5.99	mg/kg			

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C40 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C40 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	PSEG	Date Collected:	10/20/25
Project:	Moorestown HQ	Date Received:	10/20/25
Client Sample ID:	SW-10-20-25	SDG No.:	Q3405
Lab Sample ID:	Q3405-04	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	100
Sample Wt/Vol:	30.02 g	Final Vol:	2000 uL
Prep Method :		Test:	EPH_NF
		Prep Date	10/22/25

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
Aliphatic C9-C28	Aliphatic C9-C28	6.55	1		0.91	3.99	mg/kg	10/23/25	PB170207
Aliphatic C28-C40	Aliphatic C28-C40	6.20	1		1.18	2.00	mg/kg	10/23/25	PB170207
SURROGATES									
3383-33-2	1-chlorooctadecane (SURR)	52.6			40 - 140	105%	SPK: 50		
84-15-1	ortho-Terphenyl (SURR)	49.6			40 - 140	99%	SPK: 50		

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q3405-04	Acq On:	23 Oct 2025 18:19
Client Sample ID:	SW-10-20-25-A	Operator:	YP\AJ
Data file:	FE056469.D	Misc:	
Instrument:	FID_E	ALS Vial:	22
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.294	6.921	805023	4.877	300	ug/ml
Aliphatic C12-C16	6.922	10.373	1038959	6.092	200	ug/ml
Aliphatic C16-C21	10.374	13.751	10169114	56.926	300	ug/ml
Aliphatic C21-C28	13.752	17.422	5449292	30.428	400	ug/ml
Aliphatic C28-C40	17.423	22.413	12923562	93.107	600	ug/ml
Aliphatic EPH	3.294	22.413	30385950	191.43		ug/ml
ortho-Terphenyl (SURR)	12.053	12.053	10125276	49.56		ug/ml
1-chlorooctadecane (SURR)	13.488	13.488	8027621	52.61		ug/ml
Aliphatic C9-C28	3.294	17.422	17462388	98.323	1200	ug/ml