

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG102425\
 Data File : BG064570.D
 Acq On : 24 Oct 2025 9:41
 Operator : RC/JU
 Sample : SSTDICC005
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SSTDICC005

Manual Integrations
 APPROVED

Reviewed By :Rahul
 Chavli

10/27/2025
 Supervised By :Jagrut
 Upadhyay

Quant Time: Oct 24 17:10:49 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG102425.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 24 16:40:26 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.219	152	40837	20.000	ng	0.00
21) Naphthalene-d8	11.045	136	168287	20.000	ng	# 0.00
39) Acenaphthene-d10	14.840	164	131387	20.000	ng	0.00
64) Phenanthrene-d10	17.578	188	331372	20.000	ng	0.00
76) Chrysene-d12	21.856	240	381389	20.000	ng	0.00
86) Perylene-d12	25.199	264	401350	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.745	112	22421	9.216	ng	0.00
7) Phenol-d6	7.349	99	30003	8.987	ng	0.00
23) Nitrobenzene-d5	9.382	82	20097	7.173	ng	0.00
42) 2,4,6-Tribromophenol	16.315	330	14514	7.654	ng	0.00
45) 2-Fluorobiphenyl	13.471	172	86089	9.932	ng	0.00
79) Terphenyl-d14	20.169	244	204719	10.130	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.589	88	5823	5.406	ng	95
3) Pyridine	4.000	79	16637	5.143	ng	89
6) Aniline	7.525	93	22494	4.952	ng	98
8) 2-Chlorophenol	7.778	128	10732	4.214	ng	96
10) Phenol	7.373	94	16995	4.603	ng	96
11) bis(2-Chloroethyl)ether	7.525	93	22494	4.952	ng	96
12) 1,3-Dichlorobenzene	8.113	146	14650	4.998	ng	93
13) 1,4-Dichlorobenzene	8.260	146	14611m	4.903	ng	
14) 1,2-Dichlorobenzene	8.583	146	13994	4.868	ng	96
16) 2,2'-oxybis(1-Chloropr...	8.736	45	34925	4.905	ng	97
17) 2-Methylphenol	8.442	107	5591	4.063	ng	92
18) Hexachloroethane	9.329	117	4773	4.564	ng	97
19) n-Nitroso-di-n-propyla...	9.024	70	10596	4.592	ng	92
22) Acetophenone	9.035	105	22505	4.892	ng	# 92
24) Nitrobenzene	9.423	77	11526	3.782	ng	# 95
25) Isophorone	9.946	82	31609	4.701	ng	# 93
26) 2-Nitrophenol	10.140	139	3186	5.664	ng	99
27) 2,4-Dimethylphenol	10.193	122	9925	3.891	ng	92
28) bis(2-Chloroethoxy)met...	10.434	93	18999	4.963	ng	95
29) 2,4-Dichlorophenol	10.680	162	10223	3.798	ng	89
30) 1,2,4-Trichlorobenzene	10.904	180	14238	4.656	ng	97
31) Naphthalene	11.098	128	45559	4.883	ng	98
33) 4-Chloroaniline	11.186	127	16429	4.530	ng	93
34) Hexachlorobutadiene	11.391	225	11212	4.688	ng	95
36) 4-Chloro-3-methylphenol	12.290	107	13604	4.205	ng	94
37) 2-Methylnaphthalene	12.690	142	32129	4.690	ng	97
38) 1-Methylnaphthalene	12.901	142	33515m	4.972	ng	
40) 1,2,4,5-Tetrachloroben...	13.048	216	21576	4.893	ng	99
43) 2,4,6-Trichlorophenol	13.277	196	9650	3.826	ng	93
44) 2,4,5-Trichlorophenol	13.342	196	11151	3.831	ng	# 91
46) 1,1'-Biphenyl	13.683	154	47840	5.122	ng	95
47) 2-Chloronaphthalene	13.724	162	34977	4.961	ng	96
48) 2-Nitroaniline	13.906	65	6601	5.826	ng	87
49) Acenaphthylene	14.564	152	54748	4.923	ng	98
50) Dimethylphthalate	14.282	163	45639	4.540	ng	98
51) 2,6-Dinitrotoluene	14.394	165	4161	5.535	ng	# 91

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG102425\
 Data File : BG064570.D
 Acq On : 24 Oct 2025 9:41
 Operator : RC/JU
 Sample : SSTDICC005
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SSTDICC005

Manual Integrations
 APPROVED

Reviewed By :Rahul
 Chavli

10/27/2025
 Supervised By :Jagrut
 Upadhyay

Quant Time: Oct 24 17:10:49 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG102425.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 24 16:40:26 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)	
52) Acenaphthene	14.905	154	36982	4.867	ng		96
53) 3-Nitroaniline	14.717	138	5903	3.417	ng	#	96
55) Dibenzofuran	15.234	168	61779	5.029	ng		97
57) 2,4-Dinitrotoluene	15.175	165	7312	5.721	ng	#	80
58) Fluorene	15.880	166	48305	5.035	ng		98
59) 2,3,4,6-Tetrachlorophenol	15.451	232	10241	3.679	ng	#	95
60) Diethylphthalate	15.639	149	46534	4.533	ng		98
61) 4-Chlorophenyl-phenyle...	15.874	204	26270	4.880	ng		97
62) 4-Nitroaniline	15.869	138	6383	3.321	ng		90
63) Azobenzene	16.162	77	44729	4.749	ng		98
66) n-Nitrosodiphenylamine	16.080	169	42291	4.725	ng		98
67) 4-Bromophenyl-phenylether	16.762	248	18064	4.600	ng		95
68) Hexachlorobenzene	16.885	284	21076	4.705	ng		95
69) Atrazine	17.014	200	17783	4.616	ng		94
71) Phenanthrene	17.619	178	89771	4.954	ng		99
72) Anthracene	17.713	178	90063	4.886	ng		99
73) Carbazole	17.966	167	81350	5.005	ng		98
74) Di-n-butylphthalate	18.530	149	83713	4.454	ng		99
75) Fluoranthene	19.617	202	114724	5.054	ng		98
78) Pyrene	19.975	202	122676	4.923	ng		98
80) Butylbenzylphthalate	20.857	149	27072	3.595	ng		94
81) Benzo(a)anthracene	21.832	228	123345	4.878	ng		98
83) Chrysene	21.903	228	119080	4.949	ng		97
84) Bis(2-ethylhexyl)phtha...	21.750	149	46117	4.098	ng		98
87) Indeno(1,2,3-cd)pyrene	29.030	276	138758	4.700	ng	#	88
88) Benzo(b)fluoranthene	24.129	252	114203	4.640	ng		98
89) Benzo(k)fluoranthene	24.200	252	117893	4.787	ng		99
90) Benzo(a)pyrene	25.040	252	106414	4.704	ng		99
91) Dibenzo(a,h)anthracene	29.100	278	112398	4.686	ng		96
92) Benzo(g,h,i)perylene	29.030	276	138758	4.700	ng		96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Manual Integrations

10/27/2025
Supervised By :Jagrut
Upadhyay

10/27/2025

Abundance


TIC: BG064570.D\data.ms

Upadhyay

10/27/2025

Time-->

1,4-Dioxane
Pyridine,
2-Fluorophenol, S
1,4-Dichlorobenzene-d4, I
1,3-Dichlorobenzene, C
2-Chlorophenol
2,4-Dichlorobenzene
2,5-Dichlorobenzene
2,6-Dichlorobenzene
2,3,4-Trichlorobenzene
2,4,5-Trichlorobenzene
2-Nitroaniline
2,6-Dinitrophenol
3-Nitroaniline
2,4-Dinitrophenol
2,3,4-Trinitrophenol
2,4,6-Trinitrophenol
4-Nitrophenol
4-Aminophenol
4-Nitrophenyl-phenylether
4-Aminophenyl-phenylether
Anthracene
Carbazole
Di-n-butylphthalate
Fluoranthene, C
Pyrene
Butylbenzylphthalate
Bis(2-ethylhexyl)phthalate
Chrysene
Anthracene
Perylene
Benzo(a)pyrene, C
Benzo(b)fluoranthene
Benzo(k)fluoranthene
Benzo(a)anthracene



#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.219 min Scan# 81
Delta R.T. -0.002 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :

BNA_G

ClientSampleId :

SSTDICC005

Tgt Ion:152 Resp: 4083
Ion Ratio Lower Upper
152 100
150 153.0 122.2 183.4
115 62.5 50.8 76.2





Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli

10/27/2025




Supervised By :Jagrut
Upadhyay


10/27/2025



#2
1,4-Dioxane
Concen: 5.406 ng
RT: 3.589 min Scan# 85
Delta R.T. -0.002 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Tgt Ion: 88 Resp: 5823
Ion Ratio Lower Upper
88 100
58 108.0 92.4 138.6
43 41.6 33.0 49.6






#3
Pyridine
Concen: 5.143 ng
RT: 4.000 min Scan# 11
Delta R.T. 0.004 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :

BNA_G

ClientSampleId :

SSTDICC005



Tgt Ion: 79 Resp: 1663
Ion Ratio Lower Upper
79 100
52 106.6 94.2 141.2
51 48.4 46.1 69.1




Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli

10/27/2025




Supervised By :Jagrut
Upadhyay


10/27/2025



#5
2-Fluorophenol
Concen: 9.216 ng
RT: 5.745 min Scan# 452
Delta R.T. -0.002 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41


Tgt Ion:112 Resp: 22421
Ion Ratio Lower Upper
112 100
64 68.9 60.7 91.1
63 35.8 33.4 50.0





#6
Aniline
Concen: 4.952 ng
RT: 7.525 min Scan# 71
Delta R.T. -0.008 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :
BNA_G
ClientSampleId :
SSTDICC005






Tgt Ion: 93 Resp: 22494
Ion Ratio Lower Upper
93 100
66 44.4 37.0 55.6
65 22.0 18.3 27.5

Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli




10/27/2025
Supervised By :Jagrut
Upadhyay


10/27/2025



#7
Phenol-d6
Concen: 8.987 ng
RT: 7.349 min Scan# 725
Delta R.T. -0.008 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41


Tgt Ion: 99 Resp: 30003
Ion Ratio Lower Upper
99 100
42 24.5 18.3 27.5
71 35.1 28.6 43.0





#8
2-Chlorophenol
Concen: 4.214 ng
RT: 7.778 min Scan# 798
Delta R.T. -0.002 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :
BNA_G
ClientSampleId :
SSTDICC005






Tgt Ion:128 Resp: 10732
Ion Ratio Lower Upper
128 100
130 39.4 13.5 53.5
64 65.2 45.2 85.2

Manual Integrations
APPROVED


Reviewed By :Rahul
Chavli

10/27/2025
Supervised By :Jagrut
Upadhyay



10/27/2025




#10
Phenol
Concen: 4.603 ng
RT: 7.373 min Scan# 729
Delta R.T. -0.014 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41



Tgt Ion: 94 Resp: 16995
Ion Ratio Lower Upper
94 100
65 38.8 15.8 55.8
66 45.9 24.0 64.0





#11
bis(2-Chloroethyl)ether
Concen: 4.952 ng
RT: 7.525 min Scan# 755
Delta R.T. -0.008 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :

BNA_G

ClientSampleId :

SSTDICC005

Tgt Ion: 93 Resp: 22494
Ion Ratio Lower Upper
93 100
63 8.7 0.0 27.4
95 0.0 0.0 20.2





Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli

10/27/2025




Supervised By :Jagrut
Upadhyay


10/27/2025



#12
1,3-Dichlorobenzene
Concen: 4.998 ng
RT: 8.113 min Scan# 855
Delta R.T. 0.004 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Tgt Ion:146 Resp: 14650
Ion Ratio Lower Upper
146 100
148 64.6 55.3 82.9
75 28.7 28.2 42.2





#13
1,4-Dichlorobenzene
Concen: 4.903 ng m
RT: 8.260 min Scan# 880
Delta R.T. 0.004 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :
BNA_G
ClientSampleId :
SSTDICC005





Tgt Ion:146 Resp: 1461
Ion Ratio Lower Upper
146 100
148 54.9 56.2 84.4
111 38.6 35.4 53.0

Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli




10/27/2025
Supervised By :Jagrut
Upadhyay


10/27/2025



#14
1,2-Dichlorobenzene
Concen: 4.868 ng
RT: 8.583 min Scan# 935
Delta R.T. 0.004 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Tgt Ion:146 Resp: 13994
Ion Ratio Lower Upper
146 100
148 61.9 51.5 77.3
111 40.0 35.0 52.6





#16
2,2'-oxybis(1-Chloropropane)
Concen: 4.905 ng
RT: 8.736 min Scan# 90
Delta R.T. -0.008 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :
BNA_G
ClientSampleId :
SSTDICC005





Tgt Ion: 45 Resp: 34925
Ion Ratio Lower Upper
45 100
77 7.1 0.0 28.5
79 5.0 0.0 25.6

Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli




10/27/2025
Supervised By :Jagrut
Upadhyay


10/27/2025



#17
2-Methylphenol
Concen: 4.063 ng
RT: 8.442 min Scan# 911
Delta R.T. -0.008 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Tgt Ion:107 Resp: 5591
Ion Ratio Lower Upper
107 100
108 140.7 106.4 159.6
77 125.5 96.7 145.1
79 199.0 146.6 219.8





#18

Hexachloroethane

Concen: 4.564 ng

RT: 9.329 min Scan# 10

Delta R.T. 0.004 min

Lab File: BG064570.D

Acq: 24 Oct 2025 9:41

Instrument :

BNA_G

ClientSampleId :

SSTDICC005

Tgt Ion: 117 Resp: 4773

Ion	Ratio	Lower	Upper
117	100		
119	88.0	75.4	113.2
201	124.2	99.2	148.8





Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli

10/27/2025

Supervised By :Jagrut
Upadhyay

10/27/2025



#19

n-Nitroso-di-n-propylamine

Concen: 4.592 ng

RT: 9.024 min Scan# 1010




Delta R.T. -0.008 min


Lab File: BG064570.D

Acq: 24 Oct 2025 9:41

Tgt Ion: 70 Resp: 10596

Ion	Ratio	Lower	Upper
70	100		
42	74.1	65.2	97.8
101	10.4	7.9	11.9
130	14.5	14.3	21.5






#21
Naphthalene-d8
Concen: 20.000 ng
RT: 11.045 min Scan# 1355
Delta R.T. -0.008 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :

BNA_G

ClientSampleId :

SSTDICC005



Tgt Ion:136 Resp: 16828
Ion Ratio Lower Upper
136 100
137 10.4 9.2 13.8
54 15.4 12.6 19.0
68 5.6 5.7 8.5#




Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli


10/27/2025

Supervised By :Jagrut
Upadhyay



10/27/2025




#22
Acetophenone
Concen: 4.892 ng
RT: 9.035 min Scan# 1012
Delta R.T. -0.014 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41



Tgt Ion:105 Resp: 22505
Ion Ratio Lower Upper
105 100
71 2.8 1.5 2.3#
51 38.4 33.7 50.5
120 14.6 16.1 24.1#





#23

Nitrobenzene-d5

Concen: 7.173 ng

RT: 9.382 min Scan# 1072

Delta R.T. -0.008 min

Lab File: BG064570.D

Acq: 24 Oct 2025 9:41

Instrument :

BNA_G

ClientSampleId :

SSTDICC005

Tgt Ion: 82	Resp: 2009
Ion Ratio	Lower Upper
82 100	
128 39.6	31.3 46.9
54 71.0	56.6 84.8





Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli

10/27/2025

Supervised By :Jagrut
Upadhyay

10/27/2025



#24

Nitrobenzene

Concen: 3.782 ng




RT: 9.423 min Scan# 1078


Delta R.T. -0.008 min

Lab File: BG064570.D

Acq: 24 Oct 2025 9:41

Tgt Ion: 77	Resp: 11526
Ion Ratio	Lower Upper
77 100	
123 36.6	31.0 46.6
65 12.6	12.7 19.1





#25
Isophorone
Concen: 4.701 ng
RT: 9.946 min Scan# 1169
Delta R.T. -0.020 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :

BNA_G

ClientSampleId :

SSTDICC005

Tgt Ion: 82 Resp: 31609
Ion Ratio Lower Upper
82 100
95 7.2 6.1 9.1
138 12.3 13.0 19.4





Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli

10/27/2025




Supervised By :Jagrut
Upadhyay


10/27/2025



#26
2-Nitrophenol
Concen: 5.664 ng
RT: 10.140 min Scan# 1200
Delta R.T. -0.008 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Tgt Ion:139 Resp: 3186
Ion Ratio Lower Upper
139 100
109 32.1 24.6 37.0
65 58.9 47.5 71.3






#27
2,4-Dimethylphenol
Concen: 3.891 ng
RT: 10.193 min Scan# 1209
Delta R.T. -0.002 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :

BNA_G

ClientSampleId :

SSTDICC005



Tgt Ion:122 Resp: 9925
Ion Ratio Lower Upper
122 100
107 121.0 103.0 154.4
121 51.7 47.8 71.8




Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli

10/27/2025




Supervised By :Jagrut
Upadhyay


10/27/2025



#28
bis(2-Chloroethoxy)methane
Concen: 4.963 ng
RT: 10.434 min Scan# 1250
Delta R.T. -0.002 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41


Tgt Ion: 93 Resp: 18999
Ion Ratio Lower Upper
93 100
95 35.3 25.4 38.2
123 11.5 8.4 12.6





#29
2,4-Dichlorophenol
Concen: 3.798 ng
RT: 10.680 min Scan# 1292
Delta R.T. -0.002 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :
BNA_G
ClientSampleId :
SSTDICC005






Tgt Ion:162 Resp: 10223
Ion Ratio Lower Upper
162 100
164 79.1 48.7 88.7
98 32.4 16.9 56.9

Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli




10/27/2025
Supervised By :Jagrut
Upadhyay


10/27/2025



#30
1,2,4-Trichlorobenzene
Concen: 4.656 ng
RT: 10.904 min Scan# 1330
Delta R.T. -0.002 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41


Tgt Ion:180 Resp: 14238
Ion Ratio Lower Upper
180 100
182 92.9 76.9 115.3
145 25.7 22.1 33.1





#31
Naphthalene
Concen: 4.883 ng
RT: 11.098 min Scan# 1363
Delta R.T. -0.002 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :
BNA_G
ClientSampleId :
SSTDICC005






Tgt Ion:128 Resp: 45559
Ion Ratio Lower Upper
128 100
129 10.4 8.8 13.2
127 14.3 10.6 15.8

Manual Integrations
APPROVED


Reviewed By :Rahul
Chavli

10/27/2025
Supervised By :Jagrut
Upadhyay



10/27/2025




#33
4-Chloroaniline
Concen: 4.530 ng
RT: 11.186 min Scan# 1378
Delta R.T. -0.002 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41



Tgt Ion:127 Resp: 16429
Ion Ratio Lower Upper
127 100
129 29.8 25.5 38.3
65 33.5 32.2 48.4
92 25.1 18.2 27.2






#34
Hexachlorobutadiene
Concen: 4.688 ng
RT: 11.391 min Scan# 1413
Delta R.T. -0.002 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :

BNA_G

ClientSampleId :

SSTDICC005



Tgt Ion:225 Resp: 11212
Ion Ratio Lower Upper
225 100
223 66.4 48.8 73.2
227 63.9 49.5 74.3




Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli


10/27/2025

Supervised By :Jagrut
Upadhyay



10/27/2025




#36
4-Chloro-3-methylphenol
Concen: 4.205 ng
RT: 12.290 min Scan# 1566
Delta R.T. -0.008 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41



Tgt Ion:107 Resp: 13604
Ion Ratio Lower Upper
107 100
144 27.6 19.1 28.7
142 68.9 58.6 87.8





#37
2-Methylnaphthalene
Concen: 4.690 ng
RT: 12.690 min Scan# 1634
Delta R.T. -0.002 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :

BNA_G

ClientSampleId :

SSTDICC005

Tgt Ion:142 Resp: 32129
Ion Ratio Lower Upper
142 100
141 89.3 68.9 103.3
115 39.3 30.6 46.0





Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli

10/27/2025




Supervised By :Jagrut
Upadhyay


10/27/2025



#38
1-Methylnaphthalene
Concen: 4.972 ng m
RT: 12.901 min Scan# 1670
Delta R.T. -0.008 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Tgt Ion:142 Resp: 33515
Ion Ratio Lower Upper
142 100
141 89.1 73.3 109.9
116 5.4 3.1 4.7#






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.840 min Scan# 2001
Delta R.T. -0.002 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :

BNA_G

ClientSampleId :

SSTDICC005



Tgt Ion:164 Resp: 13138
Ion Ratio Lower Upper
164 100
162 103.0 77.0 115.6
160 48.2 34.4 51.6




Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli

10/27/2025




Supervised By :Jagrut
Upadhyay


10/27/2025



#40
1,2,4,5-Tetrachlorobenzene
Concen: 4.893 ng
RT: 13.048 min Scan# 1695
Delta R.T. -0.008 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Tgt Ion:216 Resp: 21576
Ion Ratio Lower Upper
216 100
214 78.0 61.4 92.2
179 19.5 15.4 23.0
108 15.8 11.8 17.6






#42
2,4,6-Tribromophenol
Concen: 7.654 ng
RT: 16.315 min Scan# 211
Delta R.T. -0.008 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :

BNA_G

ClientSampleId :

SSTDICC005



Tgt Ion:330 Resp: 14514
Ion Ratio Lower Upper
330 100
332 95.3 78.0 117.0
141 25.5 21.8 32.6




Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli

10/27/2025




Supervised By :Jagrut
Upadhyay


10/27/2025



#43
2,4,6-Trichlorophenol
Concen: 3.826 ng
RT: 13.277 min Scan# 1734
Delta R.T. -0.002 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Tgt Ion:196 Resp: 9650
Ion Ratio Lower Upper
196 100
198 103.9 76.6 115.0
200 33.5 26.0 39.0






#44
2,4,5-Trichlorophenol
Concen: 3.831 ng
RT: 13.342 min Scan# 1745
Delta R.T. -0.008 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :

BNA_G

ClientSampleId :

SSTDICC005



Tgt Ion:196 Resp: 1115
Ion Ratio Lower Upper
196 100
198 88.6 74.2 111.4
97 35.1 37.0 55.6
132 18.5 18.5 27.7



Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli


10/27/2025

Supervised By :Jagrut
Upadhyay



10/27/2025




#45
2-Fluorobiphenyl
Concen: 9.932 ng
RT: 13.471 min Scan# 1767
Delta R.T. -0.008 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41




Tgt Ion:172 Resp: 86089
Ion Ratio Lower Upper
172 100
171 35.1 29.4 44.0
170 24.3 19.1 28.7





#46
1,1'-Biphenyl
Concen: 5.122 ng
RT: 13.683 min Scan# 1803
Delta R.T. -0.002 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :
BNA_G
ClientSampleId :
SSTDICC005






Tgt Ion:154 Resp: 47840
Ion Ratio Lower Upper
154 100
153 40.1 22.4 62.4
76 10.3 0.0 33.5

Manual Integrations
APPROVED


Reviewed By :Rahul
Chavli

10/27/2025
Supervised By :Jagrut
Upadhyay



10/27/2025




#47
2-Chloronaphthalene
Concen: 4.961 ng
RT: 13.724 min Scan# 1810
Delta R.T. -0.008 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41



Tgt Ion:162 Resp: 34977
Ion Ratio Lower Upper
162 100
127 44.2 32.2 48.2
164 34.7 27.5 41.3





#48
2-Nitroaniline
Concen: 5.826 ng
RT: 13.906 min Scan# 1842
Delta R.T. -0.008 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :
BNA_G
ClientSampleId :
SSTDICC005





Tgt Ion: 65 Resp: 660
Ion Ratio Lower Upper
65 100
92 52.8 48.3 72.5
138 79.6 74.9 112.3

Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli




10/27/2025
Supervised By :Jagrut
Upadhyay


10/27/2025



#49
Acenaphthylene
Concen: 4.923 ng
RT: 14.564 min Scan# 1953
Delta R.T. -0.002 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Tgt Ion:152 Resp: 54748
Ion Ratio Lower Upper
152 100
151 19.2 15.4 23.2
153 12.0 11.0 16.4






#50
Dimethylphthalate
Concen: 4.540 ng
RT: 14.282 min Scan# 1906
Delta R.T. -0.008 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :

BNA_G

ClientSampleId :

SSTDICC005



Tgt Ion:163 Resp: 45639
Ion Ratio Lower Upper
163 100
194 3.1 2.8 4.2
164 10.5 7.7 11.5




Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli

10/27/2025




Supervised By :Jagrut
Upadhyay


10/27/2025



#51
2,6-Dinitrotoluene
Concen: 5.535 ng
RT: 14.394 min Scan# 1924
Delta R.T. -0.008 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41


Tgt Ion:165 Resp: 4161
Ion Ratio Lower Upper
165 100
63 70.7 57.4 86.0
89 73.2 47.8 71.8#





#52
Acenaphthene
Concen: 4.867 ng
RT: 14.905 min Scan# 2012
Delta R.T. -0.008 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :
BNA_G
ClientSampleId :
SSTDICC005






Tgt Ion:154 Resp: 36982
Ion Ratio Lower Upper
154 100
153 111.0 92.2 138.4
152 52.2 43.2 64.8

Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli




10/27/2025
Supervised By :Jagrut
Upadhyay


10/27/2025



#53
3-Nitroaniline
Concen: 3.417 ng
RT: 14.717 min Scan# 1979
Delta R.T. -0.014 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Tgt Ion:138 Resp: 5903
Ion Ratio Lower Upper
138 100
108 27.2 11.4 17.0#
92 120.0 95.3 142.9






#55
Dibenzofuran
Concen: 5.029 ng
RT: 15.234 min Scan# 2068
Delta R.T. -0.008 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :

BNA_G

ClientSampleId :

SSTDICC005



Tgt Ion:168 Resp: 61779
Ion Ratio Lower Upper
168 100
139 32.7 27.8 41.8
169 13.7 10.3 15.5




Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli

10/27/2025




Supervised By :Jagrut
Upadhyay


10/27/2025



#57
2,4-Dinitrotoluene
Concen: 5.721 ng
RT: 15.175 min Scan# 2057
Delta R.T. -0.014 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Tgt Ion:165 Resp: 7312
Ion Ratio Lower Upper
165 100
63 35.1 41.8 62.8#
89 57.9 58.1 87.1#
182 3.3 1.4 2.0#





#58
 Fluorene
 Concen: 5.035 ng
 RT: 15.880 min Scan# 2178
 Delta R.T. -0.008 min
 Lab File: BG064570.D
 Acq: 24 Oct 2025 9:41

Instrument :

BNA_G

ClientSampleId :

SSTDICC005

Tgt Ion:166 Resp: 48305
 Ion Ratio Lower Upper
 166 100
 165 103.5 81.5 122.3
 167 11.6 11.4 17.0





Manual Integrations
 APPROVED

Reviewed By :Rahul
 Chavli

10/27/2025




Supervised By :Jagrut
 Upadhyay


10/27/2025



#59
 2,3,4,6-Tetrachlorophenol
 Concen: 3.679 ng
 RT: 15.451 min Scan# 2104
 Delta R.T. -0.008 min
 Lab File: BG064570.D
 Acq: 24 Oct 2025 9:41

Tgt Ion:232 Resp: 10241
 Ion Ratio Lower Upper
 232 100
 131 29.7 26.7 40.1
 130 1.1 1.6 2.4#
 166 24.3 20.5 30.7





#60
Diethylphthalate
Concen: 4.533 ng
RT: 15.639 min Scan# 2138
Delta R.T. -0.014 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :

BNA_G

ClientSampleId :

SSTDICC005

Tgt Ion:149 Resp: 46534
Ion Ratio Lower Upper
149 100
177 23.1 18.0 27.0
150 13.9 10.2 15.4





Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli

10/27/2025




Supervised By :Jagrut
Upadhyay


10/27/2025



#61
4-Chlorophenyl-phenylether
Concen: 4.880 ng
RT: 15.874 min Scan# 2176
Delta R.T. -0.002 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Tgt Ion:204 Resp: 26270
Ion Ratio Lower Upper
204 100
206 32.3 25.6 38.4
141 48.0 40.6 60.8






#62
4-Nitroaniline
Concen: 3.321 ng
RT: 15.869 min Scan# 2175
Delta R.T. -0.025 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :

BNA_G

ClientSampleId :

SSTDICC005



Tgt Ion:138 Resp: 6383
Ion Ratio Lower Upper
138 100
92 55.4 36.1 76.1
108 80.1 75.6 115.6




Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli

10/27/2025




Supervised By :Jagrut
Upadhyay


10/27/2025



#63
Azobenzene
Concen: 4.749 ng
RT: 16.162 min Scan# 2225
Delta R.T. -0.008 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41


Tgt Ion: 77 Resp: 44729
Ion Ratio Lower Upper
77 100
182 25.7 4.9 44.9
105 21.4 1.3 41.3
51 37.7 19.0 59.0





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.578 min Scan# 2467
Delta R.T. -0.002 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :
BNA_G
ClientSampleId :
SSTDICC005






Tgt Ion:188 Resp: 331372
Ion Ratio Lower Upper
188 100
94 8.3 5.7 8.5
80 9.4 6.8 10.2

Manual Integrations
APPROVED


Reviewed By :Rahul
Chavli

10/27/2025
Supervised By :Jagrut
Upadhyay



10/27/2025




#66
n-Nitrosodiphenylamine
Concen: 4.725 ng
RT: 16.080 min Scan# 2211
Delta R.T. -0.008 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41



Tgt Ion:169 Resp: 42291
Ion Ratio Lower Upper
169 100
168 71.9 56.3 84.5
167 38.5 29.0 43.6





#67
4-Bromophenyl-phenylether
Concen: 4.600 ng
RT: 16.762 min Scan# 2328
Delta R.T. -0.008 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :

BNA_G

ClientSampleId :

SSTDICC005

Tgt Ion:248 Resp: 18064
Ion Ratio Lower Upper
248 100
250 97.5 77.7 116.5
141 69.6 48.6 72.8





Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli

10/27/2025




Supervised By :Jagrut
Upadhyay


10/27/2025



#68
Hexachlorobenzene
Concen: 4.705 ng
RT: 16.885 min Scan# 2348
Delta R.T. -0.008 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Tgt Ion:284 Resp: 21076
Ion Ratio Lower Upper
284 100
142 28.2 21.0 31.6
249 34.7 24.9 37.3





#69

Atrazine

Concen: 4.616 ng

RT: 17.014 min Scan# 2473

Delta R.T. -0.014 min

Lab File: BG064570.D

Acq: 24 Oct 2025 9:41

Instrument :

BNA_G

ClientSampleId :

SSTDICC005

Tgt Ion:200 Resp: 17783
 Ion Ratio Lower Upper
 200 100
 173 26.6 0.9 40.9
 215 44.8 27.0 67.0





Manual Integrations
 APPROVED

Reviewed By :Rahul
 Chavli

10/27/2025

Supervised By :Jagrut
 Upadhyay

10/27/2025



#71

Phenanthrene

Concen: 4.954 ng




RT: 17.619 min Scan# 2473


Delta R.T. -0.008 min

Lab File: BG064570.D

Acq: 24 Oct 2025 9:41


Tgt Ion:178 Resp: 89771
 Ion Ratio Lower Upper
 178 100
 176 19.0 14.7 22.1
 179 15.8 12.2 18.4





#72
 Anthracene
 Concen: 4.886 ng
 RT: 17.713 min Scan# 2489
 Delta R.T. -0.002 min
 Lab File: BG064570.D
 Acq: 24 Oct 2025 9:41

Instrument :
 BNA_G
 ClientSampleId :
 SSTDICC005






Tgt Ion:178 Resp: 90063
 Ion Ratio Lower Upper
 178 100
 176 17.7 14.4 21.6
 179 14.8 12.4 18.6

Manual Integrations
 APPROVED

Reviewed By :Rahul
 Chavli




10/27/2025
 Supervised By :Jagrut
 Upadhyay


10/27/2025



#73
 Carbazole
 Concen: 5.005 ng
 RT: 17.966 min Scan# 2532
 Delta R.T. -0.008 min
 Lab File: BG064570.D
 Acq: 24 Oct 2025 9:41

Tgt Ion:167 Resp: 81350
 Ion Ratio Lower Upper
 167 100
 166 23.7 17.9 26.9
 139 12.7 9.7 14.5






#74
Di-n-butylphthalate
Concen: 4.454 ng
RT: 18.530 min Scan# 2629
Delta R.T. -0.008 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :

BNA_G

ClientSampleId :

SSTDICC005



Tgt Ion:149 Resp: 83713
Ion Ratio Lower Upper
149 100
150 8.4 7.0 10.6
104 5.2 4.1 6.1




Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli

10/27/2025




Supervised By :Jagrut
Upadhyay


10/27/2025



#75
Fluoranthene
Concen: 5.054 ng
RT: 19.617 min Scan# 2813
Delta R.T. -0.002 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41


Tgt Ion:202 Resp: 114724
Ion Ratio Lower Upper
202 100
101 10.2 0.0 28.7
203 17.7 0.0 37.0





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.856 min Scan# 3195
Delta R.T. -0.008 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :
BNA_G
ClientSampleId :
SSTDICC005





Tgt Ion:240 Resp: 381389
Ion Ratio Lower Upper
240 100
120 7.7 6.5 9.7
236 25.4 20.2 30.2

Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli




10/27/2025
Supervised By :Jagrut
Upadhyay


10/27/2025



#78
Pyrene
Concen: 4.923 ng
RT: 19.975 min Scan# 2874
Delta R.T. -0.002 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Tgt Ion:202 Resp: 122676
Ion Ratio Lower Upper
202 100
200 22.0 17.0 25.4
203 18.2 13.8 20.6






#79
 Terphenyl-d14
 Concen: 10.130 ng
 RT: 20.169 min Scan# 2908
 Delta R.T. -0.008 min
 Lab File: BG064570.D
 Acq: 24 Oct 2025 9:41

Instrument :

BNA_G

ClientSampleId :

SSTDICC005






Tgt Ion:244 Resp: 204719
 Ion Ratio Lower Upper
 244 100
 212 6.9 6.1 9.1
 122 6.8 5.6 8.4

Manual Integrations
 APPROVED

Reviewed By :Rahul
 Chavli




10/27/2025
 Supervised By :Jagrut
 Upadhyay


10/27/2025



#80
 Butylbenzylphthalate
 Concen: 3.595 ng
 RT: 20.857 min Scan# 3024
 Delta R.T. -0.002 min
 Lab File: BG064570.D
 Acq: 24 Oct 2025 9:41


Tgt Ion:149 Resp: 27072
 Ion Ratio Lower Upper
 149 100
 91 67.8 59.2 88.8
 206 23.1 18.1 27.1





#81
Benzo(a)anthracene
Concen: 4.878 ng
RT: 21.832 min Scan# 3191
Delta R.T. -0.008 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :
BNA_G
ClientSampleId :
SSTDICC005






Tgt Ion:228 Resp: 123345
Ion Ratio Lower Upper
228 100
226 27.9 21.9 32.9
229 20.7 15.6 23.4

Manual Integrations
APPROVED


Reviewed By :Rahul
Chavli

10/27/2025
Supervised By :Jagrut
Upadhyay



10/27/2025




#83
Chrysene
Concen: 4.949 ng
RT: 21.903 min Scan# 3202
Delta R.T. -0.008 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41



Tgt Ion:228 Resp: 119080
Ion Ratio Lower Upper
228 100
226 31.2 23.3 34.9
229 20.1 15.2 22.8





#84
Bis(2-ethylhexyl)phthalate
Concen: 4.098 ng
RT: 21.750 min Scan# 3176
Delta R.T. -0.002 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :

BNA_G

ClientSampleId :

SSTDICC005





Tgt Ion:149 Resp: 46117
Ion Ratio Lower Upper
149 100
167 26.0 20.0 30.0
279 4.3 3.1 4.7

Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli




10/27/2025
Supervised By :Jagrut
Upadhyay


10/27/2025



#86
Perylene-d12
Concen: 20.000 ng
RT: 25.199 min Scan# 3763
Delta R.T. -0.002 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Tgt Ion:264 Resp: 401350
Ion Ratio Lower Upper
264 100
260 24.4 19.0 28.4
265 22.1 17.6 26.4





#87
 Indeno(1,2,3-cd)pyrene
 Concen: 4.700 ng
 RT: 29.030 min Scan# 4415
 Delta R.T. -0.031 min
 Lab File: BG064570.D
 Acq: 24 Oct 2025 9:41

Instrument : BNA_G
 ClientSampleId : SSTDICC005

Tgt Ion: 276 Resp: 138758





Ion	Ratio	Lower	Upper
276	100		
138	0.0	10.8	16.2
277	24.6	20.1	30.1

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli

10/27/2025
 Supervised By :Jagrut Upadhyay




10/27/2025




#88
 Benzo(b)fluoranthene
 Concen: 4.640 ng
 RT: 24.129 min Scan# 3581
 Delta R.T. -0.014 min
 Lab File: BG064570.D
 Acq: 24 Oct 2025 9:41

Tgt Ion: 252 Resp: 114203


Ion	Ratio	Lower	Upper
252	100		
253	21.0	17.8	26.8
125	6.7	5.6	8.4





#89
Benzo(k)fluoranthene
Concen: 4.787 ng
RT: 24.200 min Scan# 31
Delta R.T. -0.019 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :
BNA_G
ClientSampleId :
SSTDICC005






Tgt Ion:252 Resp: 117893
Ion Ratio Lower Upper
252 100
253 21.5 16.8 25.2
125 6.0 5.4 8.0

Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli




10/27/2025
Supervised By :Jagrut
Upadhyay


10/27/2025



#90
Benzo(a)pyrene
Concen: 4.704 ng
RT: 25.040 min Scan# 3736
Delta R.T. -0.020 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41


Tgt Ion:252 Resp: 106414
Ion Ratio Lower Upper
252 100
253 22.4 17.6 26.4
125 7.7 6.1 9.1





#91
Dibenzo(a,h)anthracene
Concen: 4.686 ng
RT: 29.100 min Scan# 4429
Delta R.T. -0.037 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Instrument :
BNA_G
ClientSampleId :
SSTDICC005






Tgt Ion:278 Resp: 112398
Ion Ratio Lower Upper
278 100
139 10.5 8.0 12.0
279 22.2 19.8 29.6

Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli

10/27/2025
Supervised By :Jagrut
Upadhyay

10/27/2025



#92
Benzo(g,h,i)perylene
Concen: 4.700 ng
RT: 29.030 min Scan# 4415
Delta R.T. -0.031 min
Lab File: BG064570.D
Acq: 24 Oct 2025 9:41

Tgt Ion:276 Resp: 138758
Ion Ratio Lower Upper
276 100
277 21.9 19.2 28.8
138 11.6 10.7 16.1

