

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102425\
 Data File : VY023559.D
 Acq On : 24 Oct 2025 08:56
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 24 23:45:30 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 08 05:12:50 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	95	0.00
2 T	Dichlorodifluoromethane	0.360	0.296	17.8	87	0.00
3 P	Chloromethane	0.490	0.393	19.8	83	0.00
4 C	Vinyl Chloride	0.639	0.540	15.5#	86	0.00
5 T	Bromomethane	0.536	0.487	9.1	98	0.00
6 T	Chloroethane	0.435	0.389	10.6	89	0.00
7 T	Trichlorofluoromethane	0.887	0.844	4.8	95	0.00
8 T	Diethyl Ether	0.232	0.240	-3.4	106	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.460	0.472	-2.6	102	0.00
10 T	Methyl Iodide	0.512	0.584	-14.1	103	0.00
11 T	Tert butyl alcohol	0.031	0.037	-19.4	139	0.00
12 CM	1,1-Dichloroethene	0.446	0.451	-1.1#	100	0.00
13 T	Acrolein	0.044	0.012	72.7#	27#	0.00
14 T	Allyl chloride	0.544	0.517	5.0	93	0.00
15 T	Acrylonitrile	0.089	0.092	-3.4	106	0.00
16 T	Acetone	0.100	0.101	-1.0	114	0.00
17 T	Carbon Disulfide	1.277	1.159	9.2	90	0.00
18 T	Methyl Acetate	0.261	0.280	-7.3	108	0.00
19 T	Methyl tert-butyl Ether	1.072	1.188	-10.8	110	0.00
20 T	Methylene Chloride	0.538	0.506	5.9	104	0.00
21 T	trans-1,2-Dichloroethene	0.491	0.511	-4.1	103	0.00
22 T	Diisopropyl ether	1.202	1.236	-2.8	101	0.00
23 T	Vinyl Acetate	0.651	0.652	-0.2	99	0.00
24 P	1,1-Dichloroethane	0.796	0.814	-2.3	101	0.00
25 T	2-Butanone	0.122	0.124	-1.6	112	0.00
26 T	2,2-Dichloropropane	0.731	0.781	-6.8	105	0.00
27 T	cis-1,2-Dichloroethene	0.567	0.623	-9.9	109	0.00
28 T	Bromochloromethane	0.297	0.248	16.5	88	0.00
29 T	Tetrahydrofuran	0.069	0.069	0.0	103	0.00
30 C	Chloroform	0.875	0.933	-6.6#	106	0.00
31 T	Cyclohexane	0.696	0.644	7.5	95	0.00
32 T	1,1,1-Trichloroethane	0.795	0.836	-5.2	103	0.00
33 S	1,2-Dichloroethane-d4	0.418	0.374	10.5	90	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	94	0.00
35 S	Dibromofluoromethane	0.307	0.304	1.0	96	0.00
36 T	1,1-Dichloropropene	0.407	0.426	-4.7	101	0.00
37 T	Ethyl Acetate	0.161	0.162	-0.6	102	0.00
38 T	Carbon Tetrachloride	0.493	0.528	-7.1	104	0.00
39 T	Methylcyclohexane	0.530	0.561	-5.8	100	0.00
40 TM	Benzene	1.288	1.380	-7.1	103	0.00
41 T	Methacrylonitrile	0.087	0.094	-8.0	111	0.00
42 TM	1,2-Dichloroethane	0.332	0.338	-1.8	101	0.00
43 T	Isopropyl Acetate	0.321	0.335	-4.4	105	0.00
44 TM	Trichloroethene	0.377	0.413	-9.5	106	0.00
45 C	1,2-Dichloropropane	0.285	0.304	-6.7#	105	0.00
46 T	Dibromomethane	0.180	0.198	-10.0	108	0.00
47 T	Bromodichloromethane	0.453	0.497	-9.7	107	0.00
48 T	Methyl methacrylate	0.151	0.153	-1.3	98	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102425\
 Data File : VY023559.D
 Acq On : 24 Oct 2025 08:56
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 24 23:45:30 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 08 05:12:50 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.002	0.0	114	0.00
50 S	Toluene-d8	1.144	1.115	2.5	93	0.00
51 T	4-Methyl-2-Pentanone	0.166	0.181	-9.0	107	0.00
52 CM	Toluene	0.836	0.928	-11.0#	106	0.00
53 T	t-1,3-Dichloropropene	0.394	0.436	-10.7	107	0.00
54 T	cis-1,3-Dichloropropene	0.465	0.520	-11.8	108	0.00
55 T	1,1,2-Trichloroethane	0.242	0.275	-13.6	112	0.00
56 T	Ethyl methacrylate	0.279	0.335	-20.1	113	0.00
57 T	1,3-Dichloropropane	0.383	0.427	-11.5	108	0.00
58 T	2-Chloroethyl Vinyl ether	0.125	0.135	-8.0	99	0.00
59 T	2-Hexanone	0.119	0.131	-10.1	110	0.00
60 T	Dibromochloromethane	0.339	0.389	-14.7	112	0.00
61 T	1,2-Dibromoethane	0.231	0.263	-13.9	111	0.00
62 S	4-Bromofluorobenzene	0.378	0.376	0.5	97	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	95	0.00
64 T	Tetrachloroethene	0.516	0.576	-11.6	105	0.00
65 PM	Chlorobenzene	1.087	1.224	-12.6	110	0.00
66 T	1,1,1,2-Tetrachloroethane	0.388	0.438	-12.9	112	0.00
67 C	Ethyl Benzene	1.760	1.991	-13.1#	106	0.00
68 T	m/p-Xylenes	0.706	0.816	-15.6	108	0.00
69 T	o-Xylene	0.662	0.779	-17.7	110	0.00
70 T	Styrene	1.089	1.285	-18.0	110	0.00
71 P	Bromoform	0.240	0.278	-15.8	115	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	97	0.00
73 T	Isopropylbenzene	3.295	3.754	-13.9	110	0.00
74 T	N-amyl acetate	0.592	0.633	-6.9	106	0.00
75 P	1,1,2,2-Tetrachloroethane	0.539	0.600	-11.3	117	0.00
76 T	1,2,3-Trichloropropane	0.441	0.442	-0.2	99	0.00
77 T	Bromobenzene	0.876	0.980	-11.9	112	0.00
78 T	n-propylbenzene	3.813	4.325	-13.4	108	0.00
79 T	2-Chlorotoluene	2.233	2.492	-11.6	108	0.00
80 T	1,3,5-Trimethylbenzene	2.663	3.045	-14.3	109	0.00
81 T	trans-1,4-Dichloro-2-butene	0.180	0.204	-13.3	117	0.00
82 T	4-Chlorotoluene	2.300	2.543	-10.6	108	0.00
83 T	tert-Butylbenzene	2.458	2.878	-17.1	111	0.00
84 T	1,2,4-Trimethylbenzene	2.657	3.047	-14.7	109	0.00
85 T	sec-Butylbenzene	3.527	4.073	-15.5	110	0.00
86 T	p-Isopropyltoluene	3.003	3.518	-17.1	110	0.00
87 T	1,3-Dichlorobenzene	1.706	1.896	-11.1	111	0.00
88 T	1,4-Dichlorobenzene	1.685	1.876	-11.3	112	0.00
89 T	n-Butylbenzene	2.616	3.042	-16.3	110	0.00
90 T	Hexachloroethane	0.646	0.701	-8.5	109	0.00
91 T	1,2-Dichlorobenzene	1.496	1.689	-12.9	113	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.088	0.093	-5.7	108	0.00
93 T	1,2,4-Trichlorobenzene	0.932	1.065	-14.3	113	0.00
94 T	Hexachlorobutadiene	0.581	0.642	-10.5	108	0.00
95 T	Naphthalene	1.485	1.743	-17.4	115	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY102425\
Data File : VY023559.D
Acq On : 24 Oct 2025 08:56
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Oct 24 23:45:30 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 08 05:12:50 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.808	0.912	-12.9	112	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6