

Cover Page

Order ID : Q3420

Project ID : Waste Water

Client : Dal-Tile

Lab Sample Number

Q3420-01
Q3420-02
Q3420-03
Q3420-04
Q3420-05

Client Sample Number

Oil and Grease #1
Oil and Grease #2
Oil and Grease #3
Cyanide
COMPOSITE

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 11/3/2025



284 Sheffield Street, Mountainside, NJ 7092, Phone: 908 789 8900, Fax: 908 789 8922

CASE NARRATIVE

Dal-Tile

Project Name: Waste Water

Project # N/A

Order ID # Q3420

Test Name: Mercury, Metals ICP-Group1, Ammonia, BOD5, Cyanide, Hexavalent Chromium, Oil and Grease, Phosphorus-Total, TSS

A. Number of Samples and Date of Receipt:

5 Water samples were received on 10/22/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Mercury, Metals ICP-Group1, Ammonia, BOD5, Cyanide, Hexavalent Chromium, Oil and Grease, Phosphorus-Total, TSS. This data package contains results for Mercury(7470A), Metals ICP-Group1(6010D), Ammonia(SM4500-NH3), BOD5(SM5210 B), Cyanide(SM4500-CN C,E), Hexavalent Chromium(7196A), Oil and Grease(1664A), Phosphorus-Total(365.3), TSS(SM2540 D).

C. Analytical Techniques:

Mercury, Metals ICP-Group1 : The analysis of Metals ICP-Group1 was based on method 6010D, digestion based on method 3010 (waters). The analysis and digestion of Mercury was based on method 7470A.

Wetchem : The analysis of Oil and Grease was based on method 1664A, The analysis of Phosphorus-Total was based on method 365.3, The analysis of Hexavalent Chromium was based on method 7196A, The analysis of TSS was based on method SM2540 D, The analysis of Cyanide was based on method SM4500-CN C,E, The analysis of Ammonia was based on method SM4500-NH3 and The analysis of BOD5 was based on method SM5210 B.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The MS recoveries met the requirements for all compounds except following Mercury, Metals ICP-Group1 : The Matrix Spike (COMPOSITEMS) analysis met criteria for all compounds except for Arsenic, Selenium and Zinc due to Chemical Interference during Digestion process.

The MSD recoveries met the requirements for all compounds except following Mercury, Metals ICP-Group1 : The Matrix Spike Duplicate (COMPOSITEMSD) analysis met criteria for all compounds except for Selenium and Zinc due to Chemical Interference during Digestion process.



284 Sheffield Street, Mountainside, NJ 7092, Phone: 908 789 8900, Fax: 908 789 8922

The Blank Spike met requirements for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

The Duplicate analysis met criteria for all samples.

The Serial Dilution met the acceptable requirements.

E. Additional Comments:

Ammonia, BOD5, Cyanide, Hexavalent Chromium, Oil and Grease, Phosphorus-Total, TSS :
As per method 1664A, MS/MSD is required to be performed with the sample analysis.
However, Lab did not receive sufficient volume to perform the MS/MSD for Q3420
therefore Lab reported MS-MSD from Q3448 and Q3455.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q3420

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 11/03/2025