

SOP ID : MSM4500-CN C,E-Cyanide-13

SDG No : N/A

Start Digest Date: 10/24/2025 Time : 08:10 Temp : 123 °C

Matrix : WATER

End Digest Date: 10/24/2025 Time : 09:40 Temp : 126 °C

Pipette ID : WC

Balance ID : N/A

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : WC CYANIDE

Block ID : MC-1, MC-2

Filter paper ID : N/A

Prep Technician Signature: 

Weigh By : N/A

pH Meter ID : N/A

Supervisor Signature: 12


Standardized Name	MLS USED	STD REF. # FROM LOG
LCSW	1.0ML	WP113838
MS/MSD SPIKE SOL.	0.40ML	WP113837
RL CHECK	50.0ML	WP115310
PBW	50.0ML	W3112
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP113836
50% v/v H2SO4	5.0ML	WP112826
51% w/v MgCL2	2.0ML	WP112827
pH Paper 0-14	N/A	W3241
Nitrate/Nitrite Strip	N/A	W3182
Lead Acetate strip	N/A	W3134
KI-starch paper	N/A	W3155
0.4N Sulfamic Acid	5.ML	WP112829
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Wt(g)/Vol(ml)	Comment
S0	S0	N/A	N/A
S5.0	S5.0	N/A	N/A
S10.0	S10.0	N/A	N/A
S100.0	S100.0	N/A	N/A
S250.0	S250.0	N/A	N/A
S500.0	S500.0	N/A	N/A
ICV	ICV	0.5ML	W3012
ICB	ICB	N/A	N/A
CCV	CCV	N/A	N/A
CCB	CCB	N/A	N/A
Midrange	Midrange	2.5ML	WP113837
HIGHSTD	HIGHSTD	N/A	N/A
LOWSTD	LOWSTD	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
10/24/2025 09:50		RH Cee
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Vol (ml)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB170237BL	PBW237	50	50	>12	Negative	Negative	Negative	N/A	N/A
PB170237BS	LCS237	50	50	>12	Negative	Negative	Negative	N/A	N/A
Q3420-04	CYANIDE	50	50	>12	Negative	Negative	Positive	N/A	N/A
Q3448-03	DSN001	50	50	>12	Negative	Negative	Positive	N/A	N/A
Q3448-03DUP	DSN001DUP	50	50	>12	Negative	Negative	Positive	N/A	N/A
Q3448-03MS	DSN001MS	50	50	>12	Negative	Negative	Positive	N/A	N/A
Q3448-03MSD	DSN001MSD	50	50	>12	Negative	Negative	Positive	N/A	N/A