

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789

8900, Fax: 908 789 8922

#### **Prep Standard - Chemical Standard Summary**

Order ID: Q3422

Test: Hexavalent Chromium, Percent Solids, TOC

Prepbatch ID: PB170212,

Sequence ID/Qc Batch ID: LB137615,LB137625,LB137664,

#### Standard ID:

WP112830,WP112831,WP112903,WP113780,WP113880,WP113881,WP114035,WP114310,WP114900,WP115035,WP115168,WP115235,WP115278,WP115279,WP115280,WP115281,WP115282,WP115283,WP115284,WP115285,WP115296,WP115296,WP115297,WP115298,WP115299,WP115300,WP115301,

#### Chemical ID:

E3979, M6041, M6151, M6158, M6162, W2202, W2651, W2652, W2860, W2979, W3112, W3113, W3152, W3163, W3168, W3169, W3206, W3219,





Fax: 908 789 8922

# Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	NAME	<u>NO.</u>	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Iwona Zarych
1836	HNO3 Hex-Chrome, 5M	WP112830	04/25/2025	10/25/2025	Rubina Mughal	None	None	04/25/2025
								04/23/2023

FROM	320.00000ml of M6158 +	+ 680.00000ml of W3112	= Final Quantity: 1000.000 ml
------	------------------------	------------------------	-------------------------------

Recipe				Expiration	Prepared			Supervised By
<u>ID</u>	<u>NAME</u>	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Iwona Zarych
126	5N sulfuric acid	WP112831	04/25/2025	10/25/2025	Rubina Mughal	None	None	Ţ
								04/25/2025

**FROM** 140.00000ml of M6041 + 860.00000ml of W3112 = Final Quantity: 1.000 L



Alliance TECHNICAL GROUP

Fax: 908 789 8922

# Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	NAME.	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Iwona Zarych			
190	HEX CHROME PHOSPHATE BUFFER	WP112903	05/01/2025	11/01/2025	Rubina Mughal	WETCHEM_S CALE 8 (WC		05/01/2025			
FROM	SC-7)										

<u>FROM</u>	0.84500L of W3112 + 68.04000gram of W3206 + 87.09000gram of W3168 = Final Quantity: 1.000 L	

Recipe				Expiration	Prepared			Supervised By
<u>ID</u>	<u>NAME</u>	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Jignesh Parikh
2051	TOC STOCK STD-SS, 4000PPM	WP113780	07/01/2025	01/01/2026	Iwona Zarych	WETCHEM_S	_	
						CALE_5 (WC	IPETTE_3	07/02/2025

FROM 2.50000ml of W2860 + 4.25600gram of W3219 + 495.00000ml of W3112 = Final Quantity: 500.000 ml





Fax: 908 789 8922

# Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	<u>NAME</u>	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Iwona Zarych
1993	HEXAVALENTCHROMIUM STOCK STD 1, 50PPM	<u>WP113880</u>	07/10/2025	01/10/2026	Rubina Mughal	CALE_5 (WC		07/10/2025
FROM	0.14140gram of W2651 + 1000.0000	0ml of W31	12 = Final Qu	antity: 1000.00	00 ml	<del>SC-5)</del>		

M	0.14140gram of W2651	+ 1000.00000ml of W3112	= Final Quantity: 1000.000 ml
---	----------------------	-------------------------	-------------------------------

Recipe ID	NAME_	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Iwona Zarych
1994	HEXAVALENTCHROMIUM STOCK STD 2. 50PPM	WP113881	07/10/2025	01/10/2026	Rubina Mughal	WETCHEM_S CALE 5 (WC	None	07/40/0005
	310CK 31D 2, 30FFW					SC-5)		07/10/2025

0.14140 gram of W2652 + 1000.00000 ml of W3112 = Final Quantity: 1000.000 ml**FROM** 



Alliance TECHNICAL GROUP

Fax: 908 789 8922

# Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By  Jignesh Parikh			
2050	TOC STOCK STD, 4000PPM	WP114035	07/22/2025	01/22/2026	Iwona Zarych	WETCHEM_S	Glass				
						CALE_5 (WC	Pipette-A	07/22/2025			
	SC-5)										

**FROM** 5.00000ml of W2860 + 8.51200gram of W3169 + 990.00000ml of W3112 = Final Quantity: 1000.000 ml

Recipe				<b>Expiration</b>	<u>Prepared</u>			Supervised By
<u>ID</u>	<u>NAME</u>	NO.	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Jignesh Parikh
3354	Hexchrome Cleaning Solution	WP114310	08/19/2025	11/27/2025	Rubina Mughal	None	None	o .
								08/19/2025

FROM 182.00000ml of M6151 + 727.00000ml of W3112 + 91.00000ml of M6162 = Final Quantity: 1000.000 ml



Fax: 908 789 8922

# Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Iwona Zarych
148	hexchrome digestion fluid	WP114900	09/25/2025	10/25/2025	Rubina Mughal	WETCHEM_S	None	·
						CALE_8 (WC		09/26/2025
						SC-7)		

FROM 120.00000gram of W3163 + 4.00000L of W3112 + 80.00000gram of W3113 = Final Quantity: 4000.000 ml
---

Recipe				Expiration	Prepared			Supervised By
<u>ID</u>	NAME	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Jignesh Parikh
613	Phosphoric acid reagent	WP115035	10/02/2025	01/31/2026	Iwona Zarych	None	None	
								10/03/2025

**FROM** 150.00000ml of W3112 + 50.00000ml of W2860 = Final Quantity: 200.000 ml



Fax: 908 789 8922

# Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	NAME	<u>NO.</u>	Prep Date	Expiration Date	<u>Prepared</u> <u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Sarabiit Jaswal
	1:1 PHOSPHORIC ACID FOR TOC SOILS	<u>WP115168</u>	10/10/2025	01/31/2026	lwona Zarych	None	None	10/25/2025

Recipe ID	NAME	<u>NO.</u>	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipettelD</u>	Supervised By Iwona Zarvch
114	hexavalent chromium color reagent	WP115235	10/16/2025	10/23/2025	Rubina Mughal	WETCHEM_S CALE_5 (WC	None	10/16/2025

**FROM** 0.25000gram of W2979 + 50.00000ml of E3979 = Final Quantity: 50.000 ml



Fax: 908 789 8922

# Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	<u>NAME</u>	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Iwona Zarych
1103	HEX CHROME INTERMEDIATE STD SOURCE 1 (5PPM)	<u>WP115278</u>	10/22/2025	10/23/2025	Rubina Mughal	None	WETCHEM_P IPETTE_3	10/24/2025
	0.00000=1.ef.W2442 + 4.00000=1.ef	WD442000	- Final Over	## 10 000 ···	1		(VVC)	

Recipe				<b>Expiration</b>	<u>Prepared</u>			Supervised By
<u>ID</u>	<u>NAME</u>	NO.	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Iwona Zarych
110	calibration std. hexchrome 0 ppm	WP115279	10/22/2025	10/23/2025	Rubina Mughal	None	None	,
								10/24/2025

**FROM** 100.00000ml of W3112 = Final Quantity: 100.000 ml



Alliance TECHNICAL GROUP

Fax: 908 789 8922

# Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	<u>NAME</u>	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Iwona Zarych
109	calibration std. hexchrome 0.01 ppm	WP115280	10/22/2025	10/23/2025	Rubina Mughal	None	WETCHEM_F IPETTE_3	10/24/2025
	00 00000ml of W2442 + 0 20000ml o	£ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	C - Final Out		I		(WC)	

FRON	99.800001111 01 W3112 + 0.200001111 01 WF 113276 - Filial Qualitity. 100.000 1111	

Recipe	NAME	NO	Duon Doto	Expiration	<u>Prepared</u>	CastalD	DinettelD	Supervised By
<u>ID</u> 3800	NAME Calibration Std Hexachrome 0.025	NO.	Prep Date 10/22/2025		<u><b>By</b></u> Rubina Mughal	<u>ScaleID</u> None	PipetteID WETCHEM F	Iwona Zarych
3000	ppm	WI 113201	10/22/2023	10/23/2023	Nubina Mughai	None	IPETTE_3	10/24/2025

**FROM** 99.50000ml of W3112 + 0.50000ml of WP115278 = Final Quantity: 100.000 ml



Fax: 908 789 8922

# Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	<u>NAME</u>	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Iwona Zarych
108	Calibration Std. hexchrome 0.05 ppm	WP115282	10/22/2025	10/23/2025	Rubina Mughal	None	WETCHEM_F IPETTE_3	10/24/2025
	00 00000ml of W2442 + 4 00000ml o	£ \\/\D44E070	) - Final Our		I		(WC)	

Recipe ID	NAME	<u>NO.</u>	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Iwona Zarych
107	Calibration Std. hexchrome 0.1 ppm	<u>WP115283</u>	10/22/2025	10/23/2025	Rubina Mughal	None	WETCHEM_F IPETTE_3 (WC)	,

**FROM** 99.80000ml of W3112 + 0.20000ml of WP113880 = Final Quantity: 100.000 ml



Fax: 908 789 8922

# Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	NAME	<u>NO.</u>	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Iwona Zarych
3808	Calibration and CCV std HexChrome 0.5PPM	<u>WP115284</u>	10/22/2025	10/23/2025	Rubina Mughal	None	WETCHEM_F IPETTE_3	,
FROM	99 00000ml of W3112 + 1 00000ml o	of WP113880	) = Final Qua	ntity: 100 000	ml		(VVC)	

			· · · · · · · · · · · · · · · · · · ·	

Recipe ID	NAME	<u>NO.</u>	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipettelD</u>	Supervised By Iwona Zarych
3809	Calibration std HexChrome 1.0PPM	<u>WP115285</u>	10/22/2025	10/23/2025	Rubina Mughal	None	WETCHEM_F IPETTE_3 (WC)	,

**FROM** 98.00000ml of W3112 + 2.00000ml of WP113880 = Final Quantity: 100.000 ml



Fax: 908 789 8922

# Wet Chemistry STANDARD PREPARATION LOG

Reci ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Iwona Zarych
380	Hexavalent Chromium ICV-LCS Std	<u>WP115286</u>	10/22/2025	10/23/2025	Rubina Mughal	None	WETCHEM_F IPETTE_3	10/24/2025
FDO	00 00000ml of W2112 + 1 00000ml of	of \\/\D11200	1 = Final Oua	netity: 100 000	ml		(WC)	

<u> FROW</u>	99.000001111 01 VV3112 +	1.000001111 01 VVF 113001	- I mai Quantity. 100.000 mil	
· · · · · · · · · · · · · · · · · · ·				

Recipe ID	NAME	<u>NO.</u>	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipettelD</u>	Supervised By Iwona Zarvch
114	hexavalent chromium color reagent	WP115295	10/23/2025	10/30/2025	Rubina Mughal	WETCHEM_S CALE_5 (WC	None	10/24/2025

**FROM** 0.25000gram of W2979 + 50.00000ml of E3979 = Final Quantity: 50.000 ml



Fax: 908 789 8922

# Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By  Jignesh Parikh
304	TOC CAL 0.00ppm	WP115296	10/23/2025	10/30/2025	Iwona Zarych	None	None	3
								10/27/2025

**FROM** 100.00000ml of W3112 = Final Quantity: 100.000 ml

Recipe				Expiration	Prepared			Supervised By
<u>ID</u>	<u>NAME</u>	NO.	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Jignesh Parikh
712	TOC SOIL cal 250ppm	WP115297	10/23/2025	10/30/2025	Iwona Zarych	None	Glass	· ·
							Pipette-A	10/27/2025

FROM 15.00000ml of W3112 + 1.00000ml of WP114035 = Final Quantity: 16.000 ml



Fax: 908 789 8922

# Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	NAME_	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By  Jignesh Parikh
710	TOC SOIL cal 500ppm	<u>WP115298</u>	10/23/2025	10/30/2025	lwona Zarych	None	Glass Pipette-A	10/27/2025

FROM	14.00000ml of W3112 + 2.00000ml of WP114035 = Final Quantity: 16.000 ml
------	---

Recipe				Expiration	<u>Prepared</u>			Supervised By
<u>ID</u>	<u>NAME</u>	NO.	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Jignesh Parikh
3544	TOC SOIL Cal- CCV 1000PPM	WP115299	10/23/2025	10/30/2025	Iwona Zarych	None	Glass	Ü
							Pipette-A	10/27/2025

**FROM** 15.00000ml of W3112 + 5.00000ml of WP114035 = Final Quantity: 20.000 ml



Fax: 908 789 8922

# Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	NAME	<u>NO.</u>	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipettelD</u>	Supervised By  Jignesh Parikh
713	TOC SOIL cal 2000ppm	<u>WP115300</u>	10/23/2025	10/30/2025	lwona Zarych	None	Glass Pipette-A	10/27/2025

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
2819			10/23/2025	· <del></del>	lwona Zarych	None	Glass Pipette-A	Jignesh Parikh 10/27/2025

**FROM** 15.00000ml of W3112 + 5.00000ml of WP113780 = Final Quantity: 20.000 ml



Fax: 908 789 8922

# **CHEMICAL RECEIPT LOG BOOK**

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9254-03 / Acetone, Ultra Resi (cs/4x4L)	24L1062001	10/04/2027	10/15/2025 / RITESHKUMA R	09/29/2025 / Riteshkumar	E3979
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9673-33 / Sulfuric Acid, Instra-Analyzed (cs/6c2.5L)	23D2462010	03/20/2028	08/16/2024 / mohan	08/16/2024 / mohan	M6041
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9530-33 / Hydrochloric Acid, Instra-Analyzed (cs/6x2.5L)	22G2862015	02/17/2026	02/18/2025 / Sagar	01/15/2025 / Sagar	M6151
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9598-34 / Nitric Acid, Instra-Analyzed (cs/4x2.5L)	24D1062002	10/30/2025	03/10/2025 / Eman	02/02/2025 / Sagar	M6158
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Supplier Seidler Chemical	ItemCode / ItemName  BA-9598-34 / Nitric Acid, Instra-Analyzed (cs/4x2.5L)	Lot # 24H0162012		-		
	BA-9598-34 / Nitric Acid,		Date	Opened By 05/27/2025 /	Received By 04/27/2025 /	Lot #



# **CHEMICAL RECEIPT LOG BOOK**

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AA13450-36 / Potassium Dichromate, 500g(NEW)	T15F019	01/24/2030	01/24/2020 / apatel	01/24/2020 / apatel	W2651
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	P188-500 / Potassium Dichromate, 500g(new-2nd lot)	194664	01/24/2030	01/24/2020 / apatel	01/24/2020 / apatel	W2652
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date /	Chemtech Lot #
PCI Scientific Supply, Inc.	J0260-3 / Phosphoric Acid, 2.5 L	0000278313	01/31/2026	07/12/2021 / apatel	07/12/2021 / apatel	W2860
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date /	Chemtech Lot #
PCI Scientific Supply, Inc.	31390 / 1,5-Diphenylcarbazide	MKCR6636	12/09/2027	12/09/2022 / Iwona	12/09/2022 / Iwona	W2979
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date /	Chemtech Lot #
Seidler Chemical	DIW / DI Water	Daily Lab-Certified	07/03/2029	07/03/2024 / lwona	07/03/2024 / lwona	W3112
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date /	Chemtech Lot #
PCI Scientific	PC19510-7 / Sodium Hydroxide Pellets 12 Kg	23B1556310	12/31/2025	07/08/2024 / Iwona	07/08/2024 / Iwona	W3113



# **CHEMICAL RECEIPT LOG BOOK**

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	01237-10KG / Megnasium Chloride Hexahydrate ACS 10KG	002126-2019-201	11/25/2029	11/25/2024 / Iwona	11/25/2024 / Iwona	W3152
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	EM-SX0395-3 / SODIUM CARBONATE ANHYDR 2.5KG	24E3156178	09/30/2027	12/10/2024 / Iwona	12/10/2024 / Iwona	W3163
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	J3252-1 / POTAS PHOSPHATE, DIBASIC PWD, ACS, 500G	24H0856239	04/19/2028	01/03/2025 / Iwona	01/03/2025 / Iwona	W3168
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	P243-500 / Potassium Hydrogen Phthalate, 500 gms	24H0956262	04/28/2026	01/03/2025 / Iwona	01/03/2025 / Iwona	W3169
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	J3246-1 / POTAS PHOSPHATE, MONO, CRYS, ACS, 500G	MKCX1379	01/31/2029	04/29/2025 / Iwona	04/29/2025 / Iwona	W3206
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	P243-500 / Potassium Hydrogen Phthalate, 500 gms	2025040493	06/30/2030	06/26/2025 / lwona	06/26/2025 / lwona	W3219

# Certificate of analysis

Product No. 14125

Product: Lead(II) chromate, ACS, 98%

Lot No.: U19B018

Test	Limits	Results
Assay	98.0 % min	99.3 %
Soluble matter	0.15 % max	< 0.02 %
Carbon compounds	0.01 % max	< 0.01 %

Traceable to NIST? Yes

This document has been electronically generated and does not require a signature.





# Certificate of Analysis

Product No.: 13450

Product: Potassium dichromate, ACS, 99.0% min

Lot No.: T15F019

Test	Limits	Results
Appearance	Orange-red crystals	Orange-red crystals
Identification	To Pass	Passes
Purity	99.0 % min	99.67 %
Insoluble matter	0.005 % max	0.004 %
Loss on drying	0.05 % max	0.03 %
Chloride	0.001 % max	< 0.001 %
Sulfate	0.005 % max	< 0.005 %
Iron	0.001 % max	< 0.001 %
Calcium	0.003 % max	0.0012 %
Sodium	0.02 % max	0.0047 %

#### Order our products online alfa.com

This document has been electronically generated and does not require a signature.

This is to certify that units of the lot number above were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the purchaser, formulator or those performing further manufacturing to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The above information is the actual analytical results obtained.

Phosphoric Acid BAKER ANALYZED® A.C.S. Reagent

(orthophosphoric acid)



Material No.: 0260-03 Batch No.: 0000278313 Manufactured Date: 2021/02/01

Retest Date: 2026/01/31

Revision No: 2

# Certificate of Analysis

Meets ACS Reagent Chemical Requirements,

Test	Specification	Result
Assay (H3PO4) (by acidimetry)	85.0 - 87.0 %	85.8
Calcium (Ca)	<= 0.002 <b>%</b>	< 0.001
Color (APHA)	<= 10	5
Insoluble Matter	<= 0.001 %	< 0.001
ACS – Magnesium (Mg)	<= 0.002 %	< 0.002
Sulfate (SO4)	<= 12 ppm	< 4
Volatile Acids (as CH₃COOH)	<= 0.001 %	0.001
Reducing Substances	Passes Test	PT
Chloride (Cl)	<= 3 ppm	< 1
Nitrate (NO3)	<= 5 ppm	< 2
Trace Impurities - Antimony (Sb)	<= 20.000 ppm	0.007
Trace Impurities – Arsenic (As)	<= 0.500 ppm	< 0.001
Trace Impurities – Iron (Fe)	<= 10.000 ppm	< 1.000
Heavy Metals (as Pb)	<= 8 ppm	< 3
Frace Impurities – Manganese (Mn)	<= 0.500 ppm	0.005
Trace Impurities – Potassium (K)	<= 40.000 ppm	< 0.001
Trace Impurities – Sodium (Na)	<= 200.000 ppm	0.082

For Laboratory, Research or Manufacturing Use

Exceeds A.C.S. Specifications

Meets Reagent Specifications for testing USP/NF monographs

Country of Origin: US

Packaging Site: Phillipsburg Mfg Ctr & DC



Certificate of Analysis Page 1 of 1



# Certificate of Analysis

1 Reagent Lane Fair Lawn, NJ 07410 201.796.7100 tel 201.796.1329 fax

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by SAI Global Certificate Number CERT – 0120632

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the final formulator and end user to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

Catalog Number	P188	Quality Test / Release Date	08/12/2019				
Lot Number	194664						
Description	POTASSIUM DICHROMATE, A.C.S.						
Country of Origin	United States	Suggested Retest Date	Aug/2024				
Chemical Origin	Inorganic-non animal						
BSE/TSE Comment	·	No animal products are used as starting raw material ingredients, or used in processing, including lubricants, processing aids, or any other material that might migrate to the finished product.					
Chemical Comment							

N/A					
Result Name	Units	Specifications	Test Value		
APPEARANCE		REPORT	Fine, orange-red crystals		
ASSAY	%	>= 99	99.2		
CALCIUM	%	<= 0.003	<0.003		
CHLORIDE	%	<= 0.001	<0.001		
LOSS ON DRYING @ 105 C	%	<= 0.05	<0.05		
SULFATE (SO4)	%	<= 0.005	<0.005		
INSOLUBLE MATTER	%	<= 0.005	0.003		
IRON (Fe)	%	<= 0.001	<0.001		
SODIUM (Na)	%	<= 0.02	<0.02		
IDENTIFICATION	PASS/FAIL	= PASS TEST	PASS TEST		

Derisa Bailey- Wyche

Quality Assurance Specialist - Certificate of Analysis Fair Lawn

Acetone
BAKER RESI-ANALYZED® Reagent
For Organic Residue Analysis



Material No.: 9254-03

Batch No.: 24L1062001

Manufactured Date: 2024-10-04

Expiration Date: 2027-10-04

Revision No.: 0

# Certificate of Analysis

Test	Specification	Result
Assay ((CH <sub>3</sub> ) <sub>2</sub> CO) (by GC, corrected forwater)	>= 99.4 %	99.7 %
Color (APHA)	<= 10	5
Residue after Evaporation	<= 1.0 ppm	0.3 ppm
Substances Reducing Permanganate	Passes Test	Passes Test
Titrable Acid (µeq/g)	<= 0.3	0.1
Titrable Base (µeq/g)	<= 0.6	<0.1
Water (H <sub>2</sub> O)	<= 0.5 %	0.3 %
FID-Sensitive Impurities (as 2-Octanol)Single Impurity Peak (ng/mL)	<= 5	<1
ECD Sensitive Impurities (as HeptachlorEpoxide) Single Peak (pg/mL)	<= 10	1

For Laboratory, Research, or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States

Packaging Site: Phillipsburg Mfg Ctr & DC





Sulfuric Acid
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis
Low Selenium





Material No.: 9673-33

Batch No.: 23D2462010 Manufactured Date: 2023-03-22

Retest Date: 2028-03-20

Revision No.: 0

# Certificate of Analysis

Test	Specification	Result
ACS - Assay (H2SO4)	95.0 - 98.0 %	96,1 %
Appearance	Passes Test	Passes Test
ACS - Color (APHA)	≤ 10	5
ACS – Residue after Ignition	≤ 3 ppm	< 1 ppm
ACS - Substances Reducing Permanganate (as SO2)	≤ 2 ppm	< 2 ppm
Ammonium (NH <sub>4</sub> )	≤ 1 ppm	1 ppm
Chloride (CI)	≤ 0.1 ppm	< 0.1 ppm
Nitrate (NO₃)	≤ 0.2 ppm	< 0.1 ppm
Phosphate (PO4)	≤ 0.5 ppm	< 0.1 ppm
Trace Impurities – Aluminum (Al)	≤ 30.0 ppb	< 5.0 ppb
Arsenic and Antimony (as As)	≤ 4.0 ppb	< 2.0 ppb
Trace Impurities – Boron (B)	≤ 10.0 ppb	8.5 ppb
Trace Impurities – Cadmium (Cd)	≤ 2.0 ppb	< 0.3 ppb
Trace Impurities - Chromium (Cr)	≤ 6.0 ppb	< 0.4 ppb
Trace Impurities - Cobalt (Co)	≤ 0.5 ppb	< 0.3 ppb
Trace Impurities - Copper (Cu)	≤ 1.0 ppb	< 0.1 ppb
Trace Impurities - Gold (Au)	≤ 10.0 ppb	0.5 ppb
Heavy Metals (as Pb)	≤ 500.0 ppb	< 100.0 ppb
Trace Impurities - Iron (Fe)	≤ 50.0 ppb	1.3 ppb
Trace Impurities - Lead (Pb)	≤ 0.5 ppb	< 0.5 ppb
Trace Impurities - Magnesium (Mg)	≤ 7.0 ppb	0.8 ppb
Trace Impurities – Manganese (Mn)	≤ 1.0 ppb	< 0.4 ppb
Trace Impurities – Mercury (Hg)	≤ 0.5 ppb	< 0.1 ppb
Trace Impurities - Nickel (Ni)	≤ 2.0 ppb	0.3 ppb
Trace Impurities – Potassium (K)	≤ 500.0 ppb	< 2.0 ppb
Trace Impurities - Selenium (Se)	≤ 50.0 ppb	< 0.1 ppb
Trace Impurities – Silicon (Si)	≤ 100.0 ppb	31.5 ppb
Trace Impurities – Silver (Ag)	≤ 1.0 ppb	< 0.3 ppb

>>> Continued on page 2 >>>

Sulfuric Acid BAKER INSTRA-ANALYZED® Reagent For Trace Metal Analysis Low Selenium





Material No.: 9673-33 Batch No.: 23D2462010

Test	Specification	Result
Trace Impurities - Sodium (Na)	≤ 500.0 ppb	5.4 ppb
Trace Impurities – Strontium (Sr)	≤ 5.0 ppb	< 0.2 ppb
Trace Impurities – Tin (Sn)	≤ 5.0 ppb	< 0.8 ppb
Trace Impurities – Zinc (Zn)	≤ 5.0 ppb	0.4 ppb

For Laboratory, Research, or Manufacturing Use

Country of Origin: USA

Packaging Site: Phillipsburg Mfg Ctr & DC



Hydrochloric Acid, 36.5-38.0% BAKER INSTRA-ANALYZED® Reagent For Trace Metal Analysis





M6151

R-> 1/15/25

Material No.: 9530-33

Batch No.: 22G2862015 Manufactured Date: 2022-06-15

Retest Date: 2027-06-14

Revision No.: 0

# Certificate of Analysis

Test	Specification	Result
ACS - Assay (as HCI) (by acid-base titrn)	36.5 - 38.0 %	
ACS - Color (APHA)	50.5 - 36.0 % ≤ 10	37.9 %
ACS - Residue after Ignition	≤ 3 ppm	5
ACS - Specific Gravity at 60°/60°F		< 1 ppm
ACS – Bromide (Br)	1.185 - 1.192	1.191
ACS - Extractable Organic Substances	≤ 0.005 %	< 0.005 %
ACS - Free Chlorine (as Cl2)	≤ 5 ppm	< 1 ppm
Phosphate (PO <sub>4</sub> )	≤ 0.5 ppm	< 0.5 ppm
Sulfate (SO <sub>4</sub> )	≤ 0.05 ppm	< 0.03 ppm
Sulfite (SO₃)	≤ 0.5 ppm	< 0.3 ppm
Ammonium (NH <sub>4</sub> )	≤ 0.8 ppm	0.3 ppm
Trace Impurities - Arsenic (As)	≤ 3 ppm	< 1 ppm
Trace Impurities - Aluminum (AI)	≤ 0.010 ppm	< 0.003 ppm
Arsenic and Antimony (as As)	≤ 10.0 ppb	1.3 ppb
Trace Impurities - Barium (Ba)	≤ 5.0 ppb	< 3.0 ppb
Trace Impurities - Beryllium (Be)	≤ 1.0 ppb	0.2 ppb
Trace Impurities - Bismuth (Bi)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Boron (B)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Cadmium (Cd)	≤ 20.0 ppb	< 5.0 ppb
Trace Impurities - Calcium (Ca)	≤ 1.0 ppb	< 0.3 ppb
	≤ 50.0 ppb	163.0 ppb
Trace Impurities - Chromium (Cr)	≤ 1.0 ppb	0.7 ppb
Trace Impurities - Cobalt (Co)	≤ 1.0 ppb	< 0.3 ppb
Trace Impurities - Copper (Cu)	≤ 1.0 ppb	< 0.1 ppb
Trace Impurities – Gallium (Ga)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Germanium (Ge)	≤ 3.0 ppb	< 2.0 ppb
Frace Impurities – Gold (Au)	≤ 4.0 ppb	0.6 ppb
Heavy Metals (as Pb)	≤ 100 ppb	< 50 ppb
Trace Impurities – Iron (Fe)	≤ 15 ppb	6 ppb

>>> Continued on page 2 >>>

Hydrochloric Acid, 36.5-38.0% BAKER INSTRA-ANALYZED® Reagent For Trace Metal Analysis





Material No.: 9530-33 Batch No.: 22G2862015

Test	Specification	Result
Trace Impurities – Lead (Pb)	≤ 1.0 ppb	< 0.5 ppb
Trace Impurities - Lithium (Li)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Magnesium (Mg)	≤ 10.0 ppb	2.9 ppb
Trace Impurities - Manganese (Mn)	≤ 1.0 ppb	< 0.4 ppb
Trace Impurities – Mercury (Hg)	≤ 0.5 ppb	0.1 ppb
Trace Impurities – Molybdenum (Mo)	≤ 10.0 ppb	< 3.0 ppb
Trace Impurities - Nickel (Ni)	≤ 4.0 ppb	< 0.3 ppb
Trace Impurities - Niobium (Nb)	≤ 1.0 ppb	0.8 ppb
Trace Impurities - Potassium (K)	≤ 9.0 ppb	< 2.0 ppb
Trace Impurities - Selenium (Se), For Information Only		< 1.0 ppb
Trace Impurities - Silicon (Si)	≤ 100.0 ppb	< 10.0 ppb
Trace Impurities - Silver (Ag)	≤ 1.0 ppb	0.5 ppb
Trace Impurities – Sodium (Na)	≤ 100.0 ppb	2.3 ppb
Trace Impurities – Strontium (Sr)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Tantalum (Ta)	≤ 1.0 ppb	1.6 ppb
Trace Impurities – Thallium (TI)	≤ 5.0 ppb	< 2.0 ppb
Trace Impurities – Tin (Sn)	≤ 5.0 ppb	4.0 ppb
Trace Impurities – Titanium (Ti)	≤ 1.0 ppb	1.5 ppb
Trace Impurities – Vanadium (V)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Zinc (Zn)	≤ 5.0 ppb	0.8 ppb
Frace Impurities – Zirconium (Zr)	≤ 1.0 ppb	0.3 ppb

Hydrochloric Acid, 36.5-38.0% BAKER INSTRA-ANALYZED® Reagent For Trace Metal Analysis





Material No.: 9530-33 Batch No.: 22G2862015

Test

Specification

Result

For Laboratory, Research, or Manufacturing Use Product Information (not specifications): Appearance (clear, fuming liquid) Meets ACS Specifications Storage Condition: Store below 25 °C.

Country of Origin: USA Packaging Site: Phillipsburg Mfg Ctr & DC







R-02/02/2025

M-6158

Material No.: 9606-03 Batch No.: 24D1062002

Manufactured Date: 2024-03-26

Retest Date: 2029-03-25 Revision No.: 0

# Certificate of Analysis

Assay (HNOs) Appearance Appearance Appearance Passes Test Passes Test Passes Test Color (APHA) Residue after Ignition Chloride (Cl) Phosphate (POa) Sulfate (SOa) Sulfate (SOa) Sulfate (SOa) Arsenic and Antimony (as As) Arsenic in and Antimony (as As) Arsenic and Antimony (as As) Arsenic and Antimony (as As) Arsenic and Interest Barium (Ba) Arace Impurities - Beryllium (Be) Arace Impurities - Beryllium (Be) Arace Impurities - Boron (B) Arace Impurities - Cadmium (Cd) Arace Impurities - Cadmium (Cd) Arace Impurities - Calcium (Ca) Arace Impurities - Calcium (Ca) Arace Impurities - Calcium (Ca) Arace Impurities - Color (Co) Arace Impurities - Calcium (Ca) Arace Impurities - Color (Cu) Arace Impurities - Color (Cu) Arace Impurities - Color (Cu) Arace Impurities - Color (Au) Arace Impurities - Color (Au) Arace Impurities - Color (Au) Arace Impurities - Lead (Pb) Arace Impurities - Lithium (Li) Arace Impurities - Manganese (Mn) Arace Impurities - Nickel (Ni) Arace Impurities - Manganese (Mn) Arace Impurities - Nickel (Ni) Arace Impurities - Manganese (Mn) Arace Impurities - Nickel (Ni) Ar	Test	Specification	Result
Appearance Color (APHA)  Residue after Ignition  Chloride (Cl)  Phosphate (POa)  Sulfate (SOa)  Trace Impurities - Barium (Ba)  Trace Impurities - Cobalt (Co)  Trace Impurities - Lead (Pb)  Trace Impurities - Nickel (Ni)	Assay (HNO3)		
Second Capera	Appearance		
Residue after Ignition	Color (APHA)		
Chloride (Cf)  Phosphate (PO <sub>4</sub> )  Sulfate (SO <sub>4</sub> )  Sulfate (SO <sub>4</sub> )  Trace Impurities – Aluminum (AI)  Arsenic and Antimony (as As)  Trace Impurities – Beryllium (Ba)  Trace Impurities – Beryllium (Be)  Trace Impurities – Beryllium (Be)  Trace Impurities – Boron (B)  Trace Impurities – Cadrium (Cd)  Trace Impurities – Cadrium (Cd)  Trace Impurities – Cadrium (Ca)  Trace Impurities – Cobalt (Co)  Trace Impurities – Cobalt (Co)  Trace Impurities – Cobalt (Co)  Trace Impurities – Copper (Cu)  Trace Impurities – Gallium (Ga)  Trace Impurities – Gold (Au)  Express of the August of the Augu	Residue after Ignition		5
Phosphate (PO <sub>4</sub> )         ≤ 0.10 ppm         < 0.03 ppm	Chloride (CI)		1 ppm
Sulfate (SO <sub>4</sub> ) ≤ 0.2 ppm < 0.2 ppm  Trace Impurities - Aluminum (AI) ≤ 40.0 ppb < 1.0 ppb  Arsenic and Antimony (as As) ≤ 5.0 ppb < 2.0 ppb  Trace Impurities - Barium (Ba) < 10.0 ppb < 1.0 ppb  Trace Impurities - Beryllium (Be) < 10.0 ppb < 1.0 ppb  Trace Impurities - Bismuth (Bi) < 20.0 ppb < 10.0 ppb  Trace Impurities - Boron (B) < 10.0 ppb < 5.0 ppb  Trace Impurities - Cadmium (Cd) < 50 ppb < 1 ppb  Trace Impurities - Calcium (Ca) < 50.0 ppb < 1.0 ppb  Trace Impurities - Chromium (Cr) < 30.0 ppb < 1.0 ppb  Trace Impurities - Chromium (Cr) < 30.0 ppb < 1.0 ppb  Trace Impurities - Cobalt (Co) < 10.0 ppb < 1.0 ppb  Trace Impurities - Copper (Cu) < 10.0 ppb < 1.0 ppb  Trace Impurities - Gallium (Ga) < 10.0 ppb < 1.0 ppb  Trace Impurities - Gold (Au) < 20 ppb < 10 ppb  Trace Impurities - Gold (Au) < 20 ppb < 100 ppb  Trace Impurities - Lithium (E) < 10.0 ppb < 1.0 ppb  Trace Impurities - Lithium (Li) < 10.0 ppb < 1.0 ppb  Trace Impurities - Lithium (Li) < 10.0 ppb < 1.0 ppb  Trace Impurities - Lithium (Li) < 10.0 ppb < 1.0 ppb  Trace Impurities - Mangaese (Mn) < 10.0 ppb < 1.0 ppb	Phosphate (PO <sub>4</sub> )		< 0.03 ppm
Trace Impurities - Aluminum (AI)       ≤ 40.0 ppb       < 1.0 ppb	Sulfate (SO <sub>4</sub> )	• •	< 0.03 ppm
Arsenic and Antimony (as As)	Trace Impurities - Aluminum (AI)		
Trace Impurities - Barium (Ba)       ≤ 10.0 ppb       < 1.0 ppb		• •	• •
Trace Impurities – Beryllium (Be)  Trace Impurities – Bismuth (Bi)  Trace Impurities – Boron (B)  Trace Impurities – Cadmium (Cd)  Trace Impurities – Cadmium (Cd)  Trace Impurities – Calcium (Ca)  Trace Impurities – Chromium (Cr)  Trace Impurities – Chromium (Cr)  Trace Impurities – Cobalt (Co)  Trace Impurities – Cobalt (Co)  Trace Impurities – Copper (Cu)  Trace Impurities – Copper (Cu)  Trace Impurities – Gallium (Ga)  Trace Impurities – Gallium (Ga)  Trace Impurities – Gold (Au)  Trace Impurities – Gold (Au)  Express of the substitute of the			• •
Trace Impurities – Bismuth (Bi)		• •	< 1.0 ppb
Trace Impurities – Boron (B)			< 1.0 ppb
Trace Impurities - Cadmium (Cd)  Frace Impurities - Calcium (Ca)  Frace Impurities - Chromium (Cr)  Frace Impurities - Chromium (Cr)  Frace Impurities - Cobalt (Co)  Frace Impurities - Copper (Cu)  Frace Impurities - Callium (Ga)  Frace Impurities - Gallium (Ga)  Frace Impurities - Germanium (Ge)  Frace Impurities - Gold (Au)  Frace Impurities - Gold (Au)  Frace Impurities - Fron (Fe)  Frace Impurities - Lead (Pb)  Frace Impurities - Lithium (Li)  Frace Impurities - Magnesium (Mg)  Frace Impurities - Manganese (Mn)  Frace Impurities - Nickel (Ni)			• •
Trace Impurities – Calcium (Ca)		• •	< 5.0 ppb
Trace Impurities - Chromium (Cr)  Trace Impurities - Cobalt (Co)  Trace Impurities - Copper (Cu)  Trace Impurities - Copper (Cu)  Trace Impurities - Gallium (Ga)  Trace Impurities - Garmanium (Ge)  Trace Impurities - Gold (Au)  Heavy Metals (as Pb)  Trace Impurities - Iron (Fe)  Trace Impurities - Lead (Pb)  Trace Impurities - Lead (Pb)  Trace Impurities - Lithium (Li)  Trace Impurities - Magnesium (Mg)  Trace Impurities - Magnesium (Mg)  Trace Impurities - Manganese (Mn)  Trace Impurities - Magnesium (Mg)  Trace Impurities - Manganese (Mn)  Trace Impurities - Nickel (Ni)		• ,	< 1 ppb
Trace Impurities – Cobalt (Co)			2.3 ppb
Trace Impurities - Copper (Cu)  Trace Impurities - Gallium (Ga)  Trace Impurities - Germanium (Ge)  Trace Impurities - Gold (Au)  Example 10.0 ppb			< 1.0 ppb
Trace Impurities – Gallium (Ga)  Trace Impurities – Germanium (Ge)  Trace Impurities – Gold (Au)  Heavy Metals (as Pb)  Trace Impurities – Iron (Fe)  Trace Impurities – Lead (Pb)  Trace Impurities – Lead (Pb)  Trace Impurities – Lithium (Li)  Trace Impurities – Magnesium (Mg)  Trace Impurities – Magnese (Mn)  Trace Impurities – Nickel (Ni)		• •	< 1.0 ppb
Trace Impurities – Germanium (Ge)  Trace Impurities – Gold (Au)  Heavy Metals (as Pb)  Trace Impurities – Iron (Fe)  Trace Impurities – Lead (Pb)  Trace Impurities – Lead (Pb)  Trace Impurities – Lithium (Li)  Trace Impurities – Magnesium (Mg)  Trace Impurities – Magnesium (Mg)  Trace Impurities – Manganese (Mn)  Trace Impurities – Nickel (Ni)		• •	< 1.0 ppb
Trace Impurities – Gold (Au)  4 20 ppb  5 ppb  6 5 ppb  7 Trace Impurities – Iron (Fe)  6 40.0 ppb  6 20.0 ppb  7 Trace Impurities – Lithium (Li)  6 10.0 ppb  7 Trace Impurities – Magnesium (Mg)  7 Trace Impurities – Manganese (Mn)  7 Trace Impurities – Manganese (Mn)  7 Trace Impurities – Mickel (Ni)	· •		< 1.0 ppb
Heavy Metals (as Pb)    Second Policy   Second Policy		• • •	< 10 ppb
Trace Impurities – Iron (Fe)  \$\leq\$ 40.0 ppb \$\leq\$ 40.0 ppb \$\leq\$ 20.0 ppb \$\leq\$ 20.0 ppb \$\leq\$ 10.0 ppb \$\leq\$ 10.0 ppb \$\leq\$ 10.0 ppb \$\leq\$ 10.0 ppb \$\leq\$ 20 ppb \$\leq\$ 20 ppb \$\leq\$ 20 ppb \$\leq\$ 20 ppb \$\leq\$ 21.0 ppb \$\leq\$ 10.0 ppb \$\leq\$ 20 ppb \$\leq\$ 21.0 ppb			< 5 ppb
Trace Impurities – Lead (Pb)  ≤ 20.0 ppb  ≤ 20.0 ppb  < 10.0 ppb  < 10.0 ppb  < 1.0 ppb		• •	100 ppb
Frace Impurities – Lithium (Li)  Frace Impurities – Magnesium (Mg)  Frace Impurities – Manganese (Mn)  Frace Impurities – Manganese (Mn)  Frace Impurities – Nickel (Ni)  Frace Impurities – Nickel (Ni)		• •	< 1.0 ppb
Frace Impurities – Magnesium (Mg)  Frace Impurities – Manganese (Mn)  ≤ 20 ppb  ≤ 1.0 ppb  < 1 ppb  < 1.0 ppb  < 1.0 ppb		• •	< 10.0 ppb
Frace Impurities – Manganese (Mn) ≤ 10.0 ppb < 1.0 ppb			< 1.0 ppb
race Impurities – Nickel (Ni)			< 1 ppb
≤ 20.0 ppb < 5.0 ppb		• •	< 1.0 ppb
	INIPARTICS - MICKEL (MI)	≤ 20.0 ppb	< 5.0 ppb

>>> Continued on page 2 >>>





Material No.: 9606-03 Batch No.: 24D1062002

Test	Specification	D 1
Trace Impurities – Niobium (Nb)		Result
Trace Impurities – Potassium (K)	≤ 50.0 ppb	< 1.0 ppb
Trace Impurities – Silicon (Si)	≤ 50 ppb	16 ppb
	≤ 50 ppb	< 10 ppb
Trace Impurities – Silver (Ag)	≤ 20.0 ppb	< 1.0 ppb
Trace Impurities - Sodium (Na)	≤ 150.0 ppb	
Trace Impurities - Strontium (Sr)	≤ 30.0 ppb	< 5.0 ppb
Trace Impurities – Tantalum (Ta)		< 1.0 ppb
Trace Impurities – Thallium (TI)	≤ 10.0 ppb	< 5.0 ppb
Trace Impurities – Tin (Sn)	≤ 10.0 ppb	< 5.0 ppb
	≤ 20.0 ppb	< 10.0 ppb
Trace Impurities – Titanium (Ti)	≤ 10.0 ppb	< 1.0 ppb
Frace Impurities – Vanadium (V)	≤ 10.0 ppb	
Frace Impurities – Zinc (Zn)	≤ 20.0 ppb	< 1.0 ppb
race Impurities – Zirconium (Zr)		< 1.0 ppb
Particle Count – 0.5 µm and greater	≤ 10.0 ppb	< 1.0 ppb
Particle Count – 1.0 µm and greater	≤ 60 par/mi	10 par/ml
and greater	≤ 10 par/ml	3 par/ml

Nitric Acid 69% **CMOS** 





Material No.: 9606-03 Batch No.: 24D1062002

Test Specification Result

For Microelectronic Use

Country of Origin: USA Packaging Site: Phillipsburg Mfg Ctr & DC

Jamie Croak Director Quality Operations, Bioscience Production





M-6162

R. Date & 0412712025

Material No.: 9606-03 Batch No.: 24H0162012 Manufactured Date: 2024-06-28

Retest Date: 2029-06-27 Revision No.: 0

# Certificate of Analysis

Assay (HNOs) Appearance Passes Test Passes Test Passes Test Color (APHA)  Residue after Ignition  S 2 ppm  Chloride (Cl)  Choride (Cl)  Choride (SOa)  Sulfate (SOa)  Sulfate (SOa)  Arsenic and Antimony (as As)  Trace Impurities - Barlum (Ba)  Trace Impurities - Barlum (Ba)  Trace Impurities - Barlum (Cd)  Trace Impurities - Barlum (Cd)  Trace Impurities - Coper (Cu)  Trace Impurities - Coper (Cu)  Trace Impurities - Coper (Cu)  Trace Impurities - Cold (Au)  Frace Impurities - Gold (Au)  Frace Impurities - Iron (Fe)  Trace Impurities - Iron (Fe)  Trace Impurities - Inon (Fe)  Trace Impurities - Lind magnesium (Mg)  Trace Impurities - Lind (Fe)  Trace Impurities - Lind (Fe)  Trace Impurities - Lind (Fe)  Trace Impurities - Coppe (Cu)  Tra	Test	Specification	Result
Appearance Color (APHA)	Assay (HNO3)	69.0 - 70.0 %	69.7 %
Color (APHA)       ≤ 10       5         Residue after Ignition       ≤ 2 ppm       < 1 ppm	Appearance		
Residue after Ignition       ≤ 2 ppm       < 1 ppm	Color (APHA)	≤ 10	
Chloride (CI)       ≤ 0.08 ppm       0.03 ppm         Phosphate (PO4)       ≤ 0.10 ppm       < 0.03 ppm	Residue after Ignition	≤ 2 ppm	
Phosphate (PO₄)         ≤ 0.10 ppm         < 0.03 ppm	Chloride (CI)	≤ 0.08 ppm	
Sulfate (SO <sub>4</sub> )       ≤ 0.2 ppm       < 0.2 ppm	Phosphate (PO <sub>4</sub> )	≤ 0.10 ppm	• •
Trace Impurities - Aluminum (Al)       ≤ 40.0 ppb       < 1.0 ppb	Sulfate (SO <sub>4</sub> )	≤ 0.2 ppm	
Arsenic and Antimony (as As)    \$\leq\$ 5.0 ppb	Trace Impurities - Aluminum (Al)	≤ 40.0 ppb	• •
Trace Impurities – Barium (Ba)	Arsenic and Antimony (as As)	≤ 5.0 ppb	
Trace Impurities – Beryllium (Be)  Trace Impurities – Bismuth (Bi)  Trace Impurities – Boron (B)  Trace Impurities – Cadmium (Cd)  Trace Impurities – Calcium (Ca)  Trace Impurities – Calcium (Ca)  Trace Impurities – Chromium (Cr)  Trace Impurities – Cobalt (Co)  Trace Impurities – Cobalt (Co)  Trace Impurities – Copper (Cu)  Trace Impurities – Copper (Cu)  Trace Impurities – Callium (Ga)  Trace Impurities – Gallium (Ga)  Trace Impurities – Gallium (Ga)  Trace Impurities – Germanium (Ge)  Trace Impurities – Gold (Au)  Heavy Metals (as Pb)  Trace Impurities – Iron (Fe)  Trace Impurities – Lead (Pb)  Trace Impurities – Lead (Pb)  Trace Impurities – Magnesium (Mg)  Trace Impurities – Manganese (Mn)  Trace Impurities – Mickel (Ni)  ■ 20 ppb  ■ 21.0 ppb  ▼ 1.0 ppb	Trace Impurities - Barium (Ba)	≤ 10.0 ppb	
Trace Impurities – Bismuth (Bi)    \$\leq 20.0 ppb	Trace Impurities - Beryllium (Be)	≤ 10.0 ppb	• •
Trace Impurities – Boron (B) ≤ 10.0 ppb 0.1 ppb  Trace Impurities – Cadmium (Cd) ≤ 50 ppb < 1 ppb  Trace Impurities – Calcium (Ca) ≤ 50.0 ppb 0.3 ppb  Trace Impurities – Chromium (Cr) ≤ 30.0 ppb 0.1 ppb  Trace Impurities – Cobalt (Co) ≤ 10.0 ppb	Trace Impurities - Bismuth (Bi)	≤ 20.0 ppb	• •
Trace Impurities - Cadmium (Cd) ≤ 50 ppb 0.3 ppb  Trace Impurities - Calcium (Ca) ≤ 50.0 ppb 0.3 ppb  Trace Impurities - Chromium (Cr) ≤ 30.0 ppb 0.1 ppb  Trace Impurities - Cobalt (Co) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Copper (Cu) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Gallium (Ga) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Germanium (Ge) ≤ 20 ppb < 1 ppb  Trace Impurities - Gold (Au) ≤ 20 ppb < 1 ppb  Trace Impurities - Gold (Au) ≤ 20 ppb < 1.0 ppb  Trace Impurities - Iron (Fe) ≤ 40.0 ppb < 1.0 ppb  Trace Impurities - Lead (Pb) ≤ 20.0 ppb < 1.0 ppb  Trace Impurities - Lithium (Li) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Magnesium (Mg) ≤ 20 ppb < 1.0 ppb  Trace Impurities - Magnesee (Mn) ≤ 10.0 ppb < 1.0 ppb	Trace Impurities - Boron (B)	≤ 10.0 ppb	• •
Trace Impurities - Calcium (Ca) ≤ 50.0 ppb 0.3 ppb  Trace Impurities - Chromium (Cr) ≤ 30.0 ppb 0.1 ppb  Trace Impurities - Cobalt (Co) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Copper (Cu) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Gallium (Ga) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Germanium (Ge) ≤ 20 ppb < 1 ppb  Trace Impurities - Gold (Au) ≤ 20 ppb < 1 ppb  Trace Impurities - Iron (Fe) ≤ 40.0 ppb < 1.0 ppb  Trace Impurities - Lead (Pb) ≤ 20.0 ppb < 1.0 ppb  Trace Impurities - Lithium (Li) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Magnesium (Mg) ≤ 20 ppb < 1 ppb  Trace Impurities - Magnesium (Mg) ≤ 20 ppb < 1.0 ppb	Trace Impurities - Cadmium (Cd)	≤ 50 ppb	
Trace Impurities - Chromium (Cr) ≤ 30.0 ppb 0.1 ppb  Trace Impurities - Cobalt (Co) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Copper (Cu) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Gallium (Ga) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Germanium (Ge) ≤ 20 ppb < 1 ppb  Trace Impurities - Gold (Au) ≤ 20 ppb < 1 ppb  Heavy Metals (as Pb) ≤ 100 ppb < 50 ppb  Trace Impurities - Iron (Fe) ≤ 40.0 ppb < 1.0 ppb  Trace Impurities - Lead (Pb) ≤ 20.0 ppb < 1.0 ppb  Trace Impurities - Lithium (Li) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Magnesium (Mg) ≤ 20 ppb < 1 ppb  Trace Impurities - Magnesium (Mg) ≤ 20 ppb < 1.0 ppb  Trace Impurities - Magnesium (Mg) ≤ 20 ppb < 1.0 ppb	Trace Impurities - Calcium (Ca)		• •
Trace Impurities - Cobalt (Co) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Copper (Cu) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Gallium (Ga) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Germanium (Ge) < 20 ppb < 1 ppb  Trace Impurities - Gold (Au) ≤ 20 ppb < 1 ppb  Heavy Metals (as Pb) ≤ 100 ppb < 50 ppb  Trace Impurities - Iron (Fe) ≤ 40.0 ppb < 1.0 ppb  Trace Impurities - Lead (Pb) < 20.0 ppb < 1.0 ppb  Trace Impurities - Lithium (Li) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Magnesium (Mg) ≤ 20 ppb < 1 ppb  Trace Impurities - Magnesee (Mn) ≤ 10.0 ppb < 1.0 ppb	Trace Impurities - Chromium (Cr)	≤ 30.0 ppb	
Trace Impurities - Copper (Cu) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Gallium (Ga) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Germanium (Ge) ≤ 20 ppb < 1 ppb  Trace Impurities - Gold (Au) ≤ 20 ppb < 1 ppb  Heavy Metals (as Pb) ≤ 100 ppb < 50 ppb  Trace Impurities - Iron (Fe) ≤ 40.0 ppb < 1.0 ppb  Trace Impurities - Lead (Pb) ≤ 20.0 ppb < 1.0 ppb  Trace Impurities - Lithium (Li) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Magnesium (Mg) ≤ 20 ppb < 1 ppb  Trace Impurities - Magnesium (Mg) ≤ 10.0 ppb < 1.0 ppb	Trace Impurities - Cobalt (Co)	≤ 10.0 ppb	
Trace Impurities – Gallium (Ga) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities – Germanium (Ge) ≤ 20 ppb < 1 ppb  Trace Impurities – Gold (Au) ≤ 20 ppb < 1 ppb  Heavy Metals (as Pb) ≤ 100 ppb < 50 ppb  Trace Impurities – Iron (Fe) ≤ 40.0 ppb < 1.0 ppb  Trace Impurities – Lead (Pb) ≤ 20.0 ppb < 1.0 ppb  Trace Impurities – Lithium (Li) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities – Magnesium (Mg) ≤ 20 ppb < 1 ppb  Trace Impurities – Magnesium (Mg) ≤ 20 ppb < 1 ppb  Trace Impurities – Manganese (Mn) ≤ 10.0 ppb < 1.0 ppb	Trace Impurities - Copper (Cu)	≤ 10.0 ppb	• •
Trace Impurities – Germanium (Ge) ≤ 20 ppb < 1 ppb  Trace Impurities – Gold (Au) ≤ 20 ppb < 1 ppb  Heavy Metals (as Pb) ≤ 100 ppb < 50 ppb  Trace Impurities – Iron (Fe) ≤ 40.0 ppb < 1.0 ppb  Trace Impurities – Lead (Pb) ≤ 20.0 ppb < 1.0 ppb  Trace Impurities – Lithium (Li) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities – Magnesium (Mg) ≤ 20 ppb < 1 ppb  Trace Impurities – Manganese (Mn) ≤ 10.0 ppb < 1.0 ppb	Trace Impurities - Gallium (Ga)	≤ 10.0 ppb	
Trace Impurities - Gold (Au)       ≤ 20 ppb       < 1 ppb	Trace Impurities - Germanium (Ge)	≤ 20 ppb	
Heavy Metals (as Pb) ≤ 100 ppb < 50 ppb  Trace Impurities – Iron (Fe) ≤ 40.0 ppb < 1.0 ppb  Trace Impurities – Lead (Pb) ≤ 20.0 ppb < 1.0 ppb  Trace Impurities – Lithium (Li) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities – Magnesium (Mg) ≤ 20 ppb < 1 ppb  Trace Impurities – Manganese (Mn) ≤ 10.0 ppb < 1.0 ppb	Trace Impurities - Gold (Au)	≤ 20 ppb	• •
Trace Impurities – Iron (Fe)       ≤ 40.0 ppb       < 1.0 ppb	Heavy Metals (as Pb)	≤ 100 ppb	
Trace Impurities – Lead (Pb)       ≤ 20.0 ppb       < 1.0 ppb	Trace Impurities – Iron (Fe)	≤ 40.0 ppb	
Trace Impurities – Lithium (Li) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities – Magnesium (Mg) ≤ 20 ppb < 1 ppb  Trace Impurities – Manganese (Mn) ≤ 10.0 ppb < 1.0 ppb	Trace Impurities - Lead (Pb)	≤ 20.0 ppb	• • • • • • • • • • • • • • • • • • • •
Trace Impurities – Magnesium (Mg) ≤ 20 ppb < 1 ppb  Trace Impurities – Manganese (Mn) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities – Mickel (Ni)	Trace Impurities - Lithium (Li)	≤ 10.0 ppb	. ,
Trace Impurities - Manganese (Mn) ≤ 10.0 ppb < 1.0 ppb	Trace Impurities – Magnesium (Mg)	≤ 20 ppb	• •
Trace Impurities Mickel (Ni)	Trace Impurities - Manganese (Mn)	≤ 10.0 ppb	
	Trace Impurities – Nickel (Ni)	≤ 20.0 ppb	< 1.0 ppb

>>> Continued on page 2 >>>





Material No.: 9606-03 Batch No.: 24H0162012

Test	Specification	Result
Trace Impurities - Niobium (Nb)	≤ 50.0 ppb	< 1.0 ppb
Trace Impurities - Potassium (K)	≤ 50 ppb	< i ppb
Trace Impurities - Silicon (Si)	≤ 50 ppb	1 ppb
Trace Impurities - Silver (Ag)	≤ 20.0 ppb	< 1.0 ppb
Trace Impurities – Sodium (Na)	≤ 150.0 ppb	< 1.0 ppb
Trace Impurities - Strontium (Sr)	≤ 30.0 ppb	< 1.0 ppb
Trace Impurities - Tantalum (Ta)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Thallium (TI)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Tin (Sn)	≤ 20.0 ppb	< 1.0 ppb
Trace Impurities - Titanium (Ti)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Vanadium (V)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Zinc (Zn)	≤ 20.0 ppb	< 1.0 ppb
Trace Impurities - Zirconium (Zr)	≤ 10.0 ppb	< 1.0 ppb
Particle Count – 0.5 µm and greater	≤ 60 par/ml	13 par/ml
Particle Count - 1.0 µm and greater	≤ 10 par/ml	5 par/ml

Nitric Acid 69% **CMOS** 





Material No.: 9606-03 Batch No.: 24H0162012

Test Specification Result

For Microelectronic Use

Country of Origin: USA Packaging Site: Phillipsburg Mfg Ctr & DC

W 2979

3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.com

Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

lec: 12/08/22

exp. 12/08/27

**Certificate of Analysis** 

1,5-Diphenylcarbazide - ACS reagent

**Product Number:** 

259225

Batch Number:

MKCR6636

Brand:

SIAL

CAS Number:

140-22-7

MDL Number:

MFCD00003013

Formula:

C13H14N4O

Formula Weight:

242.28 g/mol

Quality Release Date:

02 JUN 2022

Test	Specification	Result	
Appearance (Color)	Conforms to Requirements	Pink	
Off-White to Pink, Light Purple or Tan	-		
Appearance (Form)	Powder or Chunks	Powder	
Melting Point	173.0 - 176.0 ℃	173.0 °C	
Infrared Spectrum	Conforms to Structure	Conforms	
Residue on ignition (Ash)	< 0.05 %	0.01 %	
15 minutes, 800 Degrees Celsius	_		
Solubility	Pass	Pass	
Sensitivity Test	Pass	Pass	
Meets ACS Requirements	Current ACS Specification	Conforms	

Larry Coers, Director Quality Control Milwaukee, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.



# Certificate of Analysis

12/14/2022

12/31/2025

# **Sodium Hydroxide (Pellets)**

Material: 0583

Grade: ACS GRADE Batch Number: 23B1556310

Chemical Formula: NaOH
Molecular Weight: 40

CAS #: 1310-73-2

Appearance: Storage: Room Temperature

Pellets

TEST	SPECIFICATION	ANALYSIS	DISPOSITION
Calcium	<= 0.005 %	<0.005 %	PASS
Chloride	<= 0.005 %	0.002 %	PASS
Heavy Metals	<= 0.002 %	<0.002 %	PASS
Iron	<= 0.001 %	<0.001 %	PASS
Magnesium	<= 0.002 %	<0.002 %	PASS
Mercury	<= 0.1 ppm	<0.1 ppm	PASS
Nickel	<= 0.001 %	<0.001 %	PASS
Nitrogen Compounds	<= 0.001 %	<0.001 %	PASS
Phosphate	<= 0.001 %	<0.001 %	PASS
Potassium	<= 0.02 %	<0.02 %	PASS
Purity	>= 97.0 %	99.2 %	PASS
Sodium Carbonate	<= 1.0 %	0.5 %	PASS
Sulfate	<= 0.003 %	<0.003 %	PASS

Manufacture Date:

**Expiration Date:** 

Internal ID #: 710

#### Signature Additional Information

We certify that this batch conforms to the specifications listed.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon VWR Chemicals, LLC.

28600 Fountain Parkway, Solon OH 44139 USA

Analysis may have been rounded to significant digits in specification limits.

Product meets analytical specifications of the grades listed.



# Certificate of Analysis

12/14/2022

12/31/2025

Room Temperature

Manufacture Date:

**Expiration Date:** 

Storage:

# **Sodium Hydroxide (Pellets)**

Material: 0583

Grade: ACS GRADE Batch Number: 23B1556310

Chemical Formula: NaOH Molecular Weight: 40

CAS #: 1310-73-2

Appearance:

**Pellets** 

Spec Set: 0583ACS

Internal ID #: 710

Signature Additional Information

We certify that this batch conforms to the specifications listed.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon VWR Chemicals, LLC. 28600 Fountain Parkway, Solon OH 44139 USA Analysis may have been rounded to significant digits in specification limits.

Product meets analytical specifications of the grades listed.

# Chem-Impex International, Inc.

Tel: (630) 766-2112 Fax: (630) 766-2218

E-mail: sales@chemimpex.com

Web site: www.chemimpex.com

**Shipping and Correspondence:**935 Dillon Drive
825 Dillon Drive

Wood Dale, IL 60191 Wood Dale, IL 60191

# Certificate of Analysis

Catalogue Number 01237

**Lot Number** 002126-2019-201

Product Magnesium chloride hexahydrate

Magnesium chloride•6H<sub>2</sub>O

CAS Number 7791-18-6 Molecular Formula MgCl₂•6H₂O

Molecular Weight 203.3

**Appearance** White crystals

**Solubility** 167 g in 100 mL water

Melting Point $\sim 115$  °CHeavy Metals4.393 ppm

**Anion** Nitrate  $(NO_3)$ : < 0.001%

 $\begin{aligned} &Phosphate \ (PO_4): < 5 \ ppm \\ &Sulfate \ (SO_4): < 0.002\% \end{aligned}$ 

Cation Ammonium  $(NH_4) : < 0.002\%$ 

Barium (Ba) : 0.005% Calcium (Ca) : 0.01% Iron (Fe) : 4.5 ppm

Manganese (Mn): 0.624 ppm Potassium (K): 0.004% Sodium (Na): 0.000003% Strontium (Sr): 0.005%

Insoluble material0.0021%Assay by titration100.83%GradeACS reagentStorageStore at RT

# Certificate of Analysis

Catalog Number: 01237 Lot Number: 002126-2019-201

**Remarks** 

See material safety data sheet for additional information

For laboratory use only

The foregoing is a copy of the Certificate of Analysis as provided by our supplier

Bala Kumar

**Quality Control Manager** 



W3163 Rec. on 12/10/24 by IZ

# Certificate of Analysis

Material BDH9284-2.5KG

Material Description BDH SODIUM CARB ANHYD ACS 2.5KG

Grade USPREAGENT (ACS GRADE)

Batch 24E3156178
Reassay Date 09/30/2027
CAS Number 497-19-8
Molecular Formula Na2CO3
Molecular Mass 105.99

Date of Manufacture 09/01/2023

Storage Room Temperature

Material is hygroscopic. Protect from Moisture.

Additional Product Description:

Characteristics	Specifications	Measured Values
Appearance	Fine white granular powder	Fine white granular powder
Calcium	<= 0.03 %	0.003 %
Chloride	<= 0.001 %	0.0003 %
Heavy Metals (as Pb)	<= 0.0005 %	0.0001 %
Insolubles	<= 0.01 %	0.001 %
Iron	<= 0.0005 %	0.0001 %
Loss on Heating	<= 1.0 %	0.03 %
Magnesium	<= 0.005 %	0.001 %
Phosphate	<= 0.001 %	0.001 %
Potassium	<= 0.005 %	0.003 %
Purity	>= 99.5 %	100.0 %
Silica	<= 0.005 %	0.001 %
Sulfur Compounds	<= 0.003 %	0.002 %
Extra Description:	Meets Reagent Specifications for testing USP/NF monographs	

Internal ID #: 710

#### Signature Additional Information

We certify that this batch conforms to the specifications listed above.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon VWR Chemicals, LLC.

28600 Fountain Parkway, Solon OH 44139 USA

Analysis may have been rounded to significant digits in specification limits

Product meets analytical specifications of the grades listed.

VWR International LLC, Radnor Corporate Center, Suite 200, 100 Matsonford Road, Radnor, PA 19087, USA

Date Printed: 05/31/2024



# **Certificate of Analysis**

Material BDH9266-500G

Material Description BDH POTASS PHOSPHAT DBSC 500GM

Grade ACS GRADE

Batch 24H0856239
Reassay Date 04/19/2028
CAS Number 7758-11-4
Molecular Formula K2HPO4
Molecular Mass 174.18

Date of Manufacture 04/19/2024

Storage Room Temperature

Characteristics	Specifications	Measured Values
Appearance	Fine white crystalline powder	Fine white crystalline powder
Chloride	<= 0.003 %	0.002 %
Heavy Metals (as Pb)	<= 0.0005 %	<0.0005 %
Insolubles	<= 0.01 %	<0.01 %
Iron	<= 0.001 %	<0.001 %
Loss on Drying	<= 1.0 %	<0.5 %
Nitrogen Compounds	<= 0.001 %	<0.001 %
pH (5%, Water) @25C	8.5 - 9.6	8.8
Purity	>= 98.0 %	99.1 %
Sodium	<= 0.05 %	<0.05 %
Sulfate	<= 0.005 %	<0.002 %
CUSTOMER PART # BDH9266-50	0G	

Internal ID #: 793

#### Signature Additional Information

We certify that this batch conforms to the specifications listed above.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon VWR Chemicals, LLC.

28600 Fountain Parkway, Solon OH 44139 USA

Analysis may have been rounded to significant digits in specification limits

Product meets analytical specifications of the grades listed.

VWR International LLC, Radnor Corporate Center, Suite 200, 100 Matsonford Road, Radnor, PA 19087, USA

Date Printed: 08/08/2024



# Certificate of Analysis

BDH9260-500G

BDH POTASS HYDRGN PHTHLTE 500G

ACS GRADE

 Batch
 24H0956262

 Reassay Date
 04/28/2026

 CAS Number
 877-24-7

Molecular Formula HOOCC6H4COOK

Molecular Mass 204.22

Date of Manufacture 04/29/2023

Storage Room Temperature

Characteristics	Specifications	Measured Values	
Appearance	White crystals.	White crystals.	
Assay (dried basis)	99.95 - 100.05 %	99.98 %	
Chlorine Compounds	<= 0.003 %	<0.003 %	
Heavy Metals (as Pb)	<= 5 ppm	<5 ppm	
Insoluble Matter	<= 0.005 %	0.003 %	
Iron	<= 5 ppm	<5 ppm	
pH (0.05M, Water) @25C	4.00 - 4.02	4.00	
Sodium	<= 0.005 %	<0.005 %	
Sulfur Compounds	<= 0.002 %	<0.002 %	

Internal ID #: 322

Material

Grade

**Material Description** 

#### Signature

#### **Additional Information**

We certify that this batch conforms to the specifications listed above.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon VWR Chemicals, LLC.

28600 Fountain Parkway, Solon OH 44139 USA

Analysis may have been rounded to significant digits in specification limits

Product meets analytical specifications of the grades listed.

VWR International LLC, Radnor Corporate Center, Suite 200, 100 Matsonford Road, Radnor, PA 19087, USA

Date Printed: 08/09/2024

3050 Spruce Street, Saint Louis, MO 63103, USA

KH<sub>2</sub>PO<sub>4</sub>

Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Product Name: Certificate of Analysis

Potassium phosphate monobasic - ACS reagent, ≥99.0%

Product Number: P0662
Batch Number: MKCX1379

 Brand:
 SIGALD

 CAS Number:
 7778-77-0

 MDL Number:
 MFCD00011401

Formula: H2KO4P
Formula Weight: 136.09 g/mol
Quality Release Date: 27 JAN 2025
Recommended Retest Date: JAN 2029

Test	Specification	Result
Appearance (Color)	White	White
Appearance (Form)	Powder or Crystals	Crystals
Assay	≥ 99.0 %	99.9 %
Insoluble Matter	≤ 0.01 %	< 0.01 %
Loss on Drying	≤ 0.2 %	< 0.1 %
At 105°C		
pH	4.1 - 4.5	4.5
(c = 5%, 25  deg  C)		
Chloride Content	≤ 0.001 %	< 0.001 %
Sulfate (SO4)	≤ 0.003 %	< 0.003 %
Heavy Metals	≤ 0.001 %	< 0.001 %
by ICP		
Iron (Fe)	≤ 0.002 %	< 0.001 %
Sodium (Na)	≤ 0.005 %	< 0.001 %
Recommended Retest Period		
4 Years		

Larry Coers, Director Quality Control Milwaukee, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Version Number: 2 Page 1 of 1

# Certificate Of Analysis



Date of Release: 4/8/2025

Name: Potassium Hydrogen Phthalate

ACS

Item No: **PX1476 All Sizes**Lot / Batch No: **2025040493**Country of Origin: **USA** 

Item	Specifications	Analysis
Assay (Dried Basis)	99.95-100.05%	99.98%
Chlorine compounds (as Cl)	0.003% max.	<0.003%
Color	White	Passes Test
Form	Crystals	Passes Test
Heavy metals (by ICP-OES)	5 ppm max.	<5 ppm
Insoluble Matter	0.005% max.	<0.005%
Iron (Fe)	5 ppm max.	<5 ppm
pH of a 0.05m solution @ 25.0C	4.00-4.02	4.00
Sodium (Na)	0.005% max.	<0.005%
Sulfur compounds (as S)	0.002% max.	<0.002%

Joe Schoellkopff

-----

Quality Control Manager

This document has been produced electronically and is valid without a signature.

EMD Millipore is a division of Merck KGaA, Darmstadt, Germany

**EMD Millipore Corporation** 

400 Summit Drive Burlington, MA 01803 U.S.A.

Form number: 00005624CA, Rev. 2.0