

Cover Page

Order ID : Q3426

Project ID : Willow

Client : G Environmental

Lab Sample Number

Q3426-01
Q3426-02
Q3426-03
Q3426-04

Client Sample Number

TWP2
TWP3
TWP5
MW2

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 11/3/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

G Environmental

Project Name: Willow

Project # N/A

Order ID # Q3426

Test Name: VOCMS Group1

A. Number of Samples and Date of Receipt:

4 Water samples were received on 10/22/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: VOCMS Group1. This data package contains results for VOCMS Group1.

C. Analytical Techniques:

The analysis performed on instrument MSVOA_N were done using GC column Rxi-624SIL MS 30m, 0.25mm, 1.4 um, Cat. #13868. The analysis of VOCMS Group1 was based on method 8260D.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis except for TWP2 [4-Bromofluorobenzene – 124%] Due to high concentration of compounds, this sample required dilution. Therefore, sample was reanalyzed with dilution and reported.

The Internal Standards Areas were met for all analysis.

The Retention Times were met for all analysis.

The RPD were met for all analysis.

The Blank Spike for {VN1027WBS01} with File ID: VN088105.D met requirements for all compounds except for 1,1,1-Trichloroethane[109%], 1,2-Dibromoethane[111%], 1,2-Dichloroethane[122%], 4-Methyl-2-Pentanone[120%], Bromochloromethane[125%], Bromodichloromethane[114%], Chloroform[114%], cis-1,3-Dichloropropene[112%] and Methylene Chloride[118%] are failing high but no positive hit in associate sample therefore no corrective action taken..

The Blank Spike Duplicate for {VN1027WBSD01} with File ID: VN088106.D met requirements for all compounds except for 1,2-Dibromo-3-Chloropropane[119%], 1,2-Dibromoethane[114%], 1,2-Dichloroethane[123%], 1,2-Dichloropropane[114%], 2-Hexanone[120%], 4-Methyl-2-Pentanone[120%], Bromochloromethane[126%], Bromodichloromethane[116%], Bromoform[114%], cis-1,3-Dichloropropene[112%],

Methylene Chloride[117%] and t-1,3-Dichloropropene[113%] are failing high but no positive hit in associate sample therefore no corrective action taken.

The Blank Spike for {VN1028WBS02} with File ID: VN088131.D met requirements for all compounds except for 1,2-Dichloroethane[119%], Bromodichloromethane[112%], Ethyl Benzene[110%] and o-Xylene[111%] are failing high and associate sample having hit of Ethyl Benzene and o-Xylene but only dilution sample analyzed under this and dilution not require for these compound, therefore no corrective action taken.

The Blank analysis did not indicate the presence of lab contamination.
The Initial Calibration met the requirements.

The Continuous Calibration File ID VN088127.D met the requirements except for 1,2-Dichloroethane 2-Hexanone, 4-Methyl-2-Pentanone, Methyl Acetate, Methyl tert-butyl Ether and Tert butyl alcohol are failing high but no positive hit in associate sample while 2-Butanone is failing high and associate sample having hit of 2-Butanone but only dilution sample analyzed under this and dilution not require for this compound, therefore no corrective action taken.

The Tuning criteria met requirements.

Samples TWP3, MW2 were analyzed at straight dilution after checking past history of these samples and also samples having very strong odor.

E. Additional Comments:

Samples for MS/MSD for VOC analysis were not provided with this set of samples. The Blank Spike Duplicate is reported with the data.

Trip Blank was not provided with this set of samples.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10 U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as "12 B".
E	Indicates the analyte 's concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q3426

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: MAHESH PATEL

Date: 11/03/2025