

Report of Analysis

Client:	PSEG	Date Collected:	
Project:	PSEG Onyx- STL	Date Received:	
Client Sample ID:	TP-8MS	SDG No.:	Q3427
Lab Sample ID:	Q3427-01MS	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	90.3
Sample Wt/Vol:	30.04 g	Test:	EPH_NF
Prep Method :		Final Vol:	2000 uL
		Prep Date :	10/23/25

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Datafile	Date Ana.	Prep BatchID
------------	-----------	-------	------	----	-----	------------	-------	----------	-----------	--------------

TARGETS

Total AliphaticEPH	Total AliphaticEPH	105			2.32	6.64	mg/kg			
Total EPH	Total EPH	105			2.32	6.64	mg/kg			

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C40 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C40 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	PSEG	Date Collected:	
Project:	PSEG Onyx- STL	Date Received:	
Client Sample ID:	TP-8MS	SDG No.:	Q3427
Lab Sample ID:	Q3427-01MS	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	90.3
Sample Wt/Vol:	30.04 g	Final Vol:	2000 uL
Prep Method :		Prep Date	10/23/25
		Test:	EPH_NF

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
Aliphatic C9-C28	Aliphatic C9-C28	72.0	1		1.01	4.43	mg/kg	10/23/25	PB170229
Aliphatic C28-C40	Aliphatic C28-C40	33.3	1		1.31	2.21	mg/kg	10/23/25	PB170229
SURROGATES									
3383-33-2	1-chlorooctadecane (SURR)	32.9			40 - 140	66%	SPK: 50		
84-15-1	ortho-Terphenyl (SURR)	26.9			40 - 140	54%	SPK: 50		

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q3427-01MS	Acq On:	23 Oct 2025 17:46
Client Sample ID:	Q3427-01MS	Operator:	YP/AJ
Data file:	FC070021.D	Misc:	
Instrument:	FID_C	ALS Vial:	16
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.279	6.574	19122197	132.073	300	ug/ml
Aliphatic C12-C16	6.575	9.975	31537594	192.558	200	ug/ml
Aliphatic C16-C21	9.976	13.343	48104958	297.044	300	ug/ml
Aliphatic C21-C28	13.344	17.007	52285307	355.338	400	ug/ml
Aliphatic C28-C40	17.008	21.965	48622301	451.881	600	ug/ml
Aliphatic EPH	3.279	21.965	199672357	1430		ug/ml
ortho-Terphenyl (SURR)	11.643	11.643	4732757	26.95		ug/ml
1-chlorooctadecane (SURR)	13.078	13.078	4463464	32.88		ug/ml
Aliphatic C9-C28	3.279	17.007	151050056	977.013	1200	ug/ml