

Report of Analysis

Client: PSEG
Project: PSEG Onyx- STL
Client Sample ID: TP-8-VOC
Lab Sample ID: Q3427-03
Analytical Method: 8260D
Sample Wt/Vol: 4.78 g

Level : LOW
Final Vol: 5000 uL

Date Collected: 10/21/25
Date Received: 10/22/25
SDG No.: Q3427
Matrix: SOIL
% Solid: 90.9
Test: VOC-TCLVOA-10

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-71-8	Dichlorodifluoromethane	0.0058	U	1	0.0013	0.0058	mg/Kg	10/22/25 13:43	VY102225
74-87-3	Chloromethane	0.0058	U	1	0.0013	0.0058	mg/Kg	10/22/25 13:43	VY102225
75-01-4	Vinyl Chloride	0.0058	U	1	0.00091	0.0058	mg/Kg	10/22/25 13:43	VY102225
74-83-9	Bromomethane	0.0058	U	1	0.0012	0.0058	mg/Kg	10/22/25 13:43	VY102225
75-00-3	Chloroethane	0.0058	U	1	0.0014	0.0058	mg/Kg	10/22/25 13:43	VY102225
75-69-4	Trichlorofluoromethane	0.0058	U	1	0.0014	0.0058	mg/Kg	10/22/25 13:43	VY102225
76-13-1	1,1,2-Trichlorotrifluoroethane	0.0058	U	1	0.0012	0.0058	mg/Kg	10/22/25 13:43	VY102225
75-35-4	1,1-Dichloroethene	0.0058	U	1	0.0012	0.0058	mg/Kg	10/22/25 13:43	VY102225
67-64-1	Acetone	0.029	U	1	0.0055	0.029	mg/Kg	10/22/25 13:43	VY102225
75-15-0	Carbon Disulfide	0.0058	U	1	0.0012	0.0058	mg/Kg	10/22/25 13:43	VY102225
1634-04-4	Methyl tert-butyl Ether	0.0058	U	1	0.00084	0.0058	mg/Kg	10/22/25 13:43	VY102225
79-20-9	Methyl Acetate	0.0058	U	1	0.0018	0.0058	mg/Kg	10/22/25 13:43	VY102225
75-09-2	Methylene Chloride	0.012	U	1	0.0041	0.012	mg/Kg	10/22/25 13:43	VY102225
156-60-5	trans-1,2-Dichloroethene	0.0058	U	1	0.00099	0.0058	mg/Kg	10/22/25 13:43	VY102225
75-34-3	1,1-Dichloroethane	0.0058	U	1	0.00092	0.0058	mg/Kg	10/22/25 13:43	VY102225
110-82-7	Cyclohexane	0.0058	U	1	0.00091	0.0058	mg/Kg	10/22/25 13:43	VY102225
78-93-3	2-Butanone	0.029	U	1	0.0075	0.029	mg/Kg	10/22/25 13:43	VY102225
56-23-5	Carbon Tetrachloride	0.0058	U	1	0.0011	0.0058	mg/Kg	10/22/25 13:43	VY102225
156-59-2	cis-1,2-Dichloroethene	0.0058	U	1	0.00086	0.0058	mg/Kg	10/22/25 13:43	VY102225
74-97-5	Bromochloromethane	0.0058	U	1	0.0013	0.0058	mg/Kg	10/22/25 13:43	VY102225
67-66-3	Chloroform	0.0058	U	1	0.00097	0.0058	mg/Kg	10/22/25 13:43	VY102225
71-55-6	1,1,1-Trichloroethane	0.0058	U	1	0.0011	0.0058	mg/Kg	10/22/25 13:43	VY102225
108-87-2	Methylcyclohexane	0.0058	U	1	0.0010	0.0058	mg/Kg	10/22/25 13:43	VY102225
71-43-2	Benzene	0.0058	U	1	0.00091	0.0058	mg/Kg	10/22/25 13:43	VY102225
107-06-2	1,2-Dichloroethane	0.0058	U	1	0.00091	0.0058	mg/Kg	10/22/25 13:43	VY102225
79-01-6	Trichloroethene	0.0058	U	1	0.00093	0.0058	mg/Kg	10/22/25 13:43	VY102225
78-87-5	1,2-Dichloropropane	0.0058	U	1	0.0010	0.0058	mg/Kg	10/22/25 13:43	VY102225
75-27-4	Bromodichloromethane	0.0058	U	1	0.00090	0.0058	mg/Kg	10/22/25 13:43	VY102225
108-10-1	4-Methyl-2-Pentanone	0.029	U	1	0.0041	0.029	mg/Kg	10/22/25 13:43	VY102225
108-88-3	Toluene	0.0058	U	1	0.00090	0.0058	mg/Kg	10/22/25 13:43	VY102225
10061-02-6	t-1,3-Dichloropropene	0.0058	U	1	0.00075	0.0058	mg/Kg	10/22/25 13:43	VY102225
10061-01-5	cis-1,3-Dichloropropene	0.0058	U	1	0.00071	0.0058	mg/Kg	10/22/25 13:43	VY102225
79-00-5	1,1,2-Trichloroethane	0.0058	U	1	0.0011	0.0058	mg/Kg	10/22/25 13:43	VY102225
591-78-6	2-Hexanone	0.029	U	1	0.0042	0.029	mg/Kg	10/22/25 13:43	VY102225
124-48-1	Dibromochloromethane	0.0058	U	1	0.0010	0.0058	mg/Kg	10/22/25 13:43	VY102225
106-93-4	1,2-Dibromoethane	0.0058	U	1	0.0010	0.0058	mg/Kg	10/22/25 13:43	VY102225
127-18-4	Tetrachloroethene	0.0058	U	1	0.0012	0.0058	mg/Kg	10/22/25 13:43	VY102225
108-90-7	Chlorobenzene	0.0058	U	1	0.0010	0.0058	mg/Kg	10/22/25 13:43	VY102225
100-41-4	Ethyl Benzene	0.0058	U	1	0.00077	0.0058	mg/Kg	10/22/25 13:43	VY102225
179601-23-1	m/p-Xylenes	0.012	U	1	0.0014	0.012	mg/Kg	10/22/25 13:43	VY102225
95-47-6	o-Xylene	0.0058	U	1	0.00094	0.0058	mg/Kg	10/22/25 13:43	VY102225
100-42-5	Styrene	0.0058	U	1	0.00082	0.0058	mg/Kg	10/22/25 13:43	VY102225
75-25-2	Bromoform	0.0058	U	1	0.00099	0.0058	mg/Kg	10/22/25 13:43	VY102225

Report of Analysis

Client: PSEG
Project: PSEG Onyx- STL
Client Sample ID: TP-8-VOC
Lab Sample ID: Q3427-03
Analytical Method: 8260D
Sample Wt/Vol: 4.78 g

Level : LOW
Final Vol: 5000 uL

Date Collected: 10/21/25
Date Received: 10/22/25
SDG No.: Q3427
Matrix: SOIL
% Solid: 90.9
Test: VOC-TCLVOA-10

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
98-82-8	Isopropylbenzene	0.0058	U	1	0.00090	0.0058	mg/Kg	10/22/25 13:43	VY102225
79-34-5	1,1,2,2-Tetrachloroethane	0.0058	U	1	0.0014	0.0058	mg/Kg	10/22/25 13:43	VY102225
541-73-1	1,3-Dichlorobenzene	0.0058	U	1	0.0020	0.0058	mg/Kg	10/22/25 13:43	VY102225
106-46-7	1,4-Dichlorobenzene	0.0058	U	1	0.0018	0.0058	mg/Kg	10/22/25 13:43	VY102225
95-50-1	1,2-Dichlorobenzene	0.0058	U	1	0.0017	0.0058	mg/Kg	10/22/25 13:43	VY102225
96-12-8	1,2-Dibromo-3-Chloropropane	0.0058	U	1	0.0021	0.0058	mg/Kg	10/22/25 13:43	VY102225
120-82-1	1,2,4-Trichlorobenzene	0.0058	U	1	0.0034	0.0058	mg/Kg	10/22/25 13:43	VY102225
87-61-6	1,2,3-Trichlorobenzene	0.0058	U	1	0.0037	0.0058	mg/Kg	10/22/25 13:43	VY102225
SURROGATES									
17060-07-0	1,2-Dichloroethane-d4	48.3			63 - 155	97%	SPK: 50		
1868-53-7	Dibromofluoromethane	49.9			70 - 134	100%	SPK: 50		
2037-26-5	Toluene-d8	48.7			74 - 123	97%	SPK: 50		
460-00-4	4-Bromofluorobenzene	44.2			17 - 146	88%	SPK: 50		
INTERNAL STANDARDS									
363-72-4	Pentafluorobenzene	895000							
540-36-3	1,4-Difluorobenzene	1450000							
3114-55-4	Chlorobenzene-d5	1230000							
3855-82-1	1,4-Dichlorobenzene-d4	534000							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products