

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-21

SDG No : N/A

Start Digest Date: 10/24/2025 Time : 12:15 Temp : N/A

Matrix : SOIL

End Digest Date: 10/24/2025 Time : 13:45 Temp : N/A

Pipette ID : N/A

Balance ID : WC SC-7

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1,MC-2

Filter paper ID : N/A

Prep Technician Signature: RM

Weigh By : RM

pH Meter ID : N/A

Supervisor Signature: 12

Standard Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP113836
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
10/24/2025 13:55	RM WC	RM WC
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB170241BL	PBS241	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3427-04DUP	TP-8DUP	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3427-04	TP-8	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3434-01	PR132-WC1-20251022	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3439-04	TP-9	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3439-08	TP-10	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3440-04	JB-2	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3449-06	CF-620-COMP-41	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3451-04	TP-11	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3451-08	TP-12	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3452-04	JB-1	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A