



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: AECOM

SDG No.: Q3434

Contract: AECO02

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
ICB86	Mercury	0.076	+/-0.2	U	0.20	CV	10/24/2025	09:23	LB137632

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: AECOM

SDG No.: Q3434

Contract: AECO02

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB83	Mercury	0.076	+/-0.2	U	0.20	CV	10/24/2025	09:30	LB137632
CCB84	Mercury	0.076	+/-0.2	U	0.20	CV	10/24/2025	10:11	LB137632
CCB85	Mercury	0.076	+/-0.2	U	0.20	CV	10/24/2025	10:43	LB137632
CCB86	Mercury	0.076	+/-0.2	U	0.20	CV	10/24/2025	11:14	LB137632
CCB87	Mercury	0.076	+/-0.2	U	0.20	CV	10/24/2025	11:38	LB137632

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: AECOM

SDG No.: Q3434

Contract: AECO02

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
ICB01	Aluminum	11.3	+/-50	U	100	P	10/24/2025	14:43	LB137662
	Antimony	6.76	+/-25	U	50.0	P	10/24/2025	14:43	LB137662
	Arsenic	5.12	+/-10	U	20.0	P	10/24/2025	14:43	LB137662
	Barium	14.6	+/-50	U	100	P	10/24/2025	14:43	LB137662
	Beryllium	0.56	+/-3	U	6.00	P	10/24/2025	14:43	LB137662
	Cadmium	0.50	+/-3	U	6.00	P	10/24/2025	14:43	LB137662
	Calcium	234	+/-1000	U	2000	P	10/24/2025	14:43	LB137662
	Chromium	2.12	+/-5	U	10.0	P	10/24/2025	14:43	LB137662
	Cobalt	2.26	+/-15	U	30.0	P	10/24/2025	14:43	LB137662
	Copper	4.60	+/-10	U	20.0	P	10/24/2025	14:43	LB137662
	Iron	23.4	+/-50	U	100	P	10/24/2025	14:43	LB137662
	Lead	2.30	+/-6	U	12.0	P	10/24/2025	14:43	LB137662
	Magnesium	244	+/-1000	U	2000	P	10/24/2025	14:43	LB137662
	Manganese	5.94	+/-10	U	20.0	P	10/24/2025	14:43	LB137662
	Nickel	3.06	+/-20	U	40.0	P	10/24/2025	14:43	LB137662
	Potassium	918	+/-1000	U	2000	P	10/24/2025	14:43	LB137662
	Selenium	9.64	+/-10	U	20.0	P	10/24/2025	14:43	LB137662
	Silver	1.62	+/-5	U	10.0	P	10/24/2025	14:43	LB137662
	Sodium	868	+/-1000	U	2000	P	10/24/2025	14:43	LB137662
	Thallium	4.38	+/-20	U	40.0	P	10/24/2025	14:43	LB137662
	Vanadium	6.26	+/-20	U	40.0	P	10/24/2025	14:43	LB137662
	Zinc	16.7	+/-20	U	40.0	P	10/24/2025	14:43	LB137662

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: AECOM

SDG No.: Q3434

Contract: AECO02

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB01	Aluminum	16.3	+/-50	J	100	P	10/24/2025	15:16	LB137662
	Antimony	6.76	+/-25	U	50.0	P	10/24/2025	15:16	LB137662
	Arsenic	5.12	+/-10	U	20.0	P	10/24/2025	15:16	LB137662
	Barium	14.6	+/-50	U	100	P	10/24/2025	15:16	LB137662
	Beryllium	0.56	+/-3	U	6.00	P	10/24/2025	15:16	LB137662
	Cadmium	0.50	+/-3	U	6.00	P	10/24/2025	15:16	LB137662
	Calcium	234	+/-1000	U	2000	P	10/24/2025	15:16	LB137662
	Chromium	2.12	+/-5	U	10.0	P	10/24/2025	15:16	LB137662
	Cobalt	2.26	+/-15	U	30.0	P	10/24/2025	15:16	LB137662
	Copper	4.60	+/-10	U	20.0	P	10/24/2025	15:16	LB137662
	Iron	23.4	+/-50	U	100	P	10/24/2025	15:16	LB137662
	Lead	2.30	+/-6	U	12.0	P	10/24/2025	15:16	LB137662
	Magnesium	244	+/-1000	U	2000	P	10/24/2025	15:16	LB137662
	Manganese	5.94	+/-10	U	20.0	P	10/24/2025	15:16	LB137662
	Nickel	3.06	+/-20	U	40.0	P	10/24/2025	15:16	LB137662
	Potassium	918	+/-1000	U	2000	P	10/24/2025	15:16	LB137662
	Selenium	9.64	+/-10	U	20.0	P	10/24/2025	15:16	LB137662
	Silver	1.62	+/-5	U	10.0	P	10/24/2025	15:16	LB137662
	Sodium	868	+/-1000	U	2000	P	10/24/2025	15:16	LB137662
	Thallium	4.38	+/-20	U	40.0	P	10/24/2025	15:16	LB137662
	Vanadium	6.26	+/-20	U	40.0	P	10/24/2025	15:16	LB137662
	Zinc	16.7	+/-20	U	40.0	P	10/24/2025	15:16	LB137662
CCB02	Aluminum	11.3	+/-50	U	100	P	10/24/2025	16:47	LB137662
	Antimony	6.76	+/-25	U	50.0	P	10/24/2025	16:47	LB137662
	Arsenic	5.12	+/-10	U	20.0	P	10/24/2025	16:47	LB137662
	Barium	14.6	+/-50	U	100	P	10/24/2025	16:47	LB137662
	Beryllium	0.56	+/-3	U	6.00	P	10/24/2025	16:47	LB137662
	Cadmium	0.50	+/-3	U	6.00	P	10/24/2025	16:47	LB137662
	Calcium	234	+/-1000	U	2000	P	10/24/2025	16:47	LB137662
	Chromium	2.12	+/-5	U	10.0	P	10/24/2025	16:47	LB137662
	Cobalt	2.26	+/-15	U	30.0	P	10/24/2025	16:47	LB137662
	Copper	4.60	+/-10	U	20.0	P	10/24/2025	16:47	LB137662
	Iron	23.4	+/-50	U	100	P	10/24/2025	16:47	LB137662
	Lead	2.30	+/-6	U	12.0	P	10/24/2025	16:47	LB137662
	Magnesium	244	+/-1000	U	2000	P	10/24/2025	16:47	LB137662
	Manganese	5.94	+/-10	U	20.0	P	10/24/2025	16:47	LB137662
	Nickel	3.06	+/-20	U	40.0	P	10/24/2025	16:47	LB137662
	Potassium	918	+/-1000	U	2000	P	10/24/2025	16:47	LB137662
	Selenium	9.64	+/-10	U	20.0	P	10/24/2025	16:47	LB137662

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: AECOM

SDG No.: Q3434

Contract: AECO02

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB02	Silver	1.62	+/-5	U	10.0	P	10/24/2025	16:47	LB137662
	Sodium	868	+/-1000	U	2000	P	10/24/2025	16:47	LB137662
	Thallium	4.38	+/-20	U	40.0	P	10/24/2025	16:47	LB137662
	Vanadium	6.26	+/-20	U	40.0	P	10/24/2025	16:47	LB137662
	Zinc	16.7	+/-20	U	40.0	P	10/24/2025	16:47	LB137662
CCB03	Aluminum	11.3	+/-50	U	100	P	10/24/2025	18:33	LB137662
	Antimony	6.76	+/-25	U	50.0	P	10/24/2025	18:33	LB137662
	Arsenic	5.12	+/-10	U	20.0	P	10/24/2025	18:33	LB137662
	Barium	14.6	+/-50	U	100	P	10/24/2025	18:33	LB137662
	Beryllium	0.56	+/-3	U	6.00	P	10/24/2025	18:33	LB137662
	Cadmium	0.50	+/-3	U	6.00	P	10/24/2025	18:33	LB137662
	Calcium	234	+/-1000	U	2000	P	10/24/2025	18:33	LB137662
	Chromium	2.12	+/-5	U	10.0	P	10/24/2025	18:33	LB137662
	Cobalt	2.26	+/-15	U	30.0	P	10/24/2025	18:33	LB137662
	Copper	4.60	+/-10	U	20.0	P	10/24/2025	18:33	LB137662
	Iron	23.4	+/-50	U	100	P	10/24/2025	18:33	LB137662
	Lead	2.30	+/-6	U	12.0	P	10/24/2025	18:33	LB137662
	Magnesium	244	+/-1000	U	2000	P	10/24/2025	18:33	LB137662
	Manganese	5.94	+/-10	U	20.0	P	10/24/2025	18:33	LB137662
	Nickel	3.06	+/-20	U	40.0	P	10/24/2025	18:33	LB137662
	Potassium	918	+/-1000	U	2000	P	10/24/2025	18:33	LB137662
	Selenium	9.64	+/-10	U	20.0	P	10/24/2025	18:33	LB137662
	Silver	1.62	+/-5	U	10.0	P	10/24/2025	18:33	LB137662
	Sodium	868	+/-1000	U	2000	P	10/24/2025	18:33	LB137662
	Thallium	4.38	+/-20	U	40.0	P	10/24/2025	18:33	LB137662
	Vanadium	6.26	+/-20	U	40.0	P	10/24/2025	18:33	LB137662
	Zinc	16.7	+/-20	U	40.0	P	10/24/2025	18:33	LB137662
CCB04	Aluminum	11.3	+/-50	U	100	P	10/24/2025	19:23	LB137662
	Antimony	6.76	+/-25	U	50.0	P	10/24/2025	19:23	LB137662
	Arsenic	5.12	+/-10	U	20.0	P	10/24/2025	19:23	LB137662
	Barium	14.6	+/-50	U	100	P	10/24/2025	19:23	LB137662
	Beryllium	0.56	+/-3	U	6.00	P	10/24/2025	19:23	LB137662
	Cadmium	0.50	+/-3	U	6.00	P	10/24/2025	19:23	LB137662
	Calcium	234	+/-1000	U	2000	P	10/24/2025	19:23	LB137662
	Chromium	2.12	+/-5	U	10.0	P	10/24/2025	19:23	LB137662
	Cobalt	2.26	+/-15	U	30.0	P	10/24/2025	19:23	LB137662
	Copper	4.60	+/-10	U	20.0	P	10/24/2025	19:23	LB137662
	Iron	23.4	+/-50	U	100	P	10/24/2025	19:23	LB137662
	Lead	2.30	+/-6	U	12.0	P	10/24/2025	19:23	LB137662

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: AECOM

SDG No.: Q3434

Contract: AECO02

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB04	Magnesium	244	+/-1000	U	2000	P	10/24/2025	19:23	LB137662
	Manganese	5.94	+/-10	U	20.0	P	10/24/2025	19:23	LB137662
	Nickel	3.06	+/-20	U	40.0	P	10/24/2025	19:23	LB137662
	Potassium	918	+/-1000	U	2000	P	10/24/2025	19:23	LB137662
	Selenium	9.64	+/-10	U	20.0	P	10/24/2025	19:23	LB137662
	Silver	1.62	+/-5	U	10.0	P	10/24/2025	19:23	LB137662
	Sodium	999	+/-1000	J	2000	P	10/24/2025	19:23	LB137662
	Thallium	4.38	+/-20	U	40.0	P	10/24/2025	19:23	LB137662
	Vanadium	6.26	+/-20	U	40.0	P	10/24/2025	19:23	LB137662
	Zinc	16.7	+/-20	U	40.0	P	10/24/2025	19:23	LB137662
CCB05	Aluminum	11.3	+/-50	U	100	P	10/24/2025	20:10	LB137662
	Antimony	6.76	+/-25	U	50.0	P	10/24/2025	20:10	LB137662
	Arsenic	5.12	+/-10	U	20.0	P	10/24/2025	20:10	LB137662
	Barium	14.6	+/-50	U	100	P	10/24/2025	20:10	LB137662
	Beryllium	0.56	+/-3	U	6.00	P	10/24/2025	20:10	LB137662
	Cadmium	0.50	+/-3	U	6.00	P	10/24/2025	20:10	LB137662
	Calcium	234	+/-1000	U	2000	P	10/24/2025	20:10	LB137662
	Chromium	2.12	+/-5	U	10.0	P	10/24/2025	20:10	LB137662
	Cobalt	2.26	+/-15	U	30.0	P	10/24/2025	20:10	LB137662
	Copper	4.82	+/-10	J	20.0	P	10/24/2025	20:10	LB137662
	Iron	23.4	+/-50	U	100	P	10/24/2025	20:10	LB137662
	Lead	2.30	+/-6	U	12.0	P	10/24/2025	20:10	LB137662
	Magnesium	244	+/-1000	U	2000	P	10/24/2025	20:10	LB137662
	Manganese	5.94	+/-10	U	20.0	P	10/24/2025	20:10	LB137662
	Nickel	3.06	+/-20	U	40.0	P	10/24/2025	20:10	LB137662
	Potassium	918	+/-1000	U	2000	P	10/24/2025	20:10	LB137662
	Selenium	9.64	+/-10	U	20.0	P	10/24/2025	20:10	LB137662
	Silver	1.62	+/-5	U	10.0	P	10/24/2025	20:10	LB137662
	Sodium	1260	+/-1000	J*	2000	P	10/24/2025	20:10	LB137662
	Thallium	4.38	+/-20	U	40.0	P	10/24/2025	20:10	LB137662
	Vanadium	6.26	+/-20	U	40.0	P	10/24/2025	20:10	LB137662
	Zinc	16.7	+/-20	U	40.0	P	10/24/2025	20:10	LB137662

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: AECOM

SDG No.: Q3434

Contract: AECO02

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
ICB01	Aluminum	11.3	+/-50	U	100	P	10/28/2025	12:38	LB137677
	Antimony	6.76	+/-25	U	50.0	P	10/28/2025	12:38	LB137677
	Arsenic	5.12	+/-10	U	20.0	P	10/28/2025	12:38	LB137677
	Barium	14.6	+/-50	U	100	P	10/28/2025	12:38	LB137677
	Beryllium	0.56	+/-3	U	6.00	P	10/28/2025	12:38	LB137677
	Cadmium	0.50	+/-3	U	6.00	P	10/28/2025	12:38	LB137677
	Calcium	234	+/-1000	U	2000	P	10/28/2025	12:38	LB137677
	Chromium	2.12	+/-5	U	10.0	P	10/28/2025	12:38	LB137677
	Cobalt	2.26	+/-15	U	30.0	P	10/28/2025	12:38	LB137677
	Copper	4.60	+/-10	U	20.0	P	10/28/2025	12:38	LB137677
	Iron	23.4	+/-50	U	100	P	10/28/2025	12:38	LB137677
	Lead	2.30	+/-6	U	12.0	P	10/28/2025	12:38	LB137677
	Magnesium	244	+/-1000	U	2000	P	10/28/2025	12:38	LB137677
	Manganese	5.94	+/-10	U	20.0	P	10/28/2025	12:38	LB137677
	Nickel	3.06	+/-20	U	40.0	P	10/28/2025	12:38	LB137677
	Potassium	918	+/-1000	U	2000	P	10/28/2025	12:38	LB137677
	Selenium	9.64	+/-10	U	20.0	P	10/28/2025	12:38	LB137677
	Silver	1.62	+/-5	U	10.0	P	10/28/2025	12:38	LB137677
	Sodium	868	+/-1000	U	2000	P	10/28/2025	12:38	LB137677
	Thallium	4.38	+/-20	U	40.0	P	10/28/2025	12:38	LB137677
	Vanadium	6.26	+/-20	U	40.0	P	10/28/2025	12:38	LB137677
	Zinc	16.7	+/-20	U	40.0	P	10/28/2025	12:38	LB137677

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: AECOM

SDG No.: Q3434

Contract: AECO02

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB01	Aluminum	23.5	+/-50	J	100	P	10/28/2025	13:08	LB137677
	Antimony	6.76	+/-25	U	50.0	P	10/28/2025	13:08	LB137677
	Arsenic	5.12	+/-10	U	20.0	P	10/28/2025	13:08	LB137677
	Barium	14.6	+/-50	U	100	P	10/28/2025	13:08	LB137677
	Beryllium	0.56	+/-3	U	6.00	P	10/28/2025	13:08	LB137677
	Cadmium	0.50	+/-3	U	6.00	P	10/28/2025	13:08	LB137677
	Calcium	234	+/-1000	U	2000	P	10/28/2025	13:08	LB137677
	Chromium	2.12	+/-5	U	10.0	P	10/28/2025	13:08	LB137677
	Cobalt	2.26	+/-15	U	30.0	P	10/28/2025	13:08	LB137677
	Copper	4.60	+/-10	U	20.0	P	10/28/2025	13:08	LB137677
	Iron	23.4	+/-50	U	100	P	10/28/2025	13:08	LB137677
	Lead	2.30	+/-6	U	12.0	P	10/28/2025	13:08	LB137677
	Magnesium	244	+/-1000	U	2000	P	10/28/2025	13:08	LB137677
	Manganese	5.94	+/-10	U	20.0	P	10/28/2025	13:08	LB137677
	Nickel	3.06	+/-20	U	40.0	P	10/28/2025	13:08	LB137677
	Potassium	918	+/-1000	U	2000	P	10/28/2025	13:08	LB137677
	Selenium	9.64	+/-10	U	20.0	P	10/28/2025	13:08	LB137677
	Silver	1.62	+/-5	U	10.0	P	10/28/2025	13:08	LB137677
	Sodium	868	+/-1000	U	2000	P	10/28/2025	13:08	LB137677
	Thallium	4.38	+/-20	U	40.0	P	10/28/2025	13:08	LB137677
	Vanadium	6.26	+/-20	U	40.0	P	10/28/2025	13:08	LB137677
	Zinc	16.7	+/-20	U	40.0	P	10/28/2025	13:08	LB137677
CCB02	Aluminum	14.8	+/-50	J	100	P	10/28/2025	14:05	LB137677
	Antimony	6.76	+/-25	U	50.0	P	10/28/2025	14:05	LB137677
	Arsenic	5.12	+/-10	U	20.0	P	10/28/2025	14:05	LB137677
	Barium	14.6	+/-50	U	100	P	10/28/2025	14:05	LB137677
	Beryllium	0.56	+/-3	U	6.00	P	10/28/2025	14:05	LB137677
	Cadmium	0.50	+/-3	U	6.00	P	10/28/2025	14:05	LB137677
	Calcium	234	+/-1000	U	2000	P	10/28/2025	14:05	LB137677
	Chromium	2.12	+/-5	U	10.0	P	10/28/2025	14:05	LB137677
	Cobalt	2.26	+/-15	U	30.0	P	10/28/2025	14:05	LB137677
	Copper	4.60	+/-10	U	20.0	P	10/28/2025	14:05	LB137677
	Iron	23.4	+/-50	U	100	P	10/28/2025	14:05	LB137677
	Lead	2.30	+/-6	U	12.0	P	10/28/2025	14:05	LB137677
	Magnesium	244	+/-1000	U	2000	P	10/28/2025	14:05	LB137677
	Manganese	5.94	+/-10	U	20.0	P	10/28/2025	14:05	LB137677
	Nickel	3.06	+/-20	U	40.0	P	10/28/2025	14:05	LB137677
	Potassium	918	+/-1000	U	2000	P	10/28/2025	14:05	LB137677
	Selenium	9.64	+/-10	U	20.0	P	10/28/2025	14:05	LB137677

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: AECOM

SDG No.: Q3434

Contract: AECO02

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB02	Silver	1.62	+/-5	U	10.0	P	10/28/2025	14:05	LB137677
	Sodium	868	+/-1000	U	2000	P	10/28/2025	14:05	LB137677
	Thallium	4.38	+/-20	U	40.0	P	10/28/2025	14:05	LB137677
	Vanadium	6.26	+/-20	U	40.0	P	10/28/2025	14:05	LB137677
	Zinc	16.7	+/-20	U	40.0	P	10/28/2025	14:05	LB137677
CCB03	Aluminum	11.3	+/-50	U	100	P	10/28/2025	14:57	LB137677
	Antimony	6.76	+/-25	U	50.0	P	10/28/2025	14:57	LB137677
	Arsenic	5.12	+/-10	U	20.0	P	10/28/2025	14:57	LB137677
	Barium	14.6	+/-50	U	100	P	10/28/2025	14:57	LB137677
	Beryllium	0.56	+/-3	U	6.00	P	10/28/2025	14:57	LB137677
	Cadmium	0.50	+/-3	U	6.00	P	10/28/2025	14:57	LB137677
	Calcium	234	+/-1000	U	2000	P	10/28/2025	14:57	LB137677
	Chromium	2.12	+/-5	U	10.0	P	10/28/2025	14:57	LB137677
	Cobalt	2.26	+/-15	U	30.0	P	10/28/2025	14:57	LB137677
	Copper	4.60	+/-10	U	20.0	P	10/28/2025	14:57	LB137677
	Iron	30.0	+/-50	J	100	P	10/28/2025	14:57	LB137677
	Lead	2.30	+/-6	U	12.0	P	10/28/2025	14:57	LB137677
	Magnesium	244	+/-1000	U	2000	P	10/28/2025	14:57	LB137677
	Manganese	5.94	+/-10	U	20.0	P	10/28/2025	14:57	LB137677
	Nickel	3.06	+/-20	U	40.0	P	10/28/2025	14:57	LB137677
	Potassium	918	+/-1000	U	2000	P	10/28/2025	14:57	LB137677
	Selenium	9.64	+/-10	U	20.0	P	10/28/2025	14:57	LB137677
	Silver	1.62	+/-5	U	10.0	P	10/28/2025	14:57	LB137677
	Sodium	868	+/-1000	U	2000	P	10/28/2025	14:57	LB137677
	Thallium	4.38	+/-20	U	40.0	P	10/28/2025	14:57	LB137677
	Vanadium	6.26	+/-20	U	40.0	P	10/28/2025	14:57	LB137677
	Zinc	16.7	+/-20	U	40.0	P	10/28/2025	14:57	LB137677
CCB04	Aluminum	11.3	+/-50	U	100	P	10/28/2025	15:49	LB137677
	Antimony	6.76	+/-25	U	50.0	P	10/28/2025	15:49	LB137677
	Arsenic	5.12	+/-10	U	20.0	P	10/28/2025	15:49	LB137677
	Barium	14.6	+/-50	U	100	P	10/28/2025	15:49	LB137677
	Beryllium	0.56	+/-3	U	6.00	P	10/28/2025	15:49	LB137677
	Cadmium	0.50	+/-3	U	6.00	P	10/28/2025	15:49	LB137677
	Calcium	234	+/-1000	U	2000	P	10/28/2025	15:49	LB137677
	Chromium	2.12	+/-5	U	10.0	P	10/28/2025	15:49	LB137677
	Cobalt	2.26	+/-15	U	30.0	P	10/28/2025	15:49	LB137677
	Copper	4.60	+/-10	U	20.0	P	10/28/2025	15:49	LB137677
	Iron	23.4	+/-50	U	100	P	10/28/2025	15:49	LB137677
	Lead	2.30	+/-6	U	12.0	P	10/28/2025	15:49	LB137677

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: AECOM

SDG No.: Q3434

Contract: AECO02

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB04	Magnesium	244	+/-1000	U	2000	P	10/28/2025	15:49	LB137677
	Manganese	5.94	+/-10	U	20.0	P	10/28/2025	15:49	LB137677
	Nickel	3.06	+/-20	U	40.0	P	10/28/2025	15:49	LB137677
	Potassium	918	+/-1000	U	2000	P	10/28/2025	15:49	LB137677
	Selenium	9.64	+/-10	U	20.0	P	10/28/2025	15:49	LB137677
	Silver	1.62	+/-5	U	10.0	P	10/28/2025	15:49	LB137677
	Sodium	868	+/-1000	U	2000	P	10/28/2025	15:49	LB137677
	Thallium	4.38	+/-20	U	40.0	P	10/28/2025	15:49	LB137677
	Vanadium	6.26	+/-20	U	40.0	P	10/28/2025	15:49	LB137677
	Zinc	16.7	+/-20	U	40.0	P	10/28/2025	15:49	LB137677
CCB05	Aluminum	11.3	+/-50	U	100	P	10/28/2025	16:39	LB137677
	Antimony	6.76	+/-25	U	50.0	P	10/28/2025	16:39	LB137677
	Arsenic	5.12	+/-10	U	20.0	P	10/28/2025	16:39	LB137677
	Barium	14.6	+/-50	U	100	P	10/28/2025	16:39	LB137677
	Beryllium	0.56	+/-3	U	6.00	P	10/28/2025	16:39	LB137677
	Cadmium	0.50	+/-3	U	6.00	P	10/28/2025	16:39	LB137677
	Calcium	234	+/-1000	U	2000	P	10/28/2025	16:39	LB137677
	Chromium	2.12	+/-5	U	10.0	P	10/28/2025	16:39	LB137677
	Cobalt	2.26	+/-15	U	30.0	P	10/28/2025	16:39	LB137677
	Copper	4.60	+/-10	U	20.0	P	10/28/2025	16:39	LB137677
	Iron	23.4	+/-50	U	100	P	10/28/2025	16:39	LB137677
	Lead	2.30	+/-6	U	12.0	P	10/28/2025	16:39	LB137677
	Magnesium	244	+/-1000	U	2000	P	10/28/2025	16:39	LB137677
	Manganese	5.94	+/-10	U	20.0	P	10/28/2025	16:39	LB137677
	Nickel	3.06	+/-20	U	40.0	P	10/28/2025	16:39	LB137677
	Potassium	918	+/-1000	U	2000	P	10/28/2025	16:39	LB137677
	Selenium	9.64	+/-10	U	20.0	P	10/28/2025	16:39	LB137677
	Silver	1.62	+/-5	U	10.0	P	10/28/2025	16:39	LB137677
	Sodium	868	+/-1000	U	2000	P	10/28/2025	16:39	LB137677
	Thallium	4.38	+/-20	U	40.0	P	10/28/2025	16:39	LB137677
	Vanadium	6.26	+/-20	U	40.0	P	10/28/2025	16:39	LB137677
	Zinc	16.7	+/-20	U	40.0	P	10/28/2025	16:39	LB137677
CCB06	Aluminum	11.3	+/-50	U	100	P	10/28/2025	17:32	LB137677
	Antimony	6.76	+/-25	U	50.0	P	10/28/2025	17:32	LB137677
	Arsenic	5.12	+/-10	U	20.0	P	10/28/2025	17:32	LB137677
	Barium	14.6	+/-50	U	100	P	10/28/2025	17:32	LB137677
	Beryllium	0.56	+/-3	U	6.00	P	10/28/2025	17:32	LB137677
	Cadmium	0.50	+/-3	U	6.00	P	10/28/2025	17:32	LB137677
	Calcium	234	+/-1000	U	2000	P	10/28/2025	17:32	LB137677

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: AECOM

SDG No.: Q3434

Contract: AECO02

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB06	Chromium	2.12	+/-5	U	10.0	P	10/28/2025	17:32	LB137677
	Cobalt	2.26	+/-15	U	30.0	P	10/28/2025	17:32	LB137677
	Copper	4.60	+/-10	U	20.0	P	10/28/2025	17:32	LB137677
	Iron	23.4	+/-50	U	100	P	10/28/2025	17:32	LB137677
	Lead	2.30	+/-6	U	12.0	P	10/28/2025	17:32	LB137677
	Magnesium	244	+/-1000	U	2000	P	10/28/2025	17:32	LB137677
	Manganese	5.94	+/-10	U	20.0	P	10/28/2025	17:32	LB137677
	Nickel	3.06	+/-20	U	40.0	P	10/28/2025	17:32	LB137677
	Potassium	918	+/-1000	U	2000	P	10/28/2025	17:32	LB137677
	Selenium	9.64	+/-10	U	20.0	P	10/28/2025	17:32	LB137677
	Silver	1.62	+/-5	U	10.0	P	10/28/2025	17:32	LB137677
	Sodium	868	+/-1000	U	2000	P	10/28/2025	17:32	LB137677
	Thallium	4.38	+/-20	U	40.0	P	10/28/2025	17:32	LB137677
	Vanadium	6.26	+/-20	U	40.0	P	10/28/2025	17:32	LB137677
	Zinc	16.7	+/-20	U	40.0	P	10/28/2025	17:32	LB137677
CCB07	Aluminum	11.3	+/-50	U	100	P	10/28/2025	18:21	LB137677
	Antimony	6.76	+/-25	U	50.0	P	10/28/2025	18:21	LB137677
	Arsenic	5.12	+/-10	U	20.0	P	10/28/2025	18:21	LB137677
	Barium	14.6	+/-50	U	100	P	10/28/2025	18:21	LB137677
	Beryllium	0.56	+/-3	U	6.00	P	10/28/2025	18:21	LB137677
	Cadmium	0.50	+/-3	U	6.00	P	10/28/2025	18:21	LB137677
	Calcium	234	+/-1000	U	2000	P	10/28/2025	18:21	LB137677
	Chromium	2.12	+/-5	U	10.0	P	10/28/2025	18:21	LB137677
	Cobalt	2.26	+/-15	U	30.0	P	10/28/2025	18:21	LB137677
	Copper	4.60	+/-10	U	20.0	P	10/28/2025	18:21	LB137677
	Iron	23.4	+/-50	U	100	P	10/28/2025	18:21	LB137677
	Lead	2.30	+/-6	U	12.0	P	10/28/2025	18:21	LB137677
	Magnesium	244	+/-1000	U	2000	P	10/28/2025	18:21	LB137677
	Manganese	5.94	+/-10	U	20.0	P	10/28/2025	18:21	LB137677
	Nickel	3.06	+/-20	U	40.0	P	10/28/2025	18:21	LB137677
	Potassium	918	+/-1000	U	2000	P	10/28/2025	18:21	LB137677
	Selenium	9.64	+/-10	U	20.0	P	10/28/2025	18:21	LB137677
	Silver	1.62	+/-5	U	10.0	P	10/28/2025	18:21	LB137677
	Sodium	868	+/-1000	U	2000	P	10/28/2025	18:21	LB137677
	Thallium	4.38	+/-20	U	40.0	P	10/28/2025	18:21	LB137677
	Vanadium	6.26	+/-20	U	40.0	P	10/28/2025	18:21	LB137677
	Zinc	16.7	+/-20	U	40.0	P	10/28/2025	18:21	LB137677
CCB08	Aluminum	11.3	+/-50	U	100	P	10/28/2025	19:10	LB137677
	Antimony	6.76	+/-25	U	50.0	P	10/28/2025	19:10	LB137677

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: AECOM

SDG No.: Q3434

Contract: AECO02

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB08	Arsenic	5.12	+/-10	U	20.0	P	10/28/2025	19:10	LB137677
	Barium	14.6	+/-50	U	100	P	10/28/2025	19:10	LB137677
	Beryllium	0.56	+/-3	U	6.00	P	10/28/2025	19:10	LB137677
	Cadmium	0.50	+/-3	U	6.00	P	10/28/2025	19:10	LB137677
	Calcium	234	+/-1000	U	2000	P	10/28/2025	19:10	LB137677
	Chromium	2.12	+/-5	U	10.0	P	10/28/2025	19:10	LB137677
	Cobalt	2.26	+/-15	U	30.0	P	10/28/2025	19:10	LB137677
	Copper	4.60	+/-10	U	20.0	P	10/28/2025	19:10	LB137677
	Iron	23.4	+/-50	U	100	P	10/28/2025	19:10	LB137677
	Lead	2.30	+/-6	U	12.0	P	10/28/2025	19:10	LB137677
	Magnesium	244	+/-1000	U	2000	P	10/28/2025	19:10	LB137677
	Manganese	5.94	+/-10	U	20.0	P	10/28/2025	19:10	LB137677
	Nickel	3.06	+/-20	U	40.0	P	10/28/2025	19:10	LB137677
	Potassium	918	+/-1000	U	2000	P	10/28/2025	19:10	LB137677
	Selenium	9.64	+/-10	U	20.0	P	10/28/2025	19:10	LB137677
	Silver	1.62	+/-5	U	10.0	P	10/28/2025	19:10	LB137677
	Sodium	868	+/-1000	U	2000	P	10/28/2025	19:10	LB137677
	Thallium	4.38	+/-20	U	40.0	P	10/28/2025	19:10	LB137677
	Vanadium	6.26	+/-20	U	40.0	P	10/28/2025	19:10	LB137677
	Zinc	16.7	+/-20	U	40.0	P	10/28/2025	19:10	LB137677
CCB09	Aluminum	11.3	+/-50	U	100	P	10/28/2025	20:02	LB137677
	Antimony	6.76	+/-25	U	50.0	P	10/28/2025	20:02	LB137677
	Arsenic	5.12	+/-10	U	20.0	P	10/28/2025	20:02	LB137677
	Barium	14.6	+/-50	U	100	P	10/28/2025	20:02	LB137677
	Beryllium	0.56	+/-3	U	6.00	P	10/28/2025	20:02	LB137677
	Cadmium	0.50	+/-3	U	6.00	P	10/28/2025	20:02	LB137677
	Calcium	234	+/-1000	U	2000	P	10/28/2025	20:02	LB137677
	Chromium	2.12	+/-5	U	10.0	P	10/28/2025	20:02	LB137677
	Cobalt	2.26	+/-15	U	30.0	P	10/28/2025	20:02	LB137677
	Copper	4.60	+/-10	U	20.0	P	10/28/2025	20:02	LB137677
	Iron	23.4	+/-50	U	100	P	10/28/2025	20:02	LB137677
	Lead	2.30	+/-6	U	12.0	P	10/28/2025	20:02	LB137677
	Magnesium	244	+/-1000	U	2000	P	10/28/2025	20:02	LB137677
	Manganese	5.94	+/-10	U	20.0	P	10/28/2025	20:02	LB137677
	Nickel	3.06	+/-20	U	40.0	P	10/28/2025	20:02	LB137677
	Potassium	918	+/-1000	U	2000	P	10/28/2025	20:02	LB137677
	Selenium	9.64	+/-10	U	20.0	P	10/28/2025	20:02	LB137677
	Silver	1.62	+/-5	U	10.0	P	10/28/2025	20:02	LB137677
	Sodium	868	+/-1000	U	2000	P	10/28/2025	20:02	LB137677

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: AECOM

SDG No.: Q3434

Contract: AECO02

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB09	Thallium	4.38	+/-20	U	40.0	P	10/28/2025	20:02	LB137677
	Vanadium	6.26	+/-20	U	40.0	P	10/28/2025	20:02	LB137677
	Zinc	16.7	+/-20	U	40.0	P	10/28/2025	20:02	LB137677
CCB10	Aluminum	14.4	+/-50	J	100	P	10/28/2025	20:54	LB137677
	Antimony	6.76	+/-25	U	50.0	P	10/28/2025	20:54	LB137677
	Arsenic	5.12	+/-10	U	20.0	P	10/28/2025	20:54	LB137677
	Barium	14.6	+/-50	U	100	P	10/28/2025	20:54	LB137677
	Beryllium	0.56	+/-3	U	6.00	P	10/28/2025	20:54	LB137677
	Cadmium	0.50	+/-3	U	6.00	P	10/28/2025	20:54	LB137677
	Calcium	234	+/-1000	U	2000	P	10/28/2025	20:54	LB137677
	Chromium	2.12	+/-5	U	10.0	P	10/28/2025	20:54	LB137677
	Cobalt	2.26	+/-15	U	30.0	P	10/28/2025	20:54	LB137677
	Copper	4.60	+/-10	U	20.0	P	10/28/2025	20:54	LB137677
	Iron	70.4	+/-50	J*	100	P	10/28/2025	20:54	LB137677
	Lead	2.30	+/-6	U	12.0	P	10/28/2025	20:54	LB137677
	Magnesium	244	+/-1000	U	2000	P	10/28/2025	20:54	LB137677
	Manganese	5.94	+/-10	U	20.0	P	10/28/2025	20:54	LB137677
	Nickel	3.06	+/-20	U	40.0	P	10/28/2025	20:54	LB137677
	Potassium	918	+/-1000	U	2000	P	10/28/2025	20:54	LB137677
	Selenium	9.64	+/-10	U	20.0	P	10/28/2025	20:54	LB137677
	Silver	1.62	+/-5	U	10.0	P	10/28/2025	20:54	LB137677
	Sodium	868	+/-1000	U	2000	P	10/28/2025	20:54	LB137677
	Thallium	4.38	+/-20	U	40.0	P	10/28/2025	20:54	LB137677
	Vanadium	6.26	+/-20	U	40.0	P	10/28/2025	20:54	LB137677
	Zinc	16.7	+/-20	U	40.0	P	10/28/2025	20:54	LB137677

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: AECOM

SDG No.: Q3434

Contract: AECO02

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
ICB01	Aluminum	11.3	+/-50	U	100	P	10/29/2025	14:12	LB137697
	Antimony	6.76	+/-25	U	50.0	P	10/29/2025	14:12	LB137697
	Arsenic	5.12	+/-10	U	20.0	P	10/29/2025	14:12	LB137697
	Barium	14.6	+/-50	U	100	P	10/29/2025	14:12	LB137697
	Beryllium	0.56	+/-3	U	6.00	P	10/29/2025	14:12	LB137697
	Cadmium	0.50	+/-3	U	6.00	P	10/29/2025	14:12	LB137697
	Calcium	234	+/-1000	U	2000	P	10/29/2025	14:12	LB137697
	Chromium	2.12	+/-5	U	10.0	P	10/29/2025	14:12	LB137697
	Cobalt	2.26	+/-15	U	30.0	P	10/29/2025	14:12	LB137697
	Copper	4.60	+/-10	U	20.0	P	10/29/2025	14:12	LB137697
	Iron	23.4	+/-50	U	100	P	10/29/2025	14:12	LB137697
	Lead	2.30	+/-6	U	12.0	P	10/29/2025	14:12	LB137697
	Magnesium	244	+/-1000	U	2000	P	10/29/2025	14:12	LB137697
	Manganese	5.94	+/-10	U	20.0	P	10/29/2025	14:12	LB137697
	Nickel	3.06	+/-20	U	40.0	P	10/29/2025	14:12	LB137697
	Potassium	918	+/-1000	U	2000	P	10/29/2025	14:12	LB137697
	Selenium	9.64	+/-10	U	20.0	P	10/29/2025	14:12	LB137697
	Silver	1.62	+/-5	U	10.0	P	10/29/2025	14:12	LB137697
	Sodium	868	+/-1000	U	2000	P	10/29/2025	14:12	LB137697
	Thallium	4.38	+/-20	U	40.0	P	10/29/2025	14:12	LB137697
	Vanadium	6.26	+/-20	U	40.0	P	10/29/2025	14:12	LB137697
	Zinc	16.7	+/-20	U	40.0	P	10/29/2025	14:12	LB137697

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: AECOM

SDG No.: Q3434

Contract: AECO02

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB01	Aluminum	11.3	+/-50	U	100	P	10/29/2025	14:41	LB137697
	Antimony	6.76	+/-25	U	50.0	P	10/29/2025	14:41	LB137697
	Arsenic	5.12	+/-10	U	20.0	P	10/29/2025	14:41	LB137697
	Barium	14.6	+/-50	U	100	P	10/29/2025	14:41	LB137697
	Beryllium	0.56	+/-3	U	6.00	P	10/29/2025	14:41	LB137697
	Cadmium	0.50	+/-3	U	6.00	P	10/29/2025	14:41	LB137697
	Calcium	234	+/-1000	U	2000	P	10/29/2025	14:41	LB137697
	Chromium	2.12	+/-5	U	10.0	P	10/29/2025	14:41	LB137697
	Cobalt	2.26	+/-15	U	30.0	P	10/29/2025	14:41	LB137697
	Copper	4.60	+/-10	U	20.0	P	10/29/2025	14:41	LB137697
	Iron	23.4	+/-50	U	100	P	10/29/2025	14:41	LB137697
	Lead	2.30	+/-6	U	12.0	P	10/29/2025	14:41	LB137697
	Magnesium	244	+/-1000	U	2000	P	10/29/2025	14:41	LB137697
	Manganese	5.94	+/-10	U	20.0	P	10/29/2025	14:41	LB137697
	Nickel	3.06	+/-20	U	40.0	P	10/29/2025	14:41	LB137697
	Potassium	918	+/-1000	U	2000	P	10/29/2025	14:41	LB137697
	Selenium	9.64	+/-10	U	20.0	P	10/29/2025	14:41	LB137697
	Silver	1.62	+/-5	U	10.0	P	10/29/2025	14:41	LB137697
	Sodium	868	+/-1000	U	2000	P	10/29/2025	14:41	LB137697
	Thallium	4.38	+/-20	U	40.0	P	10/29/2025	14:41	LB137697
	Vanadium	6.26	+/-20	U	40.0	P	10/29/2025	14:41	LB137697
	Zinc	16.7	+/-20	U	40.0	P	10/29/2025	14:41	LB137697
CCB02	Aluminum	11.3	+/-50	U	100	P	10/29/2025	15:48	LB137697
	Antimony	6.76	+/-25	U	50.0	P	10/29/2025	15:48	LB137697
	Arsenic	5.12	+/-10	U	20.0	P	10/29/2025	15:48	LB137697
	Barium	14.6	+/-50	U	100	P	10/29/2025	15:48	LB137697
	Beryllium	0.56	+/-3	U	6.00	P	10/29/2025	15:48	LB137697
	Cadmium	0.50	+/-3	U	6.00	P	10/29/2025	15:48	LB137697
	Calcium	234	+/-1000	U	2000	P	10/29/2025	15:48	LB137697
	Chromium	2.12	+/-5	U	10.0	P	10/29/2025	15:48	LB137697
	Cobalt	2.26	+/-15	U	30.0	P	10/29/2025	15:48	LB137697
	Copper	4.60	+/-10	U	20.0	P	10/29/2025	15:48	LB137697
	Iron	23.4	+/-50	U	100	P	10/29/2025	15:48	LB137697
	Lead	2.30	+/-6	U	12.0	P	10/29/2025	15:48	LB137697
	Magnesium	244	+/-1000	U	2000	P	10/29/2025	15:48	LB137697
	Manganese	5.94	+/-10	U	20.0	P	10/29/2025	15:48	LB137697
	Nickel	3.06	+/-20	U	40.0	P	10/29/2025	15:48	LB137697
	Potassium	918	+/-1000	U	2000	P	10/29/2025	15:48	LB137697
	Selenium	9.64	+/-10	U	20.0	P	10/29/2025	15:48	LB137697

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: AECOM

SDG No.: Q3434

Contract: AECO02

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB02	Silver	1.62	+/-5	U	10.0	P	10/29/2025	15:48	LB137697
	Sodium	868	+/-1000	U	2000	P	10/29/2025	15:48	LB137697
	Thallium	4.38	+/-20	U	40.0	P	10/29/2025	15:48	LB137697
	Vanadium	6.26	+/-20	U	40.0	P	10/29/2025	15:48	LB137697
	Zinc	16.7	+/-20	U	40.0	P	10/29/2025	15:48	LB137697
CCB03	Aluminum	11.3	+/-50	U	100	P	10/29/2025	16:41	LB137697
	Antimony	6.76	+/-25	U	50.0	P	10/29/2025	16:41	LB137697
	Arsenic	5.12	+/-10	U	20.0	P	10/29/2025	16:41	LB137697
	Barium	14.6	+/-50	U	100	P	10/29/2025	16:41	LB137697
	Beryllium	0.56	+/-3	U	6.00	P	10/29/2025	16:41	LB137697
	Cadmium	0.50	+/-3	U	6.00	P	10/29/2025	16:41	LB137697
	Calcium	234	+/-1000	U	2000	P	10/29/2025	16:41	LB137697
	Chromium	2.12	+/-5	U	10.0	P	10/29/2025	16:41	LB137697
	Cobalt	2.26	+/-15	U	30.0	P	10/29/2025	16:41	LB137697
	Copper	4.60	+/-10	U	20.0	P	10/29/2025	16:41	LB137697
	Iron	29.0	+/-50	J	100	P	10/29/2025	16:41	LB137697
	Lead	2.30	+/-6	U	12.0	P	10/29/2025	16:41	LB137697
	Magnesium	244	+/-1000	U	2000	P	10/29/2025	16:41	LB137697
	Manganese	5.94	+/-10	U	20.0	P	10/29/2025	16:41	LB137697
	Nickel	3.06	+/-20	U	40.0	P	10/29/2025	16:41	LB137697
	Potassium	918	+/-1000	U	2000	P	10/29/2025	16:41	LB137697
	Selenium	9.64	+/-10	U	20.0	P	10/29/2025	16:41	LB137697
	Silver	1.62	+/-5	U	10.0	P	10/29/2025	16:41	LB137697
	Sodium	868	+/-1000	U	2000	P	10/29/2025	16:41	LB137697
	Thallium	4.38	+/-20	U	40.0	P	10/29/2025	16:41	LB137697
	Vanadium	6.26	+/-20	U	40.0	P	10/29/2025	16:41	LB137697
	Zinc	16.7	+/-20	U	40.0	P	10/29/2025	16:41	LB137697
CCB04	Aluminum	11.3	+/-50	U	100	P	10/29/2025	17:31	LB137697
	Antimony	6.76	+/-25	U	50.0	P	10/29/2025	17:31	LB137697
	Arsenic	5.12	+/-10	U	20.0	P	10/29/2025	17:31	LB137697
	Barium	14.6	+/-50	U	100	P	10/29/2025	17:31	LB137697
	Beryllium	0.56	+/-3	U	6.00	P	10/29/2025	17:31	LB137697
	Cadmium	0.50	+/-3	U	6.00	P	10/29/2025	17:31	LB137697
	Calcium	234	+/-1000	U	2000	P	10/29/2025	17:31	LB137697
	Chromium	2.12	+/-5	U	10.0	P	10/29/2025	17:31	LB137697
	Cobalt	2.26	+/-15	U	30.0	P	10/29/2025	17:31	LB137697
	Copper	4.60	+/-10	U	20.0	P	10/29/2025	17:31	LB137697
	Iron	23.4	+/-50	U	100	P	10/29/2025	17:31	LB137697
	Lead	2.30	+/-6	U	12.0	P	10/29/2025	17:31	LB137697

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: AECOM

SDG No.: Q3434

Contract: AECO02

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB04	Magnesium	244	+/-1000	U	2000	P	10/29/2025	17:31	LB137697
	Manganese	5.94	+/-10	U	20.0	P	10/29/2025	17:31	LB137697
	Nickel	3.06	+/-20	U	40.0	P	10/29/2025	17:31	LB137697
	Potassium	918	+/-1000	U	2000	P	10/29/2025	17:31	LB137697
	Selenium	9.64	+/-10	U	20.0	P	10/29/2025	17:31	LB137697
	Silver	1.62	+/-5	U	10.0	P	10/29/2025	17:31	LB137697
	Sodium	868	+/-1000	U	2000	P	10/29/2025	17:31	LB137697
	Thallium	4.38	+/-20	U	40.0	P	10/29/2025	17:31	LB137697
	Vanadium	6.26	+/-20	U	40.0	P	10/29/2025	17:31	LB137697
	Zinc	16.7	+/-20	U	40.0	P	10/29/2025	17:31	LB137697
CCB05	Aluminum	12.2	+/-50	J	100	P	10/29/2025	18:07	LB137697
	Antimony	6.76	+/-25	U	50.0	P	10/29/2025	18:07	LB137697
	Arsenic	5.12	+/-10	U	20.0	P	10/29/2025	18:07	LB137697
	Barium	14.6	+/-50	U	100	P	10/29/2025	18:07	LB137697
	Beryllium	0.56	+/-3	U	6.00	P	10/29/2025	18:07	LB137697
	Cadmium	0.50	+/-3	U	6.00	P	10/29/2025	18:07	LB137697
	Calcium	234	+/-1000	U	2000	P	10/29/2025	18:07	LB137697
	Chromium	2.12	+/-5	U	10.0	P	10/29/2025	18:07	LB137697
	Cobalt	2.26	+/-15	U	30.0	P	10/29/2025	18:07	LB137697
	Copper	4.60	+/-10	U	20.0	P	10/29/2025	18:07	LB137697
	Iron	23.4	+/-50	U	100	P	10/29/2025	18:07	LB137697
	Lead	2.30	+/-6	U	12.0	P	10/29/2025	18:07	LB137697
	Magnesium	244	+/-1000	U	2000	P	10/29/2025	18:07	LB137697
	Manganese	5.94	+/-10	U	20.0	P	10/29/2025	18:07	LB137697
	Nickel	3.06	+/-20	U	40.0	P	10/29/2025	18:07	LB137697
	Potassium	918	+/-1000	U	2000	P	10/29/2025	18:07	LB137697
	Selenium	9.64	+/-10	U	20.0	P	10/29/2025	18:07	LB137697
	Silver	1.62	+/-5	U	10.0	P	10/29/2025	18:07	LB137697
	Sodium	868	+/-1000	U	2000	P	10/29/2025	18:07	LB137697
	Thallium	4.38	+/-20	U	40.0	P	10/29/2025	18:07	LB137697
	Vanadium	6.26	+/-20	U	40.0	P	10/29/2025	18:07	LB137697
	Zinc	16.7	+/-20	U	40.0	P	10/29/2025	18:07	LB137697
CCB06	Aluminum	11.3	+/-50	U	100	P	10/29/2025	19:04	LB137697
	Antimony	6.76	+/-25	U	50.0	P	10/29/2025	19:04	LB137697
	Arsenic	5.12	+/-10	U	20.0	P	10/29/2025	19:04	LB137697
	Barium	14.6	+/-50	U	100	P	10/29/2025	19:04	LB137697
	Beryllium	0.56	+/-3	U	6.00	P	10/29/2025	19:04	LB137697
	Cadmium	0.50	+/-3	U	6.00	P	10/29/2025	19:04	LB137697
	Calcium	234	+/-1000	U	2000	P	10/29/2025	19:04	LB137697

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: AECOM

SDG No.: Q3434

Contract: AECO02

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB06	Chromium	2.12	+/-5	U	10.0	P	10/29/2025	19:04	LB137697
	Cobalt	2.26	+/-15	U	30.0	P	10/29/2025	19:04	LB137697
	Copper	4.60	+/-10	U	20.0	P	10/29/2025	19:04	LB137697
	Iron	23.4	+/-50	U	100	P	10/29/2025	19:04	LB137697
	Lead	2.30	+/-6	U	12.0	P	10/29/2025	19:04	LB137697
	Magnesium	244	+/-1000	U	2000	P	10/29/2025	19:04	LB137697
	Manganese	5.94	+/-10	U	20.0	P	10/29/2025	19:04	LB137697
	Nickel	3.06	+/-20	U	40.0	P	10/29/2025	19:04	LB137697
	Potassium	918	+/-1000	U	2000	P	10/29/2025	19:04	LB137697
	Selenium	9.64	+/-10	U	20.0	P	10/29/2025	19:04	LB137697
	Silver	1.62	+/-5	U	10.0	P	10/29/2025	19:04	LB137697
	Sodium	868	+/-1000	U	2000	P	10/29/2025	19:04	LB137697
	Thallium	4.38	+/-20	U	40.0	P	10/29/2025	19:04	LB137697
	Vanadium	6.26	+/-20	U	40.0	P	10/29/2025	19:04	LB137697
	Zinc	16.7	+/-20	U	40.0	P	10/29/2025	19:04	LB137697