

ANALYTICAL RESULTS SUMMARY

GENERAL CHEMISTRY
METALS

PROJECT NAME : BANKER

G ENVIRONMENTAL

8 Carriage Ln

Succasunna, NJ - 07876

Phone No: 973-294-1771

ORDER ID : Q3444

ATTENTION : Gary Landis



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	5
2.1) Metals-AES- Case Narrative	5
2.2) Genchem- Case Narrative	6
3) Qualifier Page	7
4) QA Checklist	8
5) Metals-AES Data	9
6) Genchem Data	18
7) Shipping Document	34
7.1) CHAIN OF CUSTODY	35
7.2) Lab Certificate	36

1
2
3
4
5
6
7

DATA OF KNOWN QUALITY CONFORMANCE/NON-CONFORMANCE SUMMARY QUESTIONNAIRE

1

Laboratory Name : Alliance Technical Group LLC Client : G Environmental

Project Location : NJ Project Number : Banker

Laboratory Sample ID(s) : Q3444 Sampling Date(s) : 10/23/2025

List DKQP Methods Used (e.g., 8260,8270, et Cetra) **300.0,6010D,SOP**

1	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed, including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the NJDEP Data of Known Quality performance standards?	☒ Yes ☐ No
1A	Were the method specified handling, preservation, and holding time requirements met?	☒ Yes ☐ No
1B	EPH Method: Was the EPH method conducted without significant modifications (see Section 11.3 of respective DKQ methods)	☐ Yes ☐ No ☒ N/A
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody document(s)?	☒ Yes ☐ No
3	Were samples received at an appropriate temperature (4±2° C)?	☒ Yes ☐ No ☐ N/A
4	Were all QA/QC performance criteria specified in the NJDEP DKQP standards achieved?	☐ Yes ☒ No
5	a)Were reporting limits specified or referenced on the chain-of-custody or communicated to the laboratory prior to sample receipt? b)Were these reporting limits met?	☒ Yes ☐ No ☒ Yes ☐ No ☐ N/A
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists presented in the DKQP documents and/or site-specific QAPP?	☒ Yes ☐ No
7	Are project-specific matrix spikes and/or laboratory duplicates included in this data set?	☒ Yes ☐ No

Notes: For all questions to which the response was "No" (with the exception of question #7), additional information should be provided in an attached narrative. If the answer to question #1, #1A, or #1B is "No", the data package does not meet the requirements for "Data of Known Quality."

Cover Page

Order ID : Q3444

Project ID : Banker

Client : G Environmental

Lab Sample Number

Q3444-01
Q3444-02
Q3444-03
Q3444-04
Q3444-05
Q3444-06

Client Sample Number

16 Banker
29 Hanover
29 Post
683 WARWICK
735 WARWICK
739 WARWICK

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 2:31 pm, Nov 03, 2025

Date: 11/3/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

G Environmental

Project Name: Banker

Project # N/A

Order ID # Q3444

Test Name: Metals Group4

A. Number of Samples and Date of Receipt:

6 Water samples were received on 10/23/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Metals Group4. This data package contains results for Metals Group4.

C. Analytical Techniques:

The analysis of Metals Group4 was based on method 6010D and digestion based on method 3010 (waters).

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all compounds.

The Duplicate analysis met criteria for all compounds.

The Matrix Spike analysis met criteria for all compounds.

The Matrix Spike Duplicate analysis met criteria for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution met the acceptable requirements.

E. Additional Comments:

In analytical Sequence LB137662, The result was outside acceptance limit for Sodium of CCB05 but, no any samples parameter associated under this CCB.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED

Signature_____

By Nimisha Pandya, QA/QC Supervisor at 2:31 pm, Nov 03, 2025



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

G Environmental

Project Name: Banker

Project # N/A

Order ID # Q3444

Test Name: Anions Group1

A. Number of Samples and Date of Receipt:

6 Water samples were received on 10/23/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Anions Group1. This data package contains results for Anions Group1.

C. Analytical Techniques:

The analysis of Anions Group1 was based on method 300.0.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

Sample 16 Banker was diluted due to high concentrations for Chloride & Sample 29 Hanover was diluted due to high concentrations for Chloride & Sample 29 HanoverDL was diluted due to high concentrations for Chloride & Sample 29 Post was diluted due to high concentrations for Chloride & Sample 683 WARWICK was diluted due to high concentrations for Chloride & Sample 735 WARWICK was diluted due to high concentrations for Chloride & Sample 739 WARWICK was diluted due to high concentrations for Chloride.

The Blank Spike met requirements for all compounds.

The Duplicate analysis met criteria for all compounds.

The Matrix Spike (739 WARWICKMS) analysis met criteria for all compounds except for Anions Group1(Chloride) due to sample matrix interference.

The Matrix Spike Duplicate (739 WARWICKMSD) analysis met criteria for all compounds except for Anions Group1(Chloride) due to sample matrix interference.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED

Signature

By Nimisha Pandya, QA/QC Supervisor at 2:31 pm, Nov 03, 2025

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q3444

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 11/03/2025

Hit Summary Sheet
SW-846

SDG No.: Q3444 **Order ID:** Q3444
Client: G Environmental **Project ID:** Banker

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : Q3444-01	16 Banker 16 Banker	Water	Sodium	122000		434	1000	ug/L
Client ID : Q3444-02	29 Hanover 29 Hanover	Water	Sodium	503000		434	1000	ug/L
Client ID : Q3444-03	29 Post 29 Post	Water	Sodium	20100		434	1000	ug/L
Client ID : Q3444-04	683 WARWICK 683 WARWICK	Water	Sodium	98600		434	1000	ug/L
Client ID : Q3444-05	735 WARWICK 735 WARWICK	Water	Sodium	144000		434	1000	ug/L
Client ID : Q3444-06	739 WARWICK 739 WARWICK	Water	Sodium	102000		434	1000	ug/L



SAMPLE DATA

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 16 Banker
Lab Sample ID: Q3444-01
Level (low/med): low

Date Collected: 10/23/25
Date Received: 10/23/25
SDG No.: Q3444
Matrix: Water
% Solid: 0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-23-5	Sodium	122000	1	434		1000	ug/L	10/24/25 10:45	10/24/25 18:37	6010D	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	G Environmental	Date Collected:	10/23/25
Project:	Banker	Date Received:	10/23/25
Client Sample ID:	29 Hanover	SDG No.:	Q3444
Lab Sample ID:	Q3444-02	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-23-5	Sodium	503000	1	434		1000	ug/L	10/24/25 10:45	10/24/25 18:41	6010D	

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	G Environmental	Date Collected:	10/23/25
Project:	Banker	Date Received:	10/23/25
Client Sample ID:	29 Post	SDG No.:	Q3444
Lab Sample ID:	Q3444-03	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-23-5	Sodium	20100	1	434		1000	ug/L	10/24/25 10:45	10/24/25 18:46	6010D	

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	G Environmental	Date Collected:	10/23/25
Project:	Banker	Date Received:	10/23/25
Client Sample ID:	683 WARWICK	SDG No.:	Q3444
Lab Sample ID:	Q3444-04	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-23-5	Sodium	98600	1	434		1000	ug/L	10/24/25 10:45	10/24/25 18:50	6010D	

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 735 WARWICK
Lab Sample ID: Q3444-05
Level (low/med): low

Date Collected: 10/23/25
Date Received: 10/23/25
SDG No.: Q3444
Matrix: Water
% Solid: 0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-23-5	Sodium	144000	1	434		1000	ug/L	10/24/25 10:45	10/24/25 18:54	6010D	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 739 WARWICK
Lab Sample ID: Q3444-06
Level (low/med): low

Date Collected: 10/23/25
Date Received: 10/23/25
SDG No.: Q3444
Matrix: Water
% Solid: 0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-23-5	Sodium	102000	1	434		1000	ug/L	10/24/25 10:45	10/24/25 18:59	6010D	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q3444	OrderDate:	10/23/2025 12:27:00 PM
Client:	G Environmental	Project:	Banker
Contact:	Gary Landis	Location:	J21

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3444-01	16 Banker	Water	Metals Group4	6010D	10/23/25	10/24/25	10/24/25	10/23/25
Q3444-02	29 Hanover	Water	Metals Group4	6010D	10/23/25	10/24/25	10/24/25	10/23/25
Q3444-03	29 Post	Water	Metals Group4	6010D	10/23/25	10/24/25	10/24/25	10/23/25
Q3444-04	683 WARWICK	Water	Metals Group4	6010D	10/23/25	10/24/25	10/24/25	10/23/25
Q3444-05	735 WARWICK	Water	Metals Group4	6010D	10/23/25	10/24/25	10/24/25	10/23/25
Q3444-06	739 WARWICK	Water	Metals Group4	6010D	10/23/25	10/24/25	10/24/25	10/23/25



SAMPLE DATA

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 16 Banker
Lab Sample ID: Q3444-01

Date Collected: 10/23/25 11:01
Date Received: 10/23/25
SDG No.: Q3444
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	378	OR	1	0.19	0.60	mg/L		10/23/25 13:28	300.0

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 16 BankerDL
Lab Sample ID: Q3444-01DL

Date Collected: 10/23/25 11:01
Date Received: 10/23/25
SDG No.: Q3444
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	266	D	100	19.0	60.0	mg/L		10/23/25 17:03	300.0

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 29 Hanover
Lab Sample ID: Q3444-02

Date Collected: 10/23/25 10:36
Date Received: 10/23/25
SDG No.: Q3444
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	2090	OR	1	0.19	0.60	mg/L		10/23/25 13:49	300.0

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 29 HanoverDL
Lab Sample ID: Q3444-02DL

Date Collected: 10/23/25 10:36
Date Received: 10/23/25
SDG No.: Q3444
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	1360	OR	100	19.0	60.0	mg/L		10/23/25 17:24	300.0

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 29 HanoverDL2
Lab Sample ID: Q3444-02DL2

Date Collected: 10/23/25 10:36
Date Received: 10/23/25
SDG No.: Q3444
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	1300	D	500	95.0	300	mg/L		10/23/25 18:07	300.0

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 29 Post
Lab Sample ID: Q3444-03

Date Collected: 10/23/25 10:39
Date Received: 10/23/25
SDG No.: Q3444
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	36.2	OR	1	0.19	0.60	mg/L		10/23/25 14:10	300.0

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 29 PostDL
Lab Sample ID: Q3444-03DL

Date Collected: 10/23/25 10:39
Date Received: 10/23/25
SDG No.: Q3444
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	32.0	D	10	1.90	6.00	mg/L		10/23/25 18:29	300.0

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 683 WARWICK
Lab Sample ID: Q3444-04

Date Collected: 10/23/25 10:19
Date Received: 10/23/25
SDG No.: Q3444
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	426	OR	1	0.19	0.60	mg/L		10/23/25 14:32	300.0

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 683 WARWICKDL
Lab Sample ID: Q3444-04DL

Date Collected: 10/23/25 10:19
Date Received: 10/23/25
SDG No.: Q3444
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	278	D	100	19.0	60.0	mg/L		10/23/25 18:50	300.0

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 735 WARWICK
Lab Sample ID: Q3444-05

Date Collected: 10/23/25 09:43
Date Received: 10/23/25
SDG No.: Q3444
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	451	OR	1	0.19	0.60	mg/L		10/23/25 14:54	300.0

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 735 WARWICKDL
Lab Sample ID: Q3444-05DL

Date Collected: 10/23/25 09:43
Date Received: 10/23/25
SDG No.: Q3444
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	299	D	100	19.0	60.0	mg/L		10/23/25 19:12	300.0

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 739 WARWICK
Lab Sample ID: Q3444-06

Date Collected: 10/23/25 09:27
Date Received: 10/23/25
SDG No.: Q3444
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	359	OR	1	0.19	0.60	mg/L		10/23/25 15:15	300.0

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 739 WARWICKDL
Lab Sample ID: Q3444-06DL

Date Collected: 10/23/25 09:27
Date Received: 10/23/25
SDG No.: Q3444
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	243	D	100	19.0	60.0	mg/L		10/23/25 19:33	300.0

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q3444	OrderDate:	10/23/2025 12:27:00 PM
Client:	G Environmental	Project:	Banker
Contact:	Gary Landis	Location:	J21

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3444-01	16 Banker	WATER			10/23/25 11:01			10/23/25
			Anions Group1	300.0			10/23/25 13:28	
Q3444-01DL	16 BankerDL	WATER			10/23/25 11:01			10/23/25
			Anions Group1	300.0			10/23/25 17:03	
Q3444-02	29 Hanover	WATER			10/23/25 10:36			10/23/25
			Anions Group1	300.0			10/23/25 13:49	
Q3444-02DL	29 HanoverDL	WATER			10/23/25 10:36			10/23/25
			Anions Group1	300.0			10/23/25 17:24	
Q3444-02DL 2	29 HanoverDL2	WATER			10/23/25 10:36			10/23/25
			Anions Group1	300.0			10/23/25 18:07	
Q3444-03	29 Post	WATER			10/23/25 10:39			10/23/25
			Anions Group1	300.0			10/23/25 14:10	
Q3444-03DL	29 PostDL	WATER			10/23/25 10:39			10/23/25
			Anions Group1	300.0			10/23/25 18:29	

LAB CHRONICLE

Q3444-04	683 WARWICK	WATER			10/23/25		10/23/25
			Anions Group1	300.0	10:19	10/23/25 14:32	
Q3444-04DL	683 WARWICKDL	WATER			10/23/25		10/23/25
			Anions Group1	300.0	10:19	10/23/25 18:50	
Q3444-05	735 WARWICK	WATER			10/23/25		10/23/25
			Anions Group1	300.0	09:43	10/23/25 14:54	
Q3444-05DL	735 WARWICKDL	WATER			10/23/25		10/23/25
			Anions Group1	300.0	09:43	10/23/25 19:12	
Q3444-06	739 WARWICK	WATER			10/23/25		10/23/25
			Anions Group1	300.0	09:27	10/23/25 15:15	
Q3444-06DL	739 WARWICKDL	WATER			10/23/25		10/23/25
			Anions Group1	300.0	09:27	10/23/25 19:33	



SHIPPING DOCUMENTS

CLIENT INFORMATION

COMPANY: G Environmental
ADDRESS: 8 Carriage
CITY: Summerville STATE: NJ ZIP:
ATTENTION:
PHONE: FAX:

CLIENT PROJECT INFORMATION

PROJECT NAME: Banker
PROJECT NO.: LOCATION: NJ
PROJECT MANAGER: GL
e-mail:
PHONE: FAX:

CLIENT BILLING INFORMATION

BILL TO: G Environmental PO#:
ADDRESS: 8 Carriage
CITY: Summerville STATE: NJ ZIP:
ATTENTION: PHONE:

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) 5 day DAYS*
HARDCOPY (DATA PACKAGE) DAYS*
EDD: DAYS*
*TO BE APPROVED BY CHEMTECH
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☒ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B
+ Raw Data ☐ Other
☒ EDD FORMAT excel, pdf, hard

PRESERVATIVES

COMMENTS

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES										COMMENTS
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	
1.	16 Banker	DW		X	10/23	25/10/1	2			X		X					
2.	29 Hanover	DW		X	↑	1036	2			X		X					
3.	29 Post	DW		X	↑	1039	2			X		X					
4.	683 WARWICK	DW		X	↓	1019	2			X		X					
5.	735 WARWICK	DW		X	↓	0943	2			X		X					
6.	739 WARWICK	DW		X	10/23	0927	2			X		X					
7.																	
8.																	
9.																	
10.																	

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:	Conditions of bottles or coolers at receipt: ☐ COMPLIANT ☐ NON COMPLIANT ☐ COOLER TEMP <u>1.9°C</u>
1. <u>[Signature]</u>		1. <u>[Signature]</u> 10/23/25	Comments: <u>onice Banker</u>
RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:	
2. <u>[Signature]</u>		2. <u>[Signature]</u>	
RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:	
3. <u>[Signature]</u>		3. <u>[Signature]</u>	

Page ____ of ____

CLIENT: ☐ Hand Delivered ☐ Other

Shipment Complete
☐ YES ☐ NO

Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312