



SAMPLE DATA

A

B

C

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 16 Banker
Lab Sample ID: Q3444-01

Date Collected: 10/23/25 11:01
Date Received: 10/23/25
SDG No.: Q3444
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	378	OR	1	0.19	0.60	mg/L		10/23/25 13:28	300.0

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 16 BankerDL
Lab Sample ID: Q3444-01DL

Date Collected: 10/23/25 11:01
Date Received: 10/23/25
SDG No.: Q3444
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	266	D	100	19.0	60.0	mg/L		10/23/25 17:03	300.0

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 29 Hanover
Lab Sample ID: Q3444-02

Date Collected: 10/23/25 10:36
Date Received: 10/23/25
SDG No.: Q3444
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	2090	OR	1	0.19	0.60	mg/L		10/23/25 13:49	300.0

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 29 HanoverDL
Lab Sample ID: Q3444-02DL

Date Collected: 10/23/25 10:36
Date Received: 10/23/25
SDG No.: Q3444
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	1360	OR	100	19.0	60.0	mg/L		10/23/25 17:24	300.0

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 29 HanoverDL2
Lab Sample ID: Q3444-02DL2

Date Collected: 10/23/25 10:36
Date Received: 10/23/25
SDG No.: Q3444
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	1300	D	500	95.0	300	mg/L		10/23/25 18:07	300.0

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 29 Post
Lab Sample ID: Q3444-03

Date Collected: 10/23/25 10:39
Date Received: 10/23/25
SDG No.: Q3444
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	36.2	OR	1	0.19	0.60	mg/L		10/23/25 14:10	300.0

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 29 PostDL
Lab Sample ID: Q3444-03DL

Date Collected: 10/23/25 10:39
Date Received: 10/23/25
SDG No.: Q3444
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	32.0	D	10	1.90	6.00	mg/L		10/23/25 18:29	300.0

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 683 WARWICK
Lab Sample ID: Q3444-04

Date Collected: 10/23/25 10:19
Date Received: 10/23/25
SDG No.: Q3444
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	426	OR	1	0.19	0.60	mg/L		10/23/25 14:32	300.0

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 683 WARWICKDL
Lab Sample ID: Q3444-04DL

Date Collected: 10/23/25 10:19
Date Received: 10/23/25
SDG No.: Q3444
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	278	D	100	19.0	60.0	mg/L		10/23/25 18:50	300.0

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 735 WARWICK
Lab Sample ID: Q3444-05

Date Collected: 10/23/25 09:43
Date Received: 10/23/25
SDG No.: Q3444
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	451	OR	1	0.19	0.60	mg/L		10/23/25 14:54	300.0

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 735 WARWICKDL
Lab Sample ID: Q3444-05DL

Date Collected: 10/23/25 09:43
Date Received: 10/23/25
SDG No.: Q3444
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	299	D	100	19.0	60.0	mg/L		10/23/25 19:12	300.0

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 739 WARWICK
Lab Sample ID: Q3444-06

Date Collected: 10/23/25 09:27
Date Received: 10/23/25
SDG No.: Q3444
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	359	OR	1	0.19	0.60	mg/L		10/23/25 15:15	300.0

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 739 WARWICKDL
Lab Sample ID: Q3444-06DL

Date Collected: 10/23/25 09:27
Date Received: 10/23/25
SDG No.: Q3444
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	243	D	100	19.0	60.0	mg/L		10/23/25 19:33	300.0

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q3444	OrderDate:	10/23/2025 12:27:00 PM
Client:	G Environmental	Project:	Banker
Contact:	Gary Landis	Location:	J21

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3444-01	16 Banker	WATER			10/23/25 11:01			10/23/25
			Anions Group1	300.0			10/23/25 13:28	
Q3444-01DL	16 BankerDL	WATER			10/23/25 11:01			10/23/25
			Anions Group1	300.0			10/23/25 17:03	
Q3444-02	29 Hanover	WATER			10/23/25 10:36			10/23/25
			Anions Group1	300.0			10/23/25 13:49	
Q3444-02DL	29 HanoverDL	WATER			10/23/25 10:36			10/23/25
			Anions Group1	300.0			10/23/25 17:24	
Q3444-02DL 2	29 HanoverDL2	WATER			10/23/25 10:36			10/23/25
			Anions Group1	300.0			10/23/25 18:07	
Q3444-03	29 Post	WATER			10/23/25 10:39			10/23/25
			Anions Group1	300.0			10/23/25 14:10	
Q3444-03DL	29 PostDL	WATER			10/23/25 10:39			10/23/25
			Anions Group1	300.0			10/23/25 18:29	

LAB CHRONICLE

Q3444-04	683 WARWICK	WATER			10/23/25 10:19		10/23/25
			Anions Group1	300.0		10/23/25 14:32	
Q3444-04DL	683 WARWICKDL	WATER			10/23/25 10:19		10/23/25
			Anions Group1	300.0		10/23/25 18:50	
Q3444-05	735 WARWICK	WATER			10/23/25 09:43		10/23/25
			Anions Group1	300.0		10/23/25 14:54	
Q3444-05DL	735 WARWICKDL	WATER			10/23/25 09:43		10/23/25
			Anions Group1	300.0		10/23/25 19:12	
Q3444-06	739 WARWICK	WATER			10/23/25 09:27		10/23/25
			Anions Group1	300.0		10/23/25 15:15	
Q3444-06DL	739 WARWICKDL	WATER			10/23/25 09:27		10/23/25
			Anions Group1	300.0		10/23/25 19:33	