

Report of Analysis

Client: PSEG
Project: Orange Gas
Client Sample ID: SB-16
Lab Sample ID: Q3446-03
Level (low/med): low

Date Collected: 10/23/25
Date Received: 10/23/25
SDG No.: Q3446
Matrix: TCLP
% Solid: 0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	0.10	U	1	0.026	0.10	mg/L	10/27/25 12:30	10/28/25 13:39	6010D	SW3010A
7440-39-3	Barium	0.73		1	0.073	0.50	mg/L	10/27/25 12:30	10/28/25 13:39	6010D	SW3010A
7440-43-9	Cadmium	0.0098	J	1	0.0025	0.030	mg/L	10/27/25 12:30	10/28/25 13:39	6010D	SW3010A
7440-47-3	Chromium	0.035	J	1	0.011	0.050	mg/L	10/27/25 12:30	10/28/25 13:39	6010D	SW3010A
7439-92-1	Lead	1.29		1	0.012	0.060	mg/L	10/27/25 12:30	10/28/25 13:39	6010D	SW3010A
7439-97-6	Mercury	0.0020	U	1	0.00076	0.0020	mg/L	10/27/25 12:30	10/28/25 10:07	7470A	7470A
7782-49-2	Selenium	0.10	U	1	0.048	0.10	mg/L	10/27/25 12:30	10/28/25 13:39	6010D	SW3010A
7440-22-4	Silver	0.050	U	1	0.0081	0.050	mg/L	10/27/25 12:30	10/28/25 13:39	6010D	SW3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits