

## Cover Page

**Order ID :** Q3447

**Project ID :** RFP 905

**Client :** Weston Solutions, Inc.

### Lab Sample Number

Q3447-01  
Q3447-02  
Q3447-03  
Q3447-04  
Q3447-05  
Q3447-06  
Q3447-07  
Q3447-08

### Client Sample Number

P001-TW1-251023-01  
P001-TW1-251023-01  
P001-TW2-251023-01  
P001-TW2-251023-01  
P001-TW3-251023-01  
P001-TW3-251023-01  
P001-TW4-251023-01  
P001-TW4-251023-01

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : \_\_\_\_\_

Date: 11/6/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

## **CASE NARRATIVE**

**Weston Solutions, Inc.**

**Project Name: RFP 905**

**Project # N/A**

**Order ID # Q3447**

**Test Name: VOC-TCLVOA-10**

### **A. Number of Samples and Date of Receipt:**

8 Solid samples were received on 10/23/2025.

### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: VOC-TCLVOA-10. This data package contains results for VOC-TCLVOA-10.

### **C. Analytical Techniques:**

The analysis performed on instrument MSVOA\_N were done using GC column Rxi-624SIL MS 30m, 0.25mm, 1.4 um, Cat. #13868. The analysis performed on instrument MSVOA\_X were done using GC column DB-624UI 20m 0.18mm 1.0 um. Cat#121-1324UI. The analysis performed on instrument MSVOA\_Y were done using GC column Rxi-624SIL MS 30m, 0.25mm, 1.4 um, Cat. #13868. The analysis of VOC-TCLVOA-10 was based on method 8260D.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis.

The Internal Standards Areas were met for all analysis.

The Retention Times were met for all analysis.

The RPD for { VY1103SBSD01 } with File ID: VY023650.D met criteria except for Methyl Acetate[22%] due to difference in results of BS and BSD.

The Blank Spike met requirements for all compounds.

The Blank Spike Duplicate for { VY1103SBSD01 } with File ID: VY023650.D met requirements for all compounds except for 2-Butanone[140%] is failing high but no positive hit in associate sample therefore no corrective action taken.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration File ID VN088173.D met the requirements except for 2-Hexanone is failing high but no positive hit in associate sample therefore no corrective action taken.



284 Sheffield Street, Mountainside, NJ 07092  
Phone: 908 789 8900 Fax: 908 789 8922

The Continuous Calibration File ID VY023647.D met the requirements except for Isopropylbenzene and Methyl Acetate are failing high but no positive hit in associate sample therefore no corrective action taken.

The Tuning criteria met requirements.

Samples P001-TW1-251023-01, P001-TW3-251023-01 and P001-TW4-251023-01 were analyzed at straight medium level ,as samples looks bad as we extract from methanol vial.

**E. Calculation:**

Low Level Soil Calculation in ug/Kg dry weight basis

$$\frac{(A_x)(I_s)(D_f)}{(A_{is})(RRF)(W_s)(D)}$$

Where

A<sub>x</sub> = Area for the compound to be measured

A<sub>is</sub> = Area for the specific internal standard

I<sub>s</sub> = Amount of internal standard added in nanograms (ng)

RRF = Relative response factor of the initial calibration curve standard.

D<sub>f</sub> = Dilution factor

W<sub>s</sub> = Weight of sample

D = 
$$\frac{100 - \% \text{moisture}}{100}$$

**F. Additional Comments:**

Samples for MS/MSD for VOC analysis were not provided with this set of samples. The Blank Spike Duplicate is reported with the data.

Trip Blank was not provided with this set of samples.

The soil samples results are based on a dry weight basis.

**G. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_



284 Sheffield Street, Mountainside, NJ 07092  
Phone: 908 789 8900 Fax: 908 789 8922

## **CASE NARRATIVE**

**Weston Solutions, Inc.**  
**Project Name: RFP 905**  
**Project # N/A**  
**Order ID # Q3447**  
**Test Name: TCLP VOA**

### **A. Number of Samples and Date of Receipt:**

4 Solid samples were received on 10/23/2025.

### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: TCLP VOA. This data package contains results for TCLP VOA.

### **C. Analytical Techniques:**

The analysis performed on instrument MSVOA\_X were done using GC column DB-624UI 20m 0.18mm 1.0 um. Cat#121-1324UI. The analysis of TCLP VOA was based on method 8260D and TCLP extraction method was 1311.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis.

The Internal Standards Areas were met for all analysis.

The Retention Times were met for all analysis.

The RPD were met for all analysis.

The Blank Spike for {VX1027WBS01} with File ID: VX048357.D met requirements for all compounds except for Vinyl chloride[139%] is failing high but no positive hit in associate sample therefore no corrective action taken.

The Blank Spike Duplicate for {VX1027WBSD01} with File ID: VX048358.D met requirements for all compounds except for Vinyl chloride[138%] is failing high but no positive hit in associate sample therefore no corrective action taken.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration File ID VX048355.D met the requirements except for Vinyl Chloride is failing high but no positive hit in associate sample therefore no corrective action taken.

The Tuning criteria met requirements.



284 Sheffield Street, Mountainside, NJ 07092  
Phone: 908 789 8900 Fax: 908 789 8922

**E. Calculation:**

Water Calculation in ug/L

$$\frac{(A_x)(I_s)(Df)}{(A_{is})(RRF)(V_0)}$$

Where,

A<sub>x</sub> = Area for the compound to be measured

A<sub>is</sub> = Area for the specific internal standard

I<sub>s</sub> = Amount of internal standard added in nanograms (ng)

RRF = Relative response factor of the initial calibration curve standard.

V<sub>0</sub> = Volume of water purged in milliliters (mL)

Df = Dilution factor.

**F. Additional Comments:**

Samples for MS/MSD for VOC analysis were not provided with this set of samples. The Blank Spike Duplicate is reported with the data.

Trip Blank was not provided with this set of samples.

**G. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_

## **CASE NARRATIVE**

**Weston Solutions, Inc.**

**Project Name: RFP 905**

**Project # N/A**

**Order ID # Q3447**

**Test Name: SVOC-TCL BNA -20**

### **A. Number of Samples and Date of Receipt:**

8 Solid samples were received on 10/23/2025.

### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: SVOC-TCL BNA -20. This data package contains results for SVOC-TCL BNA -20.

### **C. Analytical Techniques:**

The samples were analyzed on instrument BNA\_F using GC Column DB-UI 8270D which is 20 meters, 0.18 mm ID, 0.36 um df. The samples were analyzed on instrument BNA\_G using GC Column ZB-SemiVolatiles Guardian which is 30 meters, 0.25 mm ID, 0.5 um df, Catalog # 7HG-G027-17-GGA. The samples were analyzed on instrument The analysis of SVOC-TCL BNA -20 was based on method 8270E and extraction was done based on method 3541.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis.

The Internal Standards Areas were met for all analysis.

The Retention Times were met for all analysis.

The MS recoveries met the requirements for all compounds.

The MSD recoveries met the requirements for all compounds.

The RPD were met for all analysis.

The Blank Spike for {PB170246BS} with File ID: BG064588.D met requirements for all compounds except for Hexachloroethane[71%], failed marginally low, Therefore no further corrective action was taken.

The Blank analysis did not indicate the presence of lab contamination.

The %RSD is greater than 20% in the Method 8270-BG102421.M for 2-Nitrophenol, 2-Nitroaniline, 2,6-Dinitrotoluene, 2,4-Dinitrophenol, 2,4-Dinitrotoluene, 4,6-Dinitro-2-methylphenol these Compounds are passing on Linear regression.

The Continuous Calibration File ID BF144097.D met the requirements except for Caprolactam, Pyrene and Terphenyl-d14. Under this Continuous Calibration only diluted sample was analyzed, and failed compounds in Continuous Calibration is not associated with dilution, therefore no further corrective action was taken.

The Continuous Calibration File ID BG064583.D met the requirements except for 2-Chlorophenol, Benzaldehyde, bis(2-Chloroethyl)ether, Phenol, 2-Fluorophenol and Phenol-d6. Associated samples does not have hit for these compounds, therefore no further corrective action was taken.

The Tuning criteria met requirements.

Samples P001-TW1-251023-01, P001-TW2-251023-01, P001-TW3-251023-01 and P001-TW4-251023-01 were diluted due to viscous matrix.

Sample P001-TW1-251023-01 was diluted due to high concentration.

#### **E. Calculation:**

Concentration ug/Kg,

$$(\text{dry weight basis}) = \frac{(A_x) (I_s) (V_t) (DF) (GPC)}{(A_{is}) (RRF) (V_i) (W_t) (D)}$$

Where,

A<sub>x</sub> = Area of the characteristic ion for the compound to be measured.

A<sub>is</sub> = Area of the characteristic ion for the internal standard.

I<sub>s</sub> = Amount of internal standard injected in ng.

V<sub>i</sub> = Volume of extract injected in microliters (uL)

V<sub>t</sub> = Volume of concentrated extract in microliters (uL)

W<sub>t</sub> = Weight of the original sample extracted in g

D<sub>f</sub> = Dilution factor

RRF = Mean Relative Response Factor determined from the initial calibration standard.

GPC =  $\frac{V_{in}}{V_{out}}$  = GPC factor (If no GPC is performed, GPC=1)

V<sub>out</sub> = Volume of extract collected after GPC cleanup.

$$D = \frac{100 - \% \text{moisture}}{100}$$

#### **F. Additional Comments:**

The Form 6 is not included in the data package because the Initial Calibration was performed using 7 points.

The soil samples results are based on a dry weight basis.



284 Sheffield Street, Mountainside, NJ 07092  
Phone: 908 789 8900 Fax: 908 789 8922

The Sample P001-TW4-251023-01 has the concentration of target compound below Method detection limits, therefore it is not reported as Hit in Form1.

**F. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_





284 Sheffield Street, Mountainside, NJ 07092  
Phone: 908 789 8900 Fax: 908 789 8922

## **CASE NARRATIVE**

**Weston Solutions, Inc.**  
**Project Name: RFP 905**  
**Project # N/A**  
**Order ID # Q3447**  
**Test Name: TCLP BNA**

### **A. Number of Samples and Date of Receipt:**

4 Solid samples were received on 10/23/2025.

### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: TCLP BNA. This data package contains results for TCLP BNA.

### **C. Analytical Techniques:**

The samples were analyzed on instrument BNA\_F using GC Column DB-UI 8270D which is 20 meters, 0.18 mm ID, 0.36 um df. The samples were analyzed on instrument BNA\_G using GC Column ZB-SemiVolatiles Guardian which is 30 meters, 0.25 mm ID, 0.5 um df, Catalog # 7HG-G027-17-GGA. The samples were analyzed on instrument BNA\_P using GC Column ZB-SemiVolatiles Guardian which is 30 meters, 0.25 mm ID, 0.5 um df, Catalog # 7HG-G027-17-GGA. The analysis of TCLP BNA was based on method 8270E and extraction was done based on method 3510 and TCLP extraction method was 1311.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis.

The Internal Standards Areas were met for all analysis except for P001-TW4-251023-01. Failed internal standard is not associated with TCLP reporting list , Therefor no further corrective action was taken.

The Retention Times were met for all analysis.

The MS recoveries met the requirements for all compounds.

The MSD recoveries met the requirements for all compounds.

The RPD were met for all analysis.

The Blank Spike met requirements for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The %RSD is greater than 20% in the Method 8270-BG102421.M for 2,4-Dinitrotoluene is passing on Linear regression.



284 Sheffield Street, Mountainside, NJ 07092  
Phone: 908 789 8900 Fax: 908 789 8922

The %RSD is greater than 20% in the Method 8270-BP102921.M for 2,4-Dinitrotoluene is passing on Linear regression.

The Continuous Calibration File ID BF144097.D met the requirements except for Terphenyl-d14. Which is not our target compound, therefore no corrective action taken.

The Continuous Calibration File ID BG064654.D met the requirements except for 2,4-Dinitrotoluene. Associated sample does not have hit for this compound, therefor no furhter corrective action was taken.

The Tuning criteria met requirements.

#### **E. Calculation.**

$$\text{Concentration ug/L} = \frac{(A_x) (I_s) (V_t) (DF) (GPC)}{(A_{is}) (RRF) (V_o) (V_i)}$$

Where,

A<sub>x</sub> = Area of the characteristic ion for the compound to be measured.

A<sub>is</sub> = Area of the characteristic ion for the internal standard.

I<sub>s</sub> = Amount of internal standard injected in ng.

V<sub>o</sub> = Volume of water extracted in mL.

V<sub>i</sub> = Volume of extract injected in uL.

V<sub>t</sub> = Volume of the concentrated extract in uL

RRF = Mean Relative Response Factor determined from the initial calibration standard.

GPC = V<sub>in</sub> = GPC factor (If no GPC is performed, GPC=1)

V<sub>out</sub>

#### **F. Additional Comments:**

The Form 6 is not included in the data package because the Initial Calibration was performed using 7 points.

#### **G. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_

## **CASE NARRATIVE**

**Weston Solutions, Inc.**

**Project Name: RFP 905**

**Project # N/A**

**Order ID # Q3447**

**Test Name: Pesticide-TCL**

### **A. Number of Samples and Date of Receipt:**

4 Solid samples were received on 10/23/2025.

### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: Pesticide-TCL. This data package contains results for Pesticide-TCL.

### **C. Analytical Techniques:**

The analysis was performed on instrument ECD\_D. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5 um df.; Catalog # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 um df, Catalog #: 7HMG017- 11. The analysis of Pesticide-TCLs was based on method 8081B and extraction was done based on method 3541.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis except for P001-TW2-251023-01 [Decachlorobiphenyl(1)437%], P001-TW4-251023-01 [Decachlorobiphenyl(1)470%] AS per method one surrogate allowed to fail to meet the criteria per column, No further corrective action was taken.

The Retention Times were met for all analysis.

The MS recoveries met the requirements for all compounds.

The MSD recoveries met the requirements for all compounds.

The RPD were met for all analysis.

The Blank Spike met requirements for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration File ID PD090828.D met the requirements except for Heptachlor is failing in 1st column however it is passing in 2nd column therefore no corrective action taken.

Samples P001-TW1-251023-01, P001-TW2-251023-01 and P001-TW4-251023-01 were directly analyzed with 10X dilution due to samples are Oily and Tar matrix.

**E. Additional Comments:**

Sample# P001-TW2-251023-01 having F flag for DCB in first column, sample reanalyzed for confirmation of F flag and in confirmation run also F flag is coming for DCB therefore First run reported in Hardcopy and reanalysis run provided in Miscellaneous Section.

The soil samples results are based on a dry weight basis.

**F. Calculation for Concentration in Soil samples:**

$$\text{Concentration ug/Kg (Dry weight basis)} = \frac{(A_x) (V_t) (D_F) (G_P C)}{(C_F) (V_i) (W_s) (D)}$$

Where,

A<sub>x</sub> = Response (peak area or height) of the compound to be measured.

C<sub>F</sub> = Mean Calibration Factor from the initial calibration (area/ng).

V<sub>t</sub> = Volume of the concentrated extract in uL

V<sub>i</sub> = Volume of extract injected (uL). (If a single injection is made onto two columns, use ½ the volume in the syringe as the volume injected onto each column).

W<sub>s</sub> = Weight of sample extracted (g).

D = % dry weight or  $\frac{100 - \% \text{Moisture}}{100}$

$$G_P C = \frac{V_{in}}{V_{out}} = \text{GPC factor (If no GPC is performed, GPC=1)}$$

V<sub>in</sub> = Volume of extract loaded onto GPC column.

V<sub>out</sub> = Volume of extract collected after GPC cleanup.

D<sub>F</sub> = Dilution Factor

**G. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_



284 Sheffield Street, Mountainside, NJ 07092  
Phone: 908 789 8900 Fax: 908 789 8922

## **CASE NARRATIVE**

**Weston Solutions, Inc.**  
**Project Name: RFP 905**  
**Project # N/A**  
**Order ID # Q3447**  
**Test Name: TCLP Pesticide**

### **A. Number of Samples and Date of Receipt:**

4 Solid samples were received on 10/23/2025.

### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: TCLP Pesticide. This data package contains results for TCLP Pesticide.

### **C. Analytical Techniques:**

The analysis was performed on instrument ECD\_D. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5 um df.; Catalog # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 um df, Catalog #: 7HMG017- 11. The analysis of TCLP Pesticides was based on method 8081B and extraction was done based on method 3510 and TCLP extraction method was 1311.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis.

The Retention Times were met for all analysis.

The MS recoveries met the requirements for all compounds.

The MSD recoveries met the requirements for all compounds.

The RPD were met for all analysis.

The Blank Spike met requirements for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration File ID PD090961.D met the requirements except for Heptachlor is failing in 1st column however it is passing in 2nd column therefore no corrective action taken.

The Continuous Calibration File ID PD090969.D met the requirements except for Heptachlor is failing in 1st column however it is passing in 2nd column therefore no corrective action taken.

### **E. Additional Comments:**

### **F. Calculation for water sample:**

$$\text{Concentration ug/L} = \frac{(Ax) (Vt) (DF) (GPC)}{(CF) (Vo) (Vi)}$$



284 Sheffield Street, Mountainside, NJ 07092  
Phone: 908 789 8900 Fax: 908 789 8922

Where,

Ax = Response (peak area or height) of the compound to be measured.

CF = Mean Calibration Factor from the initial calibration (area/ng).

Vo = Volume of water extracted in mL

Vt = Volume of the concentrated extract in uL

Vi = Volume of extract injected (uL).

GPC =  $\frac{V_{in}}{V_{out}}$  = GPC factor (If no GPC is performed, GPC=1)

Vin = Volume of extract loaded onto GPC column.

Vout = Volume of extract collected after GPC cleanup

DF = Dilution Factor

#### **G. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_

## **CASE NARRATIVE**

**Weston Solutions, Inc.**  
**Project Name: RFP 905**  
**Project # N/A**  
**Order ID # Q3447**  
**Test Name: PCB**

### **A. Number of Samples and Date of Receipt:**

4 Solid samples were received on 10/23/2025.

### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: PCB. This data package contains results for PCB.

### **C. Analytical Techniques:**

The analyses were performed on instrument GCECD\_Q. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5 um df, Catalogue # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 µm; Catalogue # 7HM-G017-11. The analyses were performed on instrument GCECD\_P. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5 um df, Catalogue # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 µm; Catalogue # 7HM-G017-11. The analysis of PCBs was based on method 8082A and extraction was done based on method 3541.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis except for  
P001-TW1-251023-01 [Tetrachloro-m-xylene(1)575%, Tetrachloro-m-xylene(2)4668%],  
P001-TW1-251023-01RE [Decachlorobiphenyl(1)705%, Tetrachloro-m-xylene(1)670%,  
Tetrachloro-m-xylene(2)4655%],  
P001-TW2-251023-01 [Tetrachloro-m-xylene(1)205%, Tetrachloro-m-xylene(2)1324%],  
P001-TW2-251023-01RE [Tetrachloro-m-xylene(1)221%, Tetrachloro-m-xylene(2)1318%], All the failure samples in surrogates with both columns were reanalyzed to confirm the results as per method and reported in the data while,

P001-TW3-251023-01 [Tetrachloro-m-xylene(2)167%] and P001-TW4-251023-01 [Tetrachloro-m-xylene(2)463%]

AS per method one surrogate allowed to fail to meet the criteria per column, No further corrective action was taken.

The Retention Times were met for all analysis.

The MS recoveries met the requirements for all compounds.

The MSD recoveries met the requirements for all compounds.



The RPD for {Q3450-02MSD} with File ID: PQ071154.D met criteria except for [AR1016(1)-29%, AR1016(2)-19%] due to difference in results of MS-MSD.

The Blank Spike met requirements for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration File ID PP076110.D met the requirements except for Aroclor-1260(Peak-04) is failing in 2nd column however it is passing in 1st column therefore no corrective action taken.

Samples P001-TW1-251023-01, P001-TW2-251023-01, P001-TW3-251023-01, P001-TW4-251023-01 were directly analyzed with 50X & 10X , due to samples are Oily and Tar matrix..

#### **E. Additional Comments:**

The soil samples results are based on a dry weight basis.

#### **F. Calculation for Concentration in Soil samples:**

$$\text{Concentration ug/Kg (Dry weight basis)} = \frac{(Ax) (Vt) (DF) (GPC)}{(CF) (Vi) (Ws) (D)}$$

Where,

Ax = Response (peak area or height) of the compound to be measured.

CF = Mean Calibration Factor from the initial calibration (area/ng).

Vt = Volume of the concentrated extract in uL

Vi = Volume of extract injected (uL). (If a single injection is made onto two columns, use ½ the volume in the syringe as the volume injected onto each column).

Ws = Weight of sample extracted (g).

D =  $\frac{\% \text{ dry weight or } 100 - \% \text{ Moisture}}{100}$

GPC =  $\frac{V_{in}}{V_{out}}$  = GPC factor (If no GPC is performed, GPC=1)

DF = Dilution Factor

#### **G. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed



284 Sheffield Street, Mountainside, NJ 07092  
Phone: 908 789 8900 Fax: 908 789 8922

above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_



284 Sheffield Street, Mountainside, NJ 07092  
Phone: 908 789 8900 Fax: 908 789 8922

## **CASE NARRATIVE**

**Weston Solutions, Inc.**

**Project Name: RFP 905**

**Project # N/A**

**Order ID # Q3447**

**Test Name: TCLP Herbicide**

### **A. Number of Samples and Date of Receipt:**

4 Solid samples were received on 10/23/2025.

### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: TCLP Herbicide. This data package contains results for TCLP Herbicide.

### **C. Analytical Techniques:**

The analysis was performed on instrument ECD\_S. The front column is RTX-CLPesticides which is 30 meters, 0.32 mm ID, 0.5 um df, Catalog # 11139. The rear column is RTX-CLPesticides2 which is 30 meters, 0.32 mm ID, 0.25 um df, Catalog #: 11324. The analysis of TCLP Herbicides was based on method 8151A and extraction was done based on method 3510 and TCLP extraction method was 1311.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis except for P001-TW1-251023-01 [2,4-DCAA(2)17%], P001-TW1-251023-01MS [2,4-DCAA(2)25%], P001-TW1-251023-01MSD [2,4-DCAA(2)21%], Surrogate failure for MS-MSD confirmed with original sample while,

P001-TW2-251023-01 [2,4-DCAA(2)12%], P001-TW2-251023-01RE [2,4-DCAA(1)58%, 2,4-DCAA(2)14%],

P001-TW3-251023-01 [2,4-DCAA(2)13%], P001-TW3-251023-01RE [2,4-DCAA(2)11%],

P001-TW4-251023-01 [2,4-DCAA(2)12%], P001-TW4-251023-01RE [2 and 4-DCAA(2)10%] All the failure samples in surrogates were reanalyzed to confirm the results as per method and reported in the data.

The Retention Times were met for all analysis.

The MS {Q3447-02MS} with File ID: PS032199.D recoveries met the requirements for all compounds except for [2,4,5-TP(Silvex)(1)54% - 2,4,5-TP(Silvex)(2)58%] and [2,4-D(1)55%] due to matrix interference.



284 Sheffield Street, Mountainside, NJ 07092  
Phone: 908 789 8900 Fax: 908 789 8922

The MSD {Q3447-02MSD} with File ID: PS032200.D recoveries met the requirements for all compounds except for [2,4,5-TP(Silvex)(1)51% - 2,4,5-TP(Silvex)(2)54%] and [2,4-D(1)62% - 2,4-D(2)40%] due to matrix interference.

The RPD for File ID: PS032200.D met criteria except for [2,4-D(2)-69%] due to difference in results of MS-MSD.

The Blank Spike met requirements for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

#### **E. Additional Comments:**

#### **F. Calculation for water sample:**

$$\text{ug/l} = \frac{(A_x) (V_t) (MW)}{(ICF) (V_i) (V_s)} \times DF$$

Where:

A<sub>x</sub> = Area for the parameter to be measured.

ICF = average calibration factor for the calibration standards.

V<sub>t</sub> = Volume of total extract in uL (Take into account dilutions)

I<sub>s</sub> = Amount of standard injected in nanograms (ng)

V<sub>i</sub> = Volume of extract injected.

V<sub>s</sub> = Volume of Aqueous extracted (mL).

MW = molecular weight of the compound

#### **G. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## **CASE NARRATIVE**

**Weston Solutions, Inc.**

**Project Name: RFP 905**

**Project # N/A**

**Order ID # Q3447**

**Test Name: Mercury, Metals ICP-TAL**

### **A. Number of Samples and Date of Receipt:**

8 Solid samples were received on 10/23/2025.

### **B. Parameters:**

According to the Chain of Custody document, the following analyses were requested: Mercury, Metals ICP-TAL. This data package contains results for Mercury, Metals ICP-TAL.

### **C. Analytical Techniques:**

The analysis of Metals ICP-TAL was based on method 6010D, digestion based on method 3050 (soils). The analysis and digestion of Mercury was based on method 7471B.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

Sample P001-TW1-251023-01 was diluted due to high concentrations for Iron & Sample

P001-TW2-251023-01 was diluted due to high concentrations for Mercury & Sample

P001-TW3-251023-01 was diluted due to high concentrations for Copper and Lead.

The Blank Spike met requirements for all compounds.

The Duplicate analysis met criteria for all compounds.

The Matrix Spike (EO-01-102325MS) analysis met criteria for all compounds except for Antimony, Beryllium, Selenium, Silver and Vanadium due to Chemical Interference during Digestion process.

The Matrix Spike Duplicate (EO-01-102325MSD) analysis met criteria for all compounds except for Antimony, Barium, Beryllium, Mercury, Selenium and Silver due to Chemical Interference during Digestion process.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution (EO-01-102325L) met criteria for all compounds except for Calcium, Chromium, Magnesium, and Manganese due to unknown sample matrix interference.

### **E. Additional Comments:**

Sample Q3447-01 and Q3447-03, Silver parameter is Oversaturated so, its Reported from its 5X Dilutions.

In analytical Sequence LB137662, The Result was outside acceptance Limit for Sodium of CCB05 but, no any samples parameter associated under this CCB.



In analytical Sequence LB137677, The Result was outside acceptance Limit for Iron of CCB10 but, no any samples parameter associated under this CCB.

In analytical Sequence LB137677, The Recovery was outside acceptance Limit for Sodium of CCV09 but, no any samples parameter associated under this CCV.

The Post Digest Spike (EO-01-102325A) analysis met criteria for all compounds except for Barium, Beryllium, Selenium, Silver and Vanadium due to unknown chemical interference of matrix with the addition of spike amount after digestion and before analysis; matrix has suppression effect during addition of spike.

#### **Calculation for ICP-AES Soil Sample:**

Conversion of Results from mg/L or ppm to mg/kg (Dry Weight Basis):

$$\text{Concentration (mg/kg)} = C \times \frac{V_f}{W \times S} \times DF$$

Where,

C = Instrument value in ppm (The average of all replicate exposures)

Vf = Final digestion volume (mL)

W = Initial aliquot amount (g) (Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)

DF = Dilution Factor

#### **Calculation for Hg Soil Sample:**

Conversion of Results from µg /L or ppb to mg/kg :

$$\text{Concentration (mg/kg)} = C \times \frac{V_f}{W \times S} \times DF / 1000$$

Where,

C = Instrument response in µg/L from the calibration curve.

Vf = Final prepared (absorbing solution) volume (mL)

W = Initial aliquot amount (g) (Fraction of Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)

DF = Dilution Factor

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## **CASE NARRATIVE**

**Weston Solutions, Inc.**

**Project Name: RFP 905**

**Project # N/A**

**Order ID # Q3447**

**Test Name: TCLP ICP Metals, TCLP Mercury**

### **A. Number of Samples and Date of Receipt:**

8 Solid samples were received on 10/23/2025.

### **B. Parameters:**

According to the Chain of Custody document, the following analyses were requested: TCLP ICP Metals, TCLP Mercury. This data package contains results for TCLP ICP Metals, TCLP Mercury.

### **C. Analytical Techniques:**

The analysis of TCLP ICP Metals was based on method 6010D, digestion based on method 3010 (waters). The analysis and digestion of TCLP Mercury was based on method 7470A and TCLP extraction method was 1311.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Blank Spike met requirements for all compounds.

The Duplicate analysis met criteria for all compounds.

The Matrix Spike analysis met criteria for all compounds.

The Matrix Spike Duplicate analysis met criteria for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution met the acceptable requirements.

### **E. Additional Comments:**

#### **Calculation for TCLP ICP:**

$$\text{Concentration or Result } (\mu\text{g/L}) = C \times \frac{V_f}{V_i} \times \text{DF} \times 1000$$

Where,

C = Instrument value in ppm (The average of all replicate exposures)

V<sub>f</sub> = Final digestion volume (mL)

V<sub>i</sub> = Initial aliquot amount (mL) (Sample amount taken in prep)

DF = Dilution Factor



**Calculation for TCLP HG:**

$$\text{Concentration or Result } (\mu\text{g/L}) = C \times \frac{V_f}{V_i} \times \text{DF}$$

Where,

C = Instrument value in ppb

V<sub>f</sub> = Final digestion volume (mL)

V<sub>i</sub> = Initial aliquot amount (mL) (Sample amount taken in prep)

DF = Dilution Factor

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_





284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## **CASE NARRATIVE**

**Weston Solutions, Inc.**

**Project Name: RFP 905**

**Project # N/A**

**Order ID # Q3447**

**Test Name: Cyanide**

### **A. Number of Samples and Date of Receipt:**

4 Solid samples were received on 10/23/2025.

### **B. Parameters:**

According to the Chain of Custody document, the following analyses were requested: Cyanide. This data package contains results for Cyanide.

### **C. Analytical Techniques:**

The analysis of Cyanide was based on method 9012B.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Blank Spike met requirements for all compounds.

The Duplicate analysis met criteria for all compounds.

The Matrix Spike analysis met criteria for all compounds.

The Matrix Spike Duplicate analysis met criteria for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

### **E. Additional Comments:**

Calculation for CN Soil Sample:

$$\text{Concentration or Result } (\mu\text{g/L}) = \frac{C \times V_f \times DF}{W \times S} / 1000$$

Where,

C = Instrument response in  $\mu\text{g/L}$  CN from the calibration curve.

Vf = Final prepared (absorbing solution) volume (mL)

W = Initial aliquot amount (g) (Fraction of Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)

DF = Dilution Factor

---



I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_

## DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

<b>J</b>	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
<b>U</b>	Indicates the analyte was analyzed for, but not detected.
<b>ND</b>	Indicates the analyte was analyzed for, but not detected
<b>E</b>	Indicates the reported value is estimated because of the presence of interference
<b>M</b>	Indicates Duplicate injection precision not met.
<b>N</b>	Indicates the spiked sample recovery is not within control limits.
<b>S</b>	Indicates the reported value was determined by the Method of Standard Addition (MSA).
<b>*</b>	Indicates that the duplicate analysis is not within control limits.
<b>+</b>	Indicates the correlation coefficient for the MSA is less than 0.995.
<b>D</b>	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
<b>M</b>	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
<b>OR</b>	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
<b>Q</b>	Indicates the LCS did not meet the control limits requirements
<b>H</b>	Sample Analysis Out Of Hold Time

## DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

**APPENDIX A**

**QA REVIEW GENERAL DOCUMENTATION**

Project #: Q3447

Completed

For thorough review, the report must have the following:

**GENERAL:**

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

**COVER PAGE:**

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

**CHAIN OF CUSTODY:**

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

**ANALYTICAL:**

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: PATEL VAISHALI

Date: 11/06/2025