

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789

8900, Fax: 908 789 8922

## **Prep Standard - Chemical Standard Summary**

Test: TCLP Herbicide

Prepbatch ID: PB170269,

Sequence ID/Qc Batch ID: ps102725,Ps102825,

				_	
Sta	nd	25	4	ın	

### Chemical ID:

E3554, E3875, E3882, E3933, E3952, E3966, E3969, E3972, E3978, M6157, M6186, P11183, P12620, P12630, P12689, P13547, P13548, P13549, P13550, P14071, P14073, P14142, P14143, P14144, P14145, P8829, W3112, P14144, P14145, P



Aliance

Fax: 908 789 8922

## **Extractions STANDARD PREPARATION LOG**

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Riteshkumar Patel
601	Acidified Sodium Sulphate 2	EP2633	08/15/2025	11/07/2025		Extraction_SC	None	
					R SHAH	ALE_2		08/18/2025
	1000 00000   (50050 : 150 00000		7 . 0000 000	00   (50075	F: 10 "	(EX-SC-2)		

FROM 1000.00000ml of E3952 + 150.00000ml of M6157 + 3000.00000ml of E3875 = Final Quantity: 3000.000 gram

Recipe ID	NAME	<u>NO.</u>	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Yogesh Patel
3883	12N H2SO4 solution	EP2653	10/22/2025	04/22/2026	RUPESHKUMA R SHAH	None	None	11/06/2025

FROM 333.00000ml of M6186 + 667.00000ml of W3112 = Final Quantity: 1000.000 ml



Alliance TECHNICAL GROUP

Fax: 908 789 8922

## **Extractions STANDARD PREPARATION LOG**

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Yogesh Patel
3884	6 N NAOH	EP2654	10/22/2025	04/22/2026	RUPESHKUMA	Extraction_SC	None	
					R SHAH	ALE_2		11/06/2025
						(EX-SC-2)		

Recipe ID	NAME	<u>NO.</u>	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Yogesh Patel
1321	2/200 PPM Herb Mega Mix	PP24553	05/12/2025	11/05/2025	Abdul Mirza	None	None	05/22/2025

FROM 0.20000ml of P8829 + 1.00000ml of P11183 + 1.00000ml of P12620 + 1.00000ml of P12630 + 1.00000ml of P12689 + 95.80000ml of E3933 = Final Quantity: 100.000 ml





## Pest/Pcb STANDARD PREPARATION LOG

Recipe ID	NAME	<u>NO.</u>	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Yogesh Patel
1456	200 PPB Herb MIX STD	PP24556	05/12/2025	11/05/2025	Abdul Mirza	None	None	3
								05/22/2025

FROM	0.90000ml of E3933 + 0.10000ml of PP24553	= Final Quantity: 1.000 ml
------	---	----------------------------

Recipe				<b>Expiration</b>	<u>Prepared</u>			Supervised By
<u>ID</u>	<u>NAME</u>	NO.	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Yogesh Patel
1455	500 PPB Herb MIX STD	PP24557	05/12/2025	11/05/2025	Abdul Mirza	None	None	Ü
								05/22/2025

**FROM** 0.75000ml of E3933 + 0.25000ml of PP24553 = Final Quantity: 1.000 ml





## Pest/Pcb STANDARD PREPARATION LOG

Recipe ID	NAME	<u>NO.</u>	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Yogesh Patel
1453	1000 PPB Herb MIX STD	PP24558	05/12/2025	11/05/2025	Abdul Mirza	None	None	3
-								05/22/2025

FROM	0.50000ml of E3933 + 0.50000ml of PP24553	= Final Quantity: 1.000 ml
------	---	----------------------------

Recipe				<b>Expiration</b>	<u>Prepared</u>			Supervised By
<u>ID</u>	<u>NAME</u>	NO.	Prep Date		<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Yogesh Patel
1454	750 PPB Herb MIX STD	PP24559	05/12/2025	11/05/2025	Abdul Mirza	None	None	05/22/2025

**FROM** 0.25000ml of E3933 + 0.75000ml of PP24558 = Final Quantity: 1.000 ml





## Pest/Pcb STANDARD PREPARATION LOG

Recipe ID	NAME	<u>NO.</u>	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Yogesh Patel
1452	1500 PPB HERB MIX STD	PP24560	05/12/2025	11/05/2025	Abdul Mirza	None	None	3
								05/22/2025

<b>FROM</b>	0.25000ml of E3933 + 0.75000ml of PP24553	= Final Quantity: 1.000 ml
-------------	---	----------------------------

Recipe ID	NAME	<u>NO.</u>	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Yogesh Patel
1851	2/200 PPM Herb Mega Mix 2nd Source	PP24921	08/07/2025	02/07/2026	Abdul Mirza	None	None	09/22/2025

FROM 0.50000ml of P14071 + 1.00000ml of P13547 + 48.50000ml of E3966 = Final Quantity: 50.000 ml





## Pest/Pcb STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Yogesh Patel
1854	1000 PPB HERB MIX ICV STD	PP24922	08/07/2025	02/07/2026	Abdul Mirza	None	None	09/22/2025
								09/22/2025

Recipe				Expiration	<u>Prepared</u>			Supervised By
<u>ID</u>	<u>NAME</u>	NO.	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Yogesh Patel
1691	750 PPB ICV HERB STD	PP24923	08/07/2025	02/07/2026	Abdul Mirza	None	None	o o
								09/22/2025

**FROM** 0.25000ml of E3966 + 0.75000ml of PP24922 = Final Quantity: 1.000 ml



Aliance

Fax: 908 789 8922

## Pest/Pcb STANDARD PREPARATION LOG

Recipe ID	<u>NAME</u>	<u>NO.</u>	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Yogesh Patel
1848	5000/500000 PPB Herbicide Spike (Free Acid)	PP24929	09/18/2025	03/18/2026	Abdul Mirza	None	None	09/19/2025

FROM	0.50000ml of P13550 + 1.00000ml of P13548 -	+ 1.00000ml of P13549 + 47.50000ml of E3972 = Final Quantity: 50.000 ml
------	---	---

Recipe ID	<u>NAME</u>	<u>NO.</u>	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Yogesh Patel
60	5000 PPB Herbicide Surg Spike (Free Acid)	PP24999	10/15/2025	04/13/2026	Abdul Mirza	None	None	11/04/2025

**FROM** 

1.00000ml of P14073 + 1.00000ml of P14142 + 1.00000ml of P14143 + 1.00000ml of P14144 + 1.00000ml of P14145 + 1.00000ml of E3978 = Final Quantity: 200.000 ml



Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9335-02 / Iso-Octane (2,2,4-Trimethypentane) Ultra Resi-Analyzed Grade	63160	11/05/2025	08/09/2023 / Rajesh	08/09/2023 / Rajesh	E3554
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	PC19631-100 / SODIUM SULFATE, ANHYDROUS, PEST GRADE, 1	417203	07/28/2026	07/28/2025 / RUPESH	01/29/2025 / Rajesh	E3875
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	PC19510-5 / Sodium Hydroxide Pellets 2.5 Kg, Pk of 4	240301-B077875	01/31/2028	07/30/2025 /	02/24/2025 / RUPESH	E3882
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9262-03 / Hexane, Ultra-Resi (cs/4x4L)	25C0362005	11/05/2025	05/05/2025 / RUPESH	04/23/2025 / RUPESH	E3933
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Supplier Seidler Chemical	ItemCode / ItemName  BA-9244-03 / Ether, Anhydrous, Purified (cs/4x4L)	Lot # 250419	-	-		
	BA-9244-03 / Ether, Anhydrous, Purified		Date	Opened By 07/09/2025 /	Received By 07/09/2025 /	Lot #



Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9244-03 / Ether, Anhydrous, Purified (cs/4x4L)	250419	05/31/2026	09/05/2025 / Riteshkumar	09/04/2025 / Riteshkumar	E3969
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9254-03 / Acetone, Ultra Resi (cs/4x4L)	24H1462005	05/24/2027	09/16/2025 / Evelyn	09/04/2025 / Riteshkumar	E3972
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9262-03 / Hexane, Ultra-Resi (cs/4x4L)	25C0362006	04/13/2026	10/13/2025 / RUPESH	10/08/2025 / Riteshkumar	E3978
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date /	Chemtech Lot #
Seidler Chemical	BA-9673-33 / Sulfuric Acid, Instra-Analyzed (cs/6c2.5L)	24i1262013	11/07/2025	05/07/2025 / RUPESH	02/18/2025 / Mohan	M6157
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date /	Chemtech Lot #
Seidler Chemical	BA-9673-33 / Sulfuric Acid, Instra-Analyzed (cs/6c2.5L)	23D2462010	07/12/2026	08/13/2025 / Sagar	08/06/2025 / Sagar	M6186
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	32050 / Herbicide, 8000 series, 515 Surrogate [ester] 2,4-dichlorophenyl acetic acid methyl ester,	A0172864	11/12/2025	05/12/2025 / Abdul	11/01/2021 / Abdul	P11183



Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	32062 / Herbicide Mix, 500/8000, Standard #4 [methyl ester] 200ug/mL, hexane, 1mL/ampul	A0155055	11/12/2025	05/12/2025 / Abdul	07/03/2023 / Abdul	P12620
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	32055 / Herbicide Mix, 500/8000, Standard #1 [methyl ester] 200ug/mL, hexane, 1mL/ampul	A192429	11/12/2025	05/12/2025 / Abdul	07/03/2023 / Abdul	P12630
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	32059 / Herbicide Mix#3 (Methyl Ester), 20000 ug/ml	A0199844	11/12/2025	05/12/2025 / Abdul	07/24/2023 / Abdul	P12689
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date /	Chemtech Lot #
Agilent Technologies	HBM-8151A / Chlorinated Herbicide Mixtures, Free Acids	0006810955	02/07/2026	08/07/2025 / Abdul	09/24/2024 / Abdul	P13547
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date /	Chemtech Lot #
Agilent Technologies	HBM-8151A / Chlorinated Herbicide Mixtures, Free Acids	0006810955	02/07/2026	08/07/2025 / Abdul	09/24/2024 / Abdul	P13547
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Agilent Technologies	HBM-8151A / Chlorinated Herbicide Mixtures, Free Acids	0006810955	03/18/2026	09/18/2025 / Abdul	09/24/2024 / Abdul	P13548



Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Agilent Technologies	HBM-8151A / Chlorinated Herbicide Mixtures, Free Acids	0006810955	03/18/2026	09/18/2025 / Abdul	09/24/2024 / Abdul	P13548
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Agilent Technologies	HBM-8151A / Chlorinated Herbicide Mixtures, Free Acids	0006810955	03/18/2026	09/18/2025 / Abdul	09/24/2024 / Abdul	P13549
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Agilent Technologies	HBM-8151A / Chlorinated Herbicide Mixtures, Free Acids	0006810955	03/18/2026	09/18/2025 / Abdul	09/24/2024 / Abdul	P13549
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Agilent Technologies	HBM-8151A / Chlorinated Herbicide Mixtures, Free Acids	0006810955	03/18/2026	09/18/2025 / Abdul	09/24/2024 / Abdul	P13550
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Agilent Technologies	HBM-8151A / Chlorinated Herbicide Mixtures, Free Acids	0006810955	03/18/2026	09/18/2025 / Abdul	09/24/2024 / Abdul	P13550
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	32050 / Herbicide, 8000 series, 515 Surrogate [ester] 2,4-dichlorophenyl acetic acid methyl ester, 1mL, 200ug/mL, Hexane	A0221255	02/07/2026	08/07/2025 / Abdul	06/23/2025 / anahy	P14071



Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	32050 / Herbicide, 8000 series, 515 Surrogate [ester] 2,4-dichlorophenyl acetic acid methyl ester,	A0221255	04/15/2026	10/15/2025 / Abdul	06/23/2025 / anahy	P14073
	1mL, 200ug/mL, Hexane	i	·			•
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	32050 / Herbicide, 8000 series, 515 Surrogate [ester] 2,4-dichlorophenyl acetic acid methyl ester,	A0221255	10/31/2031	10/15/2025 / Abdul	08/01/2025 / yogesh	P14142
	1mL, 200ug/mL, Hexane		1			1
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	32050 / Herbicide, 8000 series, 515 Surrogate [ester] 2,4-dichlorophenyl acetic acid methyl ester,	A0221255	04/15/2026	10/15/2025 / Abdul	08/01/2025 / yogesh	P14143
	1mL, 200ug/mL, Hexane	_	_			
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	32050 / Herbicide, 8000 series, 515 Surrogate [ester] 2,4-dichlorophenyl acetic acid methyl ester,	A0221255	04/15/2026	10/15/2025 / Abdul	08/01/2025 / yogesh	P14144
	1mL, 200ug/mL, Hexane		1	-	-	ı
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	32050 / Herbicide, 8000 series, 515 Surrogate [ester] 2,4-dichlorophenyl acetic acid methyl ester,	A0221255	04/15/2026	10/15/2025 / Abdul	08/01/2025 / yogesh	P14145
	1mL, 200ug/mL, Hexane		1		<u> </u>	1
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	32254 / Dalapon Methyl Ester, 1000 ug/ml	A0148063	11/12/2025	05/12/2025 / Abdul	08/16/2019 / Stephen	P8829



Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	DIW / DI Water	Daily Lab-Certified	07/03/2029	07/03/2024 / lwona	07/03/2024 / Iwona	W3112

## **Certificate of Analysis**



Date of Release:

6/9/2023

Name:

2,2,4-Trimethylpentane [Isooctane]

OmniSolv®

Item No:

TX1389 all size codes

Lot / Batch No:

63160

Country of Origin:

Germany

Characteristic	Re	equirement	Results	Units
	Min.	Max.		
Assay (GC)	99.5		> 99.99	%
Capillary ECD responsive substances (as PCNB)		5	0.24	ng/L
Color (APHA)	===	10	< 10	
Evaporation residue		1	< 0.5	ppm
Filtered through 0.2 µm filter			Passes test	
Fluorescence (as quinine base)		250	71	ppt
Form			Clear liquid	
Infrared Spectrum	:		Conforms	
Refractive index (at 20°C)			1.3915	
UV Abs. at 200 nm	<u> </u>	1.00	0.137	AU
UV Abs. at 220 nm		0.05	0.024	AU
UV Abs. at 230 nm		0.02	0.003	AU
UV Abs. at 250 nm		0.005	0.003	AU
UV Abs. at 270 nm		0.005	0.002	AU
UV Abs. at 300 nm		0.005	0.004	AU
UV Cut-off		200	191.1	nm
Water (H2O)		0.01	0.001	%

Michael Hutchinson	Michael	Hutchinson
--------------------	---------	------------

Quality Control Manager

This document has been produced electronically and is valid without a signature.

EMD Millipore is a division of Merck KGaA, Darmstadt, Germany **EMD Millipore Corporation** 400 Summit Drive, Burlington, MA 01803 U.S.A

Recd by RP on 8/9/23



Mirador 201, Col. Mirador Monterrey, N.L. México CP 64070 TEL +52 81 13 52 57 57 www.pqm.com.mx

## **CERTIFICATE OF ANALYSIS**

PRODUCT:

SODIUM SULFATE CRYSTALS ANHYDROUS

QUALITY:

ACS (CODE RMB3375)

FORMULA:

Na<sub>2</sub>SO<sub>4</sub>

MEMPERS A

SPECIFICATION NUMBER: 6399

RELEASE DATE:

MAY/23/2024

LOT NUMBER:

417203

TEST	SPECIFICATIONS	LOT VALUES
Assay (Na <sub>2</sub> SO <sub>4</sub> )	Min. 99.0%	99.8 %
pH of a 5% solution at 25°C	5.2 - 9.2	6.2
insoluble matter	Max. 0.01%	0.001 %
Loss on ignition	Max. 0.5%	0.1 %
Chloride (CI)	Max. 0.001%	<0.001 %
Nitrogen compounds (as N)	Max. 5 ppm	<5 ppm
Phosphate (PO <sub>4</sub> )	Max. 0.001%	<0.001 %
Heavy metals (as Pb)	Max. 5 ppm	<5 ppm
Iron (Fe)	Max. 0.001%	<0.001 %
Calcium (Ca)	Max. 0.01%	0.001 %
Magnesium (Mg)	Max. 0.005%	0.001 %
Potassium (K)	Max. 0.008%	0.001 %
Extraction-concentration suitability	Passes test	Passes test
Appearance	Passes test	Passes test
dentification	Passes test	Passes test
Solubility and foreing matter	Passes test	Passes test
Retained on US Standard No. 10 sieve	Max. 1%	0.2 %
Retained on US Standard No. 60 sieve	Min. 94%	96.2 %
Through US Standard No. 60 sieve	Max. 5%	3.5 %
Through US Standard No. 100 sieve	Max. 10%	0.1 %

QC: PhC Irma Belmares

If you need further details, please call our factory or contact our local distributor.



## **CERTIFICATE OF ANALYSIS**

**Product Name** 

Grade

Catalog #

Item#

Batch #

Date ( )

Date of Manufacture: Recommended Retest Date:

Customer PO#

**Packaging Type** 

Sodium Hydroxide Pellets

ACS/NF/EP/BP Grade

289ACSNFEPBP

103433

240301-B077875

01 Feb 2024

31 Jan 2028

6058164

Drum Fiber 50 Kg

TEST	MONO- GRAPH	SPECIFICATION	RESULT	UNITS	
Assay	ACS	NLT 97.0%	98.7	%	
Assay - Total Alkali	NF 95.0% - 100.5%		98.7	%	
Assay - Content of Sodium	NF	54.0% - 59.8%	56.7	%	
Appearance of solution EP/BP The solution is clear and colourless		Pass	N/A		
Sodium Carbonate (Na2CO3)	ACS	1.0% max.	0.5	%	
Sodium Carbonate (Na2CO3)	NF	3.0% max.	0.5	%	
Carbonates	EP/BP	Maximum 2.0%, calculated as Na2CO3	0.5	%	
Sulfate (SO4)	ACS	0.003% max.	LT 0.002%	N/A	
Sulfates	EP/BP	Maximum 200 ppm	LT 20 ppm	N/A	
Chloride (CI)	ACS	0.005% max.	LT 0.005%	N/A	
Chlorides	EP/BP	Maximum 200 ppm	LT 50 ppm	N/A	
Nitrogen Compounds (as N)	ACS	0.001% max.	LT 0.001%	4	
Phosphate (PO4)	ACS	0.001% max.	LT 0.001%	N/A	
leavy Metals (as Ag)	ACS	0.002% max		N/A	
ron (Fe)			LT 0.002%	N/A	
()	ACS	0.001% max.	LT 0.001%	N/A	

n-Hexane 95% ULTRA RESI-ANALYZED For Organic Residue Analysis



Material No.: 9262-03

Batch No.: 25C0362005

Manufactured Date: 2025-01-29

Expiration Date: 2026-04-30

Revision No.: 0

## Certificate of Analysis

Test	Specification	Result
FID-Sensitive Impurities (as 2-Octanol)Single Impurity Peak (ng/mL)	<= 5	1
ECD Sensitive Impurities (as HeptachlorEpoxide) Single Peak (pg/mL)	<= 10	6
ECD-Sensitive Impurities (as EthyleneDibromide) – Single Impurity Peak (ng/mL)	<= 5	5
Assay (Total Saturated C <sub>6</sub> Isomers) (byGC, corrected for water)	>= 99.5 %	100.0 %
Assay (as n-Hexane) (by GC, correctedfor water)	>= 95 %	100 %
Color (APHA)	<= 10	10
Residue after Evaporation	<= 1.0 ppm	0.1 ppm
Substances Darkened by H₂SO₄	Passes Test	Passes Test
Water (by KF, coulometric)	<= 0.05 %	<0.01 %

For Laboratory, Research, or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States

Packaging Site: Phillipsburg Mfg Ctr & DC

E3933



Fisher Scientific UK Ltd. 755 US Highway Bridgewater NJ 08807 202, United States of America

### **CERTIFICATE OF ANALYSIS**

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek Global Certificate Number, CERT-0120633

Catalogue Number E198 Lot Number 250419

Description ETHYL ETHER, HPLC GRADE

**CAS Number** 60-29-7 Quality Test/Release Date 02/Jun/2025 Suggested retest date 31/May/2026 Country of Origin Mexico

Declaration of Origin Organic - synthetic

This product was derived from synthetic raw materials and the manufacturing BSE/TSE

process excluded contamination with any animal products.

Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	Clear, colorless liquid free of
ASSAY CARBONYL COMPOUNDS COLOR DENSITY AT 25 DEGREES C	% % APHA GM/ML	>= 99 <= 0.001 <= 10 Inclusive Between 0.708 - 0.710	suspended matter 99.95 <0.001 5 0.710
EVAPORATION RESIDUE IDENTIFICATION	ppm PASS/FAIL	<= 5 = PASS TEST	0.1 PASS TEST
OPTICAL ABS AT 218 NM	ABSORBANO UNITS	<= 1.00	0.15
OPTICAL ABS AT 254 NM	ABSORBANO UNITS		0.03
OPTICAL ABS AT 280 NM	ABSORBANO UNITS		0.003
OPTICAL ABS AT 350 NM	ABSORBANO UNITS	CE <= 0.01	<0.001
PEROXIDE PRESERVATIVE - ETHANOL REFRACTIVE INDEX @ 25 DEG C SUBSTANCES DARKENED BY H2SO4 TITRATABLE ACID WATER (H2O)	ppm % PASS/FAIL MEQ/G %	<= 5 Inclusive Between 1.5 - 2.5 Inclusive Between 1.3490 - 1.352 = PASS TEST <= 0.0002 <= 0.01	PASS TEST <0.00003
	Matthe	w Micek pervisior	1.008 Received on 7/4/25 E3952

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

## PO: PO2-2575 PRODUCT CODE: SHIP DATE: 6/20/25

n-Hexane 95% ULTRA RESI-ANALYZED For Organic Residue Analysis



Material No.: 9262-03

Batch No.: 25C0362005

Manufactured Date: 2025-01-29

Expiration Date:2026-04-30

Revision No.: 0

## Certificate of Analysis

Test	Specification	Result
FID-Sensitive Impurities (as 2-Octanol)Single Impurity Peak (ng/mL)	<= 5	1
ECD Sensitive Impurities (as HeptachlorEpoxide) Single Peak (pg/mL)	<= 10	6
ECD-Sensitive Impurities (as EthyleneDibromide) – Single Impurity Peak (ng/mL)	<= 5	5
Assay (Total Saturated $C_6$ Isomers) (byGC, corrected for water)	>= 99.5 %	100.0 %
Assay (as n-Hexane) (by GC, correctedfor water)	>= 95 %	100%
Color (APHA)	<= 10	10
Residue after Evaporation	<= 1.0 ppm	0.1 ppm
Substances Darkened by H2SO4	Passes Test	Passes Test
Water (by KF, coulometric)	<= 0.05 %	<0.01 %

For Laboratory, Research, or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States

Packaging Site: Phillipsburg Mfg Ctr & DC

E 3966



Director Quality Operations, Bioscience Production

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700 Avantor Performance Materials,LLC

100 Matsonford Rd, Suite 200, Radnor, PA, 19087. U.S.A. Phone 610.386.1700



Fisher Scientific UK Ltd. 755 US Highway Bridgewater, NJ 08807 202, United States of America

## **CERTIFICATE OF ANALYSIS**

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek Global Certificate Number. CERT-0120633

Catalogue Number E198 Lot Number 250419

Description ETHYL ETHER, HPLC GRADE

**CAS Number** 60-29-7 Quality Test/Release Date 02/Jun/2025 Suggested retest date 31/May/2026 Country of Origin Mexico Declaration of Origin

Organic - synthetic This product was derived from synthetic raw materials and the manufacturing BSE/TSE

process excluded contamination with any animal products.

Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	Clear, colorless liquid free of
ASSAY	%	>= 99	suspended matter 99.95
CARBONYL COMPOUNDS	%	<= 0.001	
COLOR	APHA	<= 10	<0.001
DENSITY AT 25 DEGREES C	GM/ML	Inclusive Between 0.708 - 0.710	5 0.710
EVAPORATION RESIDUE	ppm	<= 5	0.1
IDENTIFICATION	PASS/FAIL	= PASS TEST	***
OPTICAL ABS AT 218 NM	ABSORBANC UNITS	E <= 1.00	PASS TEST 0.15
OPTICAL ABS AT 254 NM	ABSORBANC UNITS		0.03
OPTICAL ABS AT 280 NM	ABSORBANC UNITS	=<= 0.02	0.003
OPTICAL ABS AT 350 NM	ABSORBANCI UNITS	= <= 0.01	<0.001
PEROXIDE	ppm	<= 5	<1
PRESERVATIVE - ETHANOL	%	Inclusive Between 1.5 - 2.5	1.6
REFRACTIVE INDEX @ 25 DEG C		Inclusive Between 1.3490 - 1.3520	1.3498
SUBSTANCES DARKENED BY H2SO4	PASS/FAIL	D	PASS TEST
TITRATABLE ACID	MEQ/G	<= 0.0002	<0.00003
WATER (H2O)	%	<= 0.01	0.008

**Matthew Micek** 

QC Supervisior

Wes Gli

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Acetone

BAKER RESI-ANALYZED® Reagent
For Organic Residue Analysis



Material No.: 9254-03

Batch No.: 24H1462005

Manufactured Date: 2024-05-24

Expiration Date:2027-05-24

Revision No.: 0

## Certificate of Analysis

Test	Specification	Result	
Assay ((CH3)2CO) (by GC, corrected forwater)	>= 99.4 %	99.8 %	
Color (APHA)	<= 10	5	
Residue after Evaporation	<= 1.0 ppm	0.2 ppm	
Substances Reducing Permanganate	Passes Test	Passes Test	
Titrable Acid (µeq/g)	<= 0.3	0.2	,
Titrable Base (µeq/g)	<= 0.6	<0.1	
Water (H <sub>2</sub> O)	<= 0.5 %	0.2 %	
FID-Sensitive Impurities (as 2-Octanol)Single Impurity Peak (ng/mL)	<= 5	<1	
ECD Sensitive Impurities (as HeptachlorEpoxide) Single Peak (pg/mL)	<= 10	1	

For Laboratory, Research, or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States

Packaging Site: Phillipsburg Mfg Ctr & DC

E3972

Arminen Bankananan Kansantala 117

n-Hexane 95% ULTRA RESI-ANALYZED For Organic Residue Analysis



Material No.: 9262-03

Batch No.: 25C0362006

Manufactured Date: 2025-01-29

Expiration Date:2026-04-30

Revision No.: 0

## Certificate of Analysis

Test	Specification	Result
FID-Sensitive Impurities (as 2-Octanol)Single Impurity Peak (ng/mL)	<= 5	1
ECD Sensitive Impurities (as HeptachlorEpoxide) Single Peak (pg/mL)	<= 10	6
ECD-Sensitive Impurities (as EthyleneDibromide) – Single Impurity Peak (ng/mL)	<= 5	4
Assay (Total Saturated Collsomers) (byGC, corrected for water)	>= 99.5 %	100.0 %
Assay (as n-Hexane) (by GC, correctedfor water)	>= 95 %	100 %
Color (APHA)	<= 10	10
Residue after Evaporation	<= 1.0 ppm	0.2 ppm
Substances Darkened by H2SO4	Passes Test	Passes Test
Water (by KF, coulometric)	<= 0.05 %	<0.01 %

For Laboratory, Research, or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States

Packaging Site: Phillipsburg Mfg Ctr & DC

E 3978







Material No.: 9673-33

Batch No.: 2411262013

Manufactured Date: 2024-08-07

Retest Date:2029-08-06

Revision No.: 0

# Wells

## Certificate of Analysis

ACS - Assay (H <sub>2</sub> SO <sub>4</sub> ) Appearance ACS - Color (APHA) ACS - Residue after Ignition ACS - Substances Reducing Permanganate(as SO <sub>2</sub> ) Ammonium (NH <sub>4</sub> )	95.0 - 98.0 %  Passes Test <= 10 <= 3 ppm <= 2 ppm	Result  96.2 %  Passes Test  5  <1 ppm
ACS – Color (APHA)  ACS – Residue after Ignition  ACS – Substances Reducing Permanganate(as SO2)	<= 10 <= 3 ppm	Passes Test 5
ACS – Residue after Ignition ACS – Substances Reducing Permanganate(as SO2)	<= 3 ppm	5
ACS – Substances Reducing Permanganate(as SO2)		
		( ) ppiii
Ammonium (NH <sub>4</sub> )		<2 ppm
(14) (4)	<= 1 ppm	<1 ppm
Chloride (CI)	<= 0.1 ppm	<0.1 ppm
Nitrate (NO3)	<= 0.2 ppm	0.1 ppm
Phosphate (PO4)	<= 0.5 ppm	<0.1 ppm
Trace Impurities – Aluminum (Al)	<= 30.0 ppb	<5.0 ppb
Arsenic & Antimony (as As)	<= 4.0 ppb	<2.0 ppb
Frace Impurities – Boron (B)	<= 10.0 ppb	<5.0 ppb
Frace Impurities – Cadmium (Cd)	<= 2.0 ppb	<1.0 ppb
race Impurities - Chromium (Cr)	<= 6.0 ppb	<1.0 ppb
race Impurities – Cobalt (Co)	<= 0.5 ppb	<0.3 ppb
race Impurities – Copper (Cu)	<= 1.0 ppb	<0.3 ppb
race Impurities – Gold (Au)	<= 10.0 ppb	<5.0 ppb
eavy Metals (as Pb)	<= 500.0 ppb	<100.0 ppb
race Impurities – Iron (Fe)	<= 50.0 ppb	<1.0 ppb
ace Impurities – Lead (Pb)	<= 0.5 ppb	<0.5 ppb
ace Impurities – Magnesium (Mg)	<= 7.0 ppb	<0.5 ppb
ace Impurities – Manganese (Mn)	<= 1.0 ppb	
ace Impurities – Mercury (Hg)	<= 0.5 ppb	<1.0 ppb
ace Impurities – Nickel (Ni)	<= 2.0 ppb	<0.1 ppb
ace Impurities – Potassium (K)	<= 500.0 ppb	<0.3 ppb
ce Impurities – Selenium (Se)	<= 50.0 ppb	<10.0 ppb
ce Impurities – Silicon (Si)	<= 100.0 ppb	7.2 ppb
ce Impurities – Silver (Ag)	<= 1.0 ppb	12.8 ppb <1.0 ppb



Material No.: 9673-33 Batch No.: 2411262013

Test	Specification	Result	
Trace Impurities – Sodium (Na)	<= 500.0 ppb	<5.0 ppb	
Trace Impurities - Strontium (Sr)	<= 5.0 ppb	<1.0 ppb	
Trace Impurities – Tin (Sn)	<= 5.0 ppb	1.1 ppb	
Trace Impurities – Zinc (Zn)	<= 5.0 ppb	<1.0 ppb	

For Laboratory, Research, or Manufacturing Use

Country of Origin: United States

Packaging Site: Phillipsburg Mfg Ctr & DC





Material No.: 9673-33

Batch No.: 23D2462010 Manufactured Date: 2023-03-22

Retest Date: 2028-03-20

Revision No.: 0

# [m6186] Reciew Dute = 68/06/25

## Certificate of Analysis

	Specification	Result
ACS - Assay (H2SO4)	95.0 - 98.0 %	96.1 %
Appearance	Passes Test	Passes Test
ACS – Color (APHA)	≤ 10	5
ACS – Residue after Ignition	≤ 3 ppm	< 1 ppm
ACS - Substances Reducing Permanganate (as SO2)	≤ 2 ppm	< 2 ppm
Ammonium (NH <sub>4</sub> )	≤ 1 ppm	1 ppm
Chloride (CI)	≤ 0.1 ppm	< 0.1 ppm
Nitrate (NO <sub>3</sub> )	≤ 0.2 ppm	< 0.1 ppm
Phosphate (PO4)	≤ 0.5 ppm	< 0.1 ppm
Trace Impurities – Aluminum (Al)	≤ 30.0 ppb	< 5.0 ppb
Arsenic and Antimony (as As)	≤ 4.0 ppb	< 2.0 ppb
Frace Impurities - Boron (B)	≤ 10.0 ppb	8.5 ppb
Frace Impurities – Cadmium (Cd)	≤ 2.0 ppb	< 0.3 ppb
Frace Impurities – Chromium (Cr)	≤ 6.0 ppb	< 0.4 ppb
race Impurities – Cobalt (Co)	≤ 0.5 ppb	< 0.3 ppb
race Impurities – Copper (Cu)	≤ 1.0 ppb	< 0.1 ppb
race Impurities - Gold (Au)	≤ 10.0 ppb	0.5 ppb
leavy Metals (as Pb)	≤ 500.0 ppb	< 100.0 ppb
race Impurities – Iron (Fe)	≤ 50.0 ppb	1.3 ppb
race Impurities – Lead (Pb)	≤ 0.5 ppb	< 0.5 ppb
race Impurities – Magnesium (Mg)	≤ 7.0 ppb	0.8 ppb
race Impurities – Manganese (Mn)	≤ 1.0 ppb	< 0.4 ppb
race Impurities – Mercury (Hg)	≤ 0.5 ppb	< 0.1 ppb
race Impurities – Nickel (Ni)	≤ 2.0 ppb	0.3 ppb
race Impurities – Potassium (K)	≤ 500.0 ppb	< 2.0 ppb
race Impurities – Selenium (Se)	≤ 50.0 ppb	< 0.1 ppb
ace Impurities – Silicon (Si)	≤ 100.0 ppb	31.5 ppb
ace Impurities – Silver (Ag)	≤ 1.0 ppb	< 0.3 ppb

>>> Continued on page 2 >>>





Material No.: 9673-33 Batch No.: 23D2462010

Specification	Result
≤ 500.0 ppb	5.4 ppb
≤ 5.0 ppb	< 0.2 ppb
≤ 5.0 ppb	< 0.8 ppb
≤ 5.0 ppb	0.4 ppb
	≤ 500.0 ppb ≤ 5.0 ppb ≤ 5.0 ppb

For Laboratory, Research, or Manufacturing Use

Country of Origin: USA

Packaging Site: Phillipsburg Mfg Ctr & DC



Column:

30m x 0.25mm x 0.25µm Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:


75°C (hold 1 min.) to 330°C @ 20°C/min. (hold 10 min.)

Inj. Temp:

Det. Temp:

330°C

Det. Type:



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Katelyn McGinni - Operations Tech I

Date Mixed:

28-May-2021

02-Jun-2021

Balance: B345965662

Date Passed:

Manufactured under Restek's ISO 9001:2015 **Registered Quality System** Certificate #FM 80397

611/2 8C





Bellefonte, PA 16823-8812 Tel: (800)356-1688 Fax: (814)353-1309

## **Certificate of Analysis**





www.restek.com

### FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No.:

32050

Lot No.: A0172864

Description:

2,4-Dichlorophenylacetic Acid Methyl Ester Standard

515 Surrogate (ester) 2, 4-dichlorophenyl Acetic Acid Methyl Ester

200µg/mL, Hexane, 1mL/ampul

Container Size:

2 mL

Pkg Amt:

> 1 mL

**Expiration Date:** 

February 29, 2028

Storage:

10°C or colder

Handling:

This product is photosensitive.

Ship: **Ambient** 

## CERTIFIED VALUES

Elution Order		Compound		Compound Grav. Conc, (weight/volume)			Expanded Uncertainty (95% C.L.; K=2)		
1	2,4-Dich	alorophenyl acetic aci 55954-23-9	d methyl ester (Lot CSC42194-01)	202.0	μg/mL	+/-	1.4323 6.8182	μg/mL μg/mL	Gravimetric Unstressed
	Purity	99%	(Lot CSC42194-01)				6.8182	μg/mL	Stressed

Solvent:

Hexane CAS#

110-54-3

Purity

99%



ISO 17034 Accredited

Bellefonte, PA 16823-8812 Tel: (800)356-1688 Fax: (814)353-1309

## **Certificate of Analysis**



www.restek.com

## FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for P12616 \\
P12616 the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No.:

32062

Lot No.: A0155055

Description:

Herbicide Mix #4/ME (Methyl Ester)

Herbicide Mix #4/ME (Methyl Ester) 200µg/mL, Hexane/Methyl-tert-butyl-ether, 1mL/ampul

Container Size: **Expiration Date:** 

November 30, 2026

Pkg Amt:

> 1 mL

10°C or colder Storage:

## CERTIFIED VALUES

					<b>U</b> L I			VAL	O L S
Elution Order		Com	pound	Grav. (weight/			Expanded (95% C.L.;	Uncertainty K=2)	
1	3,5-Dich	nlorobenzoic acid met	hyl ester	200.0	μg/mL	+/-	1.4182	μg/mL	Gravimetric
	CAS#	2905-67-1	(Lot 3903900)		r-6	+/-	6.7507	μg/mL	Unstressed
	Purity	99%	,			+/-	6.7507	μg/mL	Stressed
2	4-Nitroa	nisole		200.0	μg/mL	+/-	1.4182	μg/mL	Gravimetric
	CAS#	100-17-4	(Lot 24765/7)			+/-	6.7507	μg/mL	Unstressed
	Purity	99%				+/-	6.7507	μg/mL	Stressed
3		oroanisole		200.0	μg/mL	+/-	1.4182	μg/mL	Gravimetric
	CAS#	1825-21-4	(Lot 7921100)			+/-	6.7507	μg/mL	Unstressed
	Purity	99%				+/-	6.7507	μg/mL	Stressed
4		ben methyl ester		199.9	μg/mL	+/-	1.4176	μg/mL	Gravimetric
	CAS#	7286-84-2	(Lot 6487100)			+/-	6.7480	μg/mL	Unstressed
	Purity	98%				+/-	6.7480	μg/mL	Stressed
5	Bentazon	n methyl ester		200.0	μg/mL	+/-	1.4182	μg/mL	Gravimetric
	CAS#	61592-45-8	(Lot 817100)			+/-	6.7507	μg/mL	Unstressed
	Purity	99%				+/~	6.7507	μg/mL	Stressed
6	Picloran	methyl ester		201.9	μg/mL	+/-	1.4315	μg/mL	Gravimetric
	CAS#	14143-55-6	(Lot 386-21B)			+/~	6.8141	μg/mL	Unstressed
	Purity	98%				+/-	6.8141	μg/mL	Stressed
7	DCPA m	ethyl ester (Chlorthal-	-dimethyl)	200.0	μg/mL	+/-	1.4182	μg/mL	Gravimetric
	CAS#	1861-32-1	(Lot 8008700)		· <del>-</del>	+/-	6.7507	μg/mL	Unstressed
	Purity	99%				+/-	6.7507	μg/mL	Stressed

8 Acifluorfen methyl ester

CAS # 50594-67-7 Purity 99%

4-67-7 (Lot 6282300)

200.0 μg/mL

+/- 1.4182 +/- 6.7507

+/- 6.7507

μg/mL μg/mL

 $\mu g/mL$ 

Gravimetric Unstressed

Stressed

Solvent:

Hexane/Methyl-tert-butyl-ether

CAS#

110-54-3/1634-04-4

Purity 99%

Column:

30m x 0.25mm x 0.25μm Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

75°C (hold 1 min.) to 330°C @ 20°C/min. (hold 10 min.)

Inj. Temp:


250°C

Det. Temp:

330°C

Det. Type:

FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Michael Maye

Date Mixed:

Date Passed:

14-Nov-2019

Balance: 1128353505

\_

18-Nov-2019

Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397



110 Benner Circle Bellefonte, PA 16823-8812

> Tel: 1-814-353-1300 Fax: 1-814-353-1309

> > www.restek.com

## CERTIFIED REFERENCE MATERIAL



chromatographic plus









## FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No.:

32055

Lot No.: A0192429

Description:

Herbicide Mix #1/ME (Methyl Ester)

Herbicide Mix #1/ME (Methyl Ester) 200 µg/mL, Hexane, 1mL/ampul

Container Size:

2 mL

Pkg Amt: Storage:

> 1 mL

10°C or colder

**Expiration Date:** 

December 31, 2029

Handling:

This product is photosensitive.

Ambient Ship:

CERTIFIED VALUES

P12620

Elution Order	Compound	CAS#	Lot#	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Dicamba methyl ester	6597-78-0	11705400	99%	201.6 μg/mL	+/- 3.4204
2	Dichlorprop methyl ester	57153-17-0	11672100	99%	201.4 μg/mL	+/- 3.4170
3	2,4-D methyl ester	1928-38-7	10048000	99%	201.2 μg/mL	+/- 3.4136
4	2,4,5-TP (silvex) methyl ester	4841-20-7	6364900	99%	201.2 μg/mL	+/- 3.4136
5	2,4,5-T methyl ester	1928-37-6	6875800	98%	200.7 μg/mL	+/- 3.4052
6	Dinoseb methyl ether	6099-79-2	12914300	99%	200.8 μg/mL	+/- 3.4068
7	2,4-DB methyl ester	18625-12-2	12542000	99%	201.0 μg/mL	+/- 3.4102

<sup>\*</sup> Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent:

Hexane

CAS# 110-54-3

**Purity** 

99%

## **Quality Confirmation Test**

Column:

30m x 0.25mm x 0.25μm Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

40°C (hold 2 min.) to 330°C

@ 10°C/min. (hold 10 min.)

Inj. Temp:

250°C

Det. Temp: 330°C


Det. Type:

Split Vent:

2 ml/min.

Inj. Vol

1μľ



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Date Mixed:

09-Dec-2022

Balance Serial #

1128360905

Jennifer Pollino - Operations Tech III - ARM QC

Date Passed:

12-Dec-2022

Manufactured under Restek's ISO 9001:2015 **Registered Quality System** Certificate #FM 80397



lac MRA







110 Benner Circle Bellefonte, PA 16823-8812 Tel: 1-814-353-1300 Fax: 1-814-353-1309

www.restek.com

## **Certificate of Analysis**

chromatographic plus

### FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No.:

32059

Lot No.: A0199844

Description:

Herbicide Mix #3/ME (Methyl Ester)

Herbicide Mix #3/ME (Methyl Ester) 20,000 µg/mL, Hexane, 1mL/ampul

Container Size:

2 mL

Pkg Amt: > 1 mL

**Expiration Date:** 

July 31, 2030

Storage:

10°C or colder

Handling:

This product is photosensitive.

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound j.	CAS#	Lot#	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	MCPP (Mecoprop) methyl ester	23844-56-6	14546400	99% 2	20,035.0 μg/mL	+/- 360.1907
2	MCPA methyl ester	2436-73-9	SL201209	99% 2	20,055.0 μg/mL	+/- 360.5503

<sup>\*</sup> Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent:

Hexane

**CAS #** 110-54-3 **Purity** 99%

## **Quality Confirmation Test**

Column:

30m x 0.25mm x 0.25μm Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

75°C (hold 1 min.) to 330°C @ 20°C/min. (hold 10 min.)

Inj. Temp: 250°C

100 0

Det. Temp:

330 C


Det. Type:

FID

Split Vent:

10 ml/min.

Inj. Vol 1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Morgan Craighead - Mlx Technician

Date Mixed:

12-Jul-2023

Balance Serial #

B442140311

Jennifer Pollino - Operations Tech III - ARM QC

Date Passed:

19-Jul-2023

Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397





## **Reference Material Certificate Product Information Sheet**

**Product Name:** 

Chlorinated Herbicides Standard

Lot Number:

0006810955

**Product Number:** 

HBM-8151A-1

Lot Issue Date:

20-Aug-2024

**Storage Conditions:** 

Store at Room Temperature (15° to 30°C).

**Expiration Date:** 

30-Sep-2026

Component Name	Concentrati	on	Uncertainty	CAS#	Analyte Lot
acifluorfen	100.2	±	0.5 μg/mL	050594-66-6	NT02057
bentazon	100.4	±	0.5 µg/mL	025057-89-0	RM21359
chloramben	100.3	±	0.5 μg/mL	000133-90-4	RM02698
2,4-D	100.4	±	0.5 μg/mL	000094-75-7	RM17172
dalapon	100.4	±	0.5 μg/mL	000075-99-0	RM19677
2,4-DB	100.1	±	0.5 μg/mL	000094-82-6	RM02866
tetrachloroterephthalic acid	100.4	±	0.5 μg/mL	002136-79-0	RM15140
dicamba	100.3	±	0.5 μg/mL	001918-00-9	RM22113
3,5-dichlorobenzoic acid	100.4	±	0.5 μg/mL	000051-36-5	RM02768
dichlorprop	100.2	±	0.5 µg/mL	000120-36-5	RM21688
dinoseb	100.3	±	0.5 µg/mL	000088-85-7	RM22275
MCPA	10019	±	50 μg/mL	000094-74-6	RM12220
MCPP (mecoprop)	10011	±	50 μg/mL	000093-65-2	RM09273
4-nitrophenol	100.4	±	0.5 μg/mL	000100-02-7	RM02391
pentachlorophenol	100.2	±	0.5 μg/mL	000087-86-5	RM02474
picloram	100.4	±	0.5 μg/mL	001918-02-1	RM20442
silvex	100.5	±	0.5 μg/mL	000093-72-1	RM22116
2,4,5-T	100.3	±	0.5 μg/mL	000093-76-5	RM19314

Matrix: methanol (methyl alcohol)

### **Description:**

This document is prepared in accordance with ISO 17034 and Guide 31. This analytical reference material standard was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed above.

### Traceability:

The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

### Homogeneity:

This analytical reference standard was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

Page: 1 of 2

CSD-QA-015.2

ISO 17025 Cert No. AT-1937



## **Reference Material Certificate Product Information Sheet**

**Product Name:** 

Chlorinated Herbicides Standard

Lot Number:

0006810955

**Product Number:** 

HBM-8151A-1

Lot Issue Date:

20-Aug-2024

**Storage Conditions:** 

Store at Room Temperature (15° to 30°C).

**Expiration Date:** 

30-Sep-2026

Component Name	Concentrati	on	Uncertainty	CAS#	Analyte Lot
acifluorfen	100.2	±	0.5 μg/mL	050594-66-6	NT02057
bentazon	100.4	±	0.5 µg/mL	025057-89-0	RM21359
chloramben	100.3	±	0.5 μg/mL	000133-90-4	RM02698
2,4-D	100.4	±	0.5 μg/mL	000094-75-7	RM17172
dalapon	100.4	±	0.5 μg/mL	000075-99-0	RM19677
2,4-DB	100.1	±	0.5 μg/mL	000094-82-6	RM02866
tetrachloroterephthalic acid	100.4	±	0.5 μg/mL	002136-79-0	RM15140
dicamba	100.3	±	0.5 μg/mL	001918-00-9	RM22113
3,5-dichlorobenzoic acid	100.4	±	0.5 µg/mL	000051-36-5	RM02768
dichlorprop	100.2	±	0.5 µg/mL	000120-36-5	RM21688
dinoseb	100.3	±	0.5 µg/mL	000088-85-7	RM22275
MCPA	10019	±	50 μg/mL	000094-74-6	RM12220
MCPP (mecoprop)	10011	±	50 μg/mL	000093-65-2	RM09273
4-nitrophenol	100.4	±	0.5 μg/mL	000100-02-7	RM02391
pentachlorophenol	100.2	±	0.5 μg/mL	000087-86-5	RM02474
picloram	100.4	±	0.5 μg/mL	001918-02-1	RM20442
silvex	100.5	±	0.5 μg/mL	000093-72-1	RM22116
2,4,5-T	100.3	±	0.5 μg/mL	000093-76-5	RM19314

Matrix: methanol (methyl alcohol)

### **Description:**

This document is prepared in accordance with ISO 17034 and Guide 31. This analytical reference material standard was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed above.

### Traceability:

The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

### Homogeneity:

This analytical reference standard was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

Page: 1 of 2

CSD-QA-015.2

ISO 17025 Cert No. AT-1937



## **Reference Material Certificate Product Information Sheet**

**Product Name:** 

Chlorinated Herbicides Standard

Lot Number:

0006810955

**Product Number:** 

HBM-8151A-1

Lot Issue Date:

20-Aug-2024

**Storage Conditions:** 

Store at Room Temperature (15° to 30°C).

**Expiration Date:** 

30-Sep-2026

Component Name	Concentrati	on	Uncertainty	CAS#	Analyte Lot
acifluorfen	100.2	±	0.5 μg/mL	050594-66-6	NT02057
bentazon	100.4	±	0.5 µg/mL	025057-89-0	RM21359
chloramben	100.3	±	0.5 μg/mL	000133-90-4	RM02698
2,4-D	100.4	±	0.5 μg/mL	000094-75-7	RM17172
dalapon	100.4	±	0.5 μg/mL	000075-99-0	RM19677
2,4-DB	100.1	±	0.5 μg/mL	000094-82-6	RM02866
tetrachloroterephthalic acid	100.4	±	0.5 μg/mL	002136-79-0	RM15140
dicamba	100.3	±	0.5 μg/mL	001918-00-9	RM22113
3,5-dichlorobenzoic acid	100.4	±	0.5 µg/mL	000051-36-5	RM02768
dichlorprop	100.2	±	0.5 µg/mL	000120-36-5	RM21688
dinoseb	100.3	±	0.5 µg/mL	000088-85-7	RM22275
MCPA	10019	±	50 μg/mL	000094-74-6	RM12220
MCPP (mecoprop)	10011	±	50 μg/mL	000093-65-2	RM09273
4-nitrophenol	100.4	±	0.5 μg/mL	000100-02-7	RM02391
pentachlorophenol	100.2	±	0.5 μg/mL	000087-86-5	RM02474
picloram	100.4	±	0.5 μg/mL	001918-02-1	RM20442
silvex	100.5	±	0.5 μg/mL	000093-72-1	RM22116
2,4,5-T	100.3	±	0.5 μg/mL	000093-76-5	RM19314

Matrix: methanol (methyl alcohol)

### **Description:**

This document is prepared in accordance with ISO 17034 and Guide 31. This analytical reference material standard was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed above.

### Traceability:

The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

### Homogeneity:

This analytical reference standard was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

Page: 1 of 2

CSD-QA-015.2

ISO 17025 Cert No. AT-1937



## **Reference Material Certificate Product Information Sheet**

**Product Name:** 

Chlorinated Herbicides Standard

Lot Number:

0006810955

**Product Number:** 

HBM-8151A-1

Lot Issue Date:

20-Aug-2024

**Storage Conditions:** 

Store at Room Temperature (15° to 30°C).

**Expiration Date:** 

30-Sep-2026

Component Name	Concentrati	on	Uncertainty	CAS#	Analyte Lot
acifluorfen	100.2	±	0.5 μg/mL	050594-66-6	NT02057
bentazon	100.4	±	0.5 µg/mL	025057-89-0	RM21359
chloramben	100.3	±	0.5 μg/mL	000133-90-4	RM02698
2,4-D	100.4	±	0.5 μg/mL	000094-75-7	RM17172
dalapon	100.4	±	0.5 μg/mL	000075-99-0	RM19677
2,4-DB	100.1	±	0.5 μg/mL	000094-82-6	RM02866
tetrachloroterephthalic acid	100.4	±	0.5 μg/mL	002136-79-0	RM15140
dicamba	100.3	±	0.5 μg/mL	001918-00-9	RM22113
3,5-dichlorobenzoic acid	100.4	±	0.5 µg/mL	000051-36-5	RM02768
dichlorprop	100.2	±	0.5 µg/mL	000120-36-5	RM21688
dinoseb	100.3	±	0.5 µg/mL	000088-85-7	RM22275
MCPA	10019	±	50 μg/mL	000094-74-6	RM12220
MCPP (mecoprop)	10011	±	50 μg/mL	000093-65-2	RM09273
4-nitrophenol	100.4	±	0.5 μg/mL	000100-02-7	RM02391
pentachlorophenol	100.2	±	0.5 μg/mL	000087-86-5	RM02474
picloram	100.4	±	0.5 μg/mL	001918-02-1	RM20442
silvex	100.5	±	0.5 μg/mL	000093-72-1	RM22116
2,4,5-T	100.3	±	0.5 μg/mL	000093-76-5	RM19314

Matrix: methanol (methyl alcohol)

### **Description:**

This document is prepared in accordance with ISO 17034 and Guide 31. This analytical reference material standard was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed above.

### Traceability:

The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

### Homogeneity:

This analytical reference standard was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

Page: 1 of 2

CSD-QA-015.2

ISO 17025 Cert No. AT-1937



110 Benner Circle Bellefonte, PA 16823-8812 Tel: 1-814-353-1300 Fax: 1-814-353-1309

www.restek.com











## **Certificate of Analysis**

chromatographic plus

## FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No.:

32050

Lot No.: A0221255

**Description:** 

2,4-Dichlorophenylacetic Acid Methyl Ester Standard

515 Surrogate (ester) 2, 4-dichlorophenyl Acetic Acid Methyl Ester

200µg/mL, Hexane, 1mL/ampul

**Container Size:** 

2 mL

> 1 mL

**Expiration Date:** 

October 31, 2031

10°C or colder Storage:

Pkg Amt:

Handling:

This product is photosensitive.

Ship: **Ambient** 

CERTIFIED VALUES

Elution Order	Compound	CAS#	Lot#	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	2,4-Dichlorophenyl acetic acid methyl ester	55954-23-9	13054200	99%	202.0 μg/mL	+/- 3.4272

<sup>\*</sup> Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent:

Hexane

CAS# 110-54-3 **Purity** 99%



110 Benner Circle Bellefonte, PA 16823-8812 Tel: 1-814-353-1300 Fax: 1-814-353-1309

www.restek.com











## **Certificate of Analysis**

chromatographic plus

## FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No.:

32050

Lot No.: A0221255

**Description:** 

2,4-Dichlorophenylacetic Acid Methyl Ester Standard

515 Surrogate (ester) 2, 4-dichlorophenyl Acetic Acid Methyl Ester

200µg/mL, Hexane, 1mL/ampul

**Container Size:** 

2 mL

> 1 mL

**Expiration Date:** 

October 31, 2031

10°C or colder Storage:

Pkg Amt:

Handling:

This product is photosensitive.

Ship: **Ambient** 

CERTIFIED VALUES

Elution Order	Compound	CAS#	Lot#	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	2,4-Dichlorophenyl acetic acid methyl ester	55954-23-9	13054200	99%	202.0 μg/mL	+/- 3.4272

<sup>\*</sup> Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent:

Hexane

CAS# 110-54-3 **Purity** 99%





110 Benner Circle Bellefonte, PA 16823-8812 Tel: (800)356-1688 Fax: (814)353-1309

## **Certificate of Analysis**





www.restek.com

## FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for S6 on 8/16/19 the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No.:

32254

Lot No.: A0148063

Description:

Dalapon methyl ester Standard

Dalapon methyl ester 1000µg/mL, Methanol, 1mL/ampul

**Container Size:** 

2 mL

Pkg Amt: > 1 mL

**Expiration Date:** 

**Purity** 

April 30, 2026

Storage:

10°C or colder

Handling:

This product is photosensitive

### CERTIFIED VALUES

Elution Order	Compound		Grav. Conc. (weight/volume)	Expanded Uncertainty (95% C.L.; K=2)				
1	Dalapon methyl ester CAS # 17640-02-7 Purity 98%	(Lot 1764600)	999.6 μg/mL	+/- 3	10.0697 34.4896 34.4896	μg/mL μg/mL μg/mL	Gravimetric Unstressed Stressed	
Solvent:	Methanol <b>CAS #</b> 67-56-1		***************************************		***************************************			

Column:

30m x 0.25mm x 0.25μm Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

75°C (hold 1 min.) to 330°C @ 20°C/min. (hold 10 min.)


Inj. Temp:

250°C

Det. Temp:

330°C

Det. Type:



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Russ Bookhamer - Operations Technician I

Bru 7. Bu

Date Mixed:

11-Apr-2019

Balance: 1127510105

Date Passed: 15-Apr-2019

Manufactured under Restek's ISO 9001:2015 **Registered Quality System** Certificate #FM 80397