

6C

SEMIVOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: Alliance

Contract: ROYF02

Lab Code: ACE

SDG No.: Q3447

Instrument ID: BNA_P

Calibration Date(s): 10/29/2025 10/29/2025

Calibration Time(s): 09:26 14:13

LAB FILE ID:		RRF2.5 = BP026028.D			RRF005 = BP026029.D		RRF010 = BP026030.D	
		RRF020 = BP026031.D			RRF040 = BP026032.D		RRF050 = BP026033.D	
COMPOUND	RRF2.5	RRF005	RRF010	RRF020	RRF040	RRF050	RRF	% RSD
Pyridine		1.330	1.538	1.488	1.481	1.304	1.453	6.7
2-Fluorophenol		1.055	1.255	1.234	1.249	1.123	1.212	7.4
Phenol-d6		1.366	1.580	1.574	1.606	1.425	1.543	6.8
1,4-Dichlorobenzene		1.491	1.681	1.585	1.578	1.399	1.558	6.0
2-Methylphenol		0.958	1.129	1.145	1.175	1.057	1.121	7.8
3+4-Methylphenols			1.521	1.557	1.613	1.430	1.560	5.0
Nitrobenzene-d5		0.256	0.317	0.327	0.338	0.306	0.321	10.3
Hexachloroethane		0.481	0.562	0.535	0.552	0.490	0.533	6.5
Nitrobenzene		0.282	0.345	0.346	0.357	0.317	0.339	8.8
Hexachlorobutadiene		0.198	0.231	0.209	0.216	0.190	0.211	6.7
2,4,6-Trichlorophenol		0.256	0.342	0.372	0.402	0.360	0.367	15.7
2-Fluorobiphenyl		1.350	1.549	1.454	1.421	1.231	1.392	7.5
2,4,5-Trichlorophenol		0.309	0.414	0.425	0.456	0.405	0.419	12.9
2,4-Dinitrotoluene		0.195	0.288	0.340	0.393	0.360	0.347	24.0
2,4,6-Tribromophenol		0.155	0.211	0.218	0.236	0.209	0.216	14.2
Hexachlorobenzene		0.239	0.273	0.256	0.258	0.226	0.253	6.5
Pentachlorophenol			0.126	0.143	0.161	0.148	0.154	12.4
Terphenyl-d14		0.953	1.125	1.013	1.014	0.860	0.984	8.8

All other compounds must meet a minimum RRF of 0.010.

Form VI SV-1