



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

A  
B  
C  
D

**Hit Summary Sheet**  
**SW-846**

**SDG No.:** Q3447  
**Client:** Weston Solutions, Inc.

| Sample ID                             | Client ID          | Matrix | Parameter         | Concentration | C | MDL  | RDL | Units |
|---------------------------------------|--------------------|--------|-------------------|---------------|---|------|-----|-------|
| <b>Client ID : P001-TW1-251023-01</b> |                    |        |                   |               |   |      |     |       |
| Q3447-02                              | P001-TW1-251023-01 | TCLP   | 2-Methylphenol    | 21.800        | J | 11.2 | 50  | ug/L  |
| Q3447-02                              | P001-TW1-251023-01 | TCLP   | 3+4-Methylphenols | 31.300        | J | 11   | 100 | ug/L  |
| <b>Total Svoc :</b>                   |                    |        |                   | <b>53.10</b>  |   |      |     |       |
| <b>Total Concentration:</b>           |                    |        |                   | <b>53.10</b>  |   |      |     |       |



# SAMPLE DATA

A

B

C

D

## Report of Analysis

Client: Weston Solutions, Inc.  
Project: RFP 905  
Client Sample ID: PB170239TB  
Lab Sample ID: PB170239TB  
Analytical Method: 8270E Level: LOW  
Sample Wt/Vol: 100 mL Final Vol: 1000 uL  
Prep Method : SW3510C Prep Date: 10/27/25

Date Collected: 10/27/25  
Date Received: 10/27/25  
SDG No.: Q3447  
Matrix: TCLP  
% Solid: 0  
Test: TCLP BNA

| CAS Number                | Parameter              | Conc.             | Qua. | DF | MDL      | LOQ / CRQL | Units    | Date Ana.      | Prep BatchID |
|---------------------------|------------------------|-------------------|------|----|----------|------------|----------|----------------|--------------|
| <b>TARGETS</b>            |                        |                   |      |    |          |            |          |                |              |
| 110-86-1                  | Pyridine               | 12.8              | U    | 1  | 12.8     | 50.0       | ug/L     | 10/28/25 14:26 | PB170267     |
| 106-46-7                  | 1,4-Dichlorobenzene    | 5.30              | U    | 1  | 5.30     | 50.0       | ug/L     | 10/28/25 14:26 | PB170267     |
| 95-48-7                   | 2-Methylphenol         | 11.2              | U    | 1  | 11.2     | 50.0       | ug/L     | 10/28/25 14:26 | PB170267     |
| 65794-96-9                | 3+4-Methylphenols      | 11.0              | U    | 1  | 11.0     | 100        | ug/L     | 10/28/25 14:26 | PB170267     |
| 67-72-1                   | Hexachloroethane       | 6.50              | U    | 1  | 6.50     | 50.0       | ug/L     | 10/28/25 14:26 | PB170267     |
| 98-95-3                   | Nitrobenzene           | 7.60              | U    | 1  | 7.60     | 50.0       | ug/L     | 10/28/25 14:26 | PB170267     |
| 87-68-3                   | Hexachlorobutadiene    | 5.40              | U    | 1  | 5.40     | 50.0       | ug/L     | 10/28/25 14:26 | PB170267     |
| 88-06-2                   | 2,4,6-Trichlorophenol  | 5.10              | U    | 1  | 5.10     | 50.0       | ug/L     | 10/28/25 14:26 | PB170267     |
| 95-95-4                   | 2,4,5-Trichlorophenol  | 6.20              | U    | 1  | 6.20     | 50.0       | ug/L     | 10/28/25 14:26 | PB170267     |
| 121-14-2                  | 2,4-Dinitrotoluene     | 12.2              | U    | 1  | 12.2     | 50.0       | ug/L     | 10/28/25 14:26 | PB170267     |
| 118-74-1                  | Hexachlorobenzene      | 5.20              | U    | 1  | 5.20     | 50.0       | ug/L     | 10/28/25 14:26 | PB170267     |
| 87-86-5                   | Pentachlorophenol      | 15.8              | U    | 1  | 15.8     | 100        | ug/L     | 10/28/25 14:26 | PB170267     |
| <b>SURROGATES</b>         |                        |                   |      |    |          |            |          |                |              |
| 367-12-4                  | 2-Fluorophenol         | 143               |      |    | 23 - 138 | 95%        | SPK: 150 |                |              |
| 13127-88-3                | Phenol-d6              | 127               |      |    | 10 - 134 | 85%        | SPK: 150 |                |              |
| 4165-60-0                 | Nitrobenzene-d5        | 92.1              |      |    | 67 - 132 | 92%        | SPK: 100 |                |              |
| 321-60-8                  | 2-Fluorobiphenyl       | 88.7              |      |    | 52 - 132 | 89%        | SPK: 100 |                |              |
| 118-79-6                  | 2,4,6-Tribromophenol   | 136               |      |    | 44 - 137 | 91%        | SPK: 150 |                |              |
| 1718-51-0                 | Terphenyl-d14          | 83.0              |      |    | 42 - 152 | 83%        | SPK: 100 |                |              |
| <b>INTERNAL STANDARDS</b> |                        |                   |      |    |          |            |          |                |              |
|                           |                        | <b>Area Count</b> |      |    |          |            |          |                |              |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 25300             |      |    |          |            |          |                |              |
| 1146-65-2                 | Naphthalene-d8         | 92700             |      |    |          |            |          |                |              |
| 15067-26-2                | Acenaphthene-d10       | 70300             |      |    |          |            |          |                |              |
| 1517-22-2                 | Phenanthrene-d10       | 195000            |      |    |          |            |          |                |              |
| 1719-03-5                 | Chrysene-d12           | 276000            |      |    |          |            |          |                |              |
| 1520-96-3                 | Perylene-d12           | 314000            |      |    |          |            |          |                |              |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

Client: Weston Solutions, Inc.  
Project: RFP 905  
Client Sample ID: P001-TW1-251023-01  
Lab Sample ID: Q3447-02  
Analytical Method: 8270E Level: LOW  
Sample Wt/Vol: 100 mL Final Vol: 1000 uL  
Prep Method : SW3510C Prep Date: 10/27/25

Date Collected: 10/23/25  
Date Received: 10/23/25  
SDG No.: Q3447  
Matrix: TCLP  
% Solid: 0  
Test: TCLP BNA

| CAS Number                | Parameter              | Conc.             | Qua. | DF | MDL      | LOQ / CRQL | Units    | Date Ana.      | Prep BatchID |
|---------------------------|------------------------|-------------------|------|----|----------|------------|----------|----------------|--------------|
| <b>TARGETS</b>            |                        |                   |      |    |          |            |          |                |              |
| 110-86-1                  | Pyridine               | 12.8              | U    | 1  | 12.8     | 50.0       | ug/L     | 10/30/25 15:42 | PB170267     |
| 106-46-7                  | 1,4-Dichlorobenzene    | 5.30              | U    | 1  | 5.30     | 50.0       | ug/L     | 10/30/25 15:42 | PB170267     |
| 95-48-7                   | 2-Methylphenol         | 21.8              | J    | 1  | 11.2     | 50.0       | ug/L     | 10/30/25 15:42 | PB170267     |
| 65794-96-9                | 3+4-Methylphenols      | 31.3              | J    | 1  | 11.0     | 100        | ug/L     | 10/30/25 15:42 | PB170267     |
| 67-72-1                   | Hexachloroethane       | 6.50              | U    | 1  | 6.50     | 50.0       | ug/L     | 10/30/25 15:42 | PB170267     |
| 98-95-3                   | Nitrobenzene           | 7.60              | U    | 1  | 7.60     | 50.0       | ug/L     | 10/30/25 15:42 | PB170267     |
| 87-68-3                   | Hexachlorobutadiene    | 5.40              | U    | 1  | 5.40     | 50.0       | ug/L     | 10/30/25 15:42 | PB170267     |
| 88-06-2                   | 2,4,6-Trichlorophenol  | 5.10              | U    | 1  | 5.10     | 50.0       | ug/L     | 10/30/25 15:42 | PB170267     |
| 95-95-4                   | 2,4,5-Trichlorophenol  | 6.20              | U    | 1  | 6.20     | 50.0       | ug/L     | 10/30/25 15:42 | PB170267     |
| 121-14-2                  | 2,4-Dinitrotoluene     | 12.2              | U    | 1  | 12.2     | 50.0       | ug/L     | 10/30/25 15:42 | PB170267     |
| 118-74-1                  | Hexachlorobenzene      | 5.20              | U    | 1  | 5.20     | 50.0       | ug/L     | 10/30/25 15:42 | PB170267     |
| 87-86-5                   | Pentachlorophenol      | 15.8              | U    | 1  | 15.8     | 100        | ug/L     | 10/30/25 15:42 | PB170267     |
| <b>SURROGATES</b>         |                        |                   |      |    |          |            |          |                |              |
| 367-12-4                  | 2-Fluorophenol         | 122               |      |    | 23 - 138 | 82%        | SPK: 150 |                |              |
| 13127-88-3                | Phenol-d6              | 110               |      |    | 10 - 134 | 73%        | SPK: 150 |                |              |
| 4165-60-0                 | Nitrobenzene-d5        | 90.5              |      |    | 67 - 132 | 90%        | SPK: 100 |                |              |
| 321-60-8                  | 2-Fluorobiphenyl       | 84.6              |      |    | 52 - 132 | 85%        | SPK: 100 |                |              |
| 118-79-6                  | 2,4,6-Tribromophenol   | 139               |      |    | 44 - 137 | 93%        | SPK: 150 |                |              |
| 1718-51-0                 | Terphenyl-d14          | 94.1              |      |    | 42 - 152 | 94%        | SPK: 100 |                |              |
| <b>INTERNAL STANDARDS</b> |                        |                   |      |    |          |            |          |                |              |
|                           |                        | <b>Area Count</b> |      |    |          |            |          |                |              |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 377000            |      |    |          |            |          |                |              |
| 1146-65-2                 | Naphthalene-d8         | 1430000           |      |    |          |            |          |                |              |
| 15067-26-2                | Acenaphthene-d10       | 844000            |      |    |          |            |          |                |              |
| 1517-22-2                 | Phenanthrene-d10       | 1620000           |      |    |          |            |          |                |              |
| 1719-03-5                 | Chrysene-d12           | 1730000           |      |    |          |            |          |                |              |
| 1520-96-3                 | Perylene-d12           | 1890000           |      |    |          |            |          |                |              |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

Client: Weston Solutions, Inc.  
Project: RFP 905  
Client Sample ID: P001-TW2-251023-01  
Lab Sample ID: Q3447-04  
Analytical Method: 8270E Level: LOW  
Sample Wt/Vol: 100 mL Final Vol: 1000 uL  
Prep Method : SW3510C Prep Date: 10/27/25

Date Collected: 10/23/25  
Date Received: 10/23/25  
SDG No.: Q3447  
Matrix: TCLP  
% Solid: 0  
Test: TCLP BNA

| CAS Number                | Parameter              | Conc.             | Qua. | DF | MDL      | LOQ / CRQL | Units    | Date Ana.      | Prep BatchID |
|---------------------------|------------------------|-------------------|------|----|----------|------------|----------|----------------|--------------|
| <b>TARGETS</b>            |                        |                   |      |    |          |            |          |                |              |
| 110-86-1                  | Pyridine               | 12.8              | U    | 1  | 12.8     | 50.0       | ug/L     | 10/30/25 16:23 | PB170267     |
| 106-46-7                  | 1,4-Dichlorobenzene    | 5.30              | U    | 1  | 5.30     | 50.0       | ug/L     | 10/30/25 16:23 | PB170267     |
| 95-48-7                   | 2-Methylphenol         | 11.2              | U    | 1  | 11.2     | 50.0       | ug/L     | 10/30/25 16:23 | PB170267     |
| 65794-96-9                | 3+4-Methylphenols      | 11.0              | U    | 1  | 11.0     | 100        | ug/L     | 10/30/25 16:23 | PB170267     |
| 67-72-1                   | Hexachloroethane       | 6.50              | U    | 1  | 6.50     | 50.0       | ug/L     | 10/30/25 16:23 | PB170267     |
| 98-95-3                   | Nitrobenzene           | 7.60              | U    | 1  | 7.60     | 50.0       | ug/L     | 10/30/25 16:23 | PB170267     |
| 87-68-3                   | Hexachlorobutadiene    | 5.40              | U    | 1  | 5.40     | 50.0       | ug/L     | 10/30/25 16:23 | PB170267     |
| 88-06-2                   | 2,4,6-Trichlorophenol  | 5.10              | U    | 1  | 5.10     | 50.0       | ug/L     | 10/30/25 16:23 | PB170267     |
| 95-95-4                   | 2,4,5-Trichlorophenol  | 6.20              | U    | 1  | 6.20     | 50.0       | ug/L     | 10/30/25 16:23 | PB170267     |
| 121-14-2                  | 2,4-Dinitrotoluene     | 12.2              | U    | 1  | 12.2     | 50.0       | ug/L     | 10/30/25 16:23 | PB170267     |
| 118-74-1                  | Hexachlorobenzene      | 5.20              | U    | 1  | 5.20     | 50.0       | ug/L     | 10/30/25 16:23 | PB170267     |
| 87-86-5                   | Pentachlorophenol      | 15.8              | U    | 1  | 15.8     | 100        | ug/L     | 10/30/25 16:23 | PB170267     |
| <b>SURROGATES</b>         |                        |                   |      |    |          |            |          |                |              |
| 367-12-4                  | 2-Fluorophenol         | 123               |      |    | 23 - 138 | 82%        | SPK: 150 |                |              |
| 13127-88-3                | Phenol-d6              | 111               |      |    | 10 - 134 | 74%        | SPK: 150 |                |              |
| 4165-60-0                 | Nitrobenzene-d5        | 90.5              |      |    | 67 - 132 | 91%        | SPK: 100 |                |              |
| 321-60-8                  | 2-Fluorobiphenyl       | 84.7              |      |    | 52 - 132 | 85%        | SPK: 100 |                |              |
| 118-79-6                  | 2,4,6-Tribromophenol   | 148               |      |    | 44 - 137 | 99%        | SPK: 150 |                |              |
| 1718-51-0                 | Terphenyl-d14          | 96.8              |      |    | 42 - 152 | 97%        | SPK: 100 |                |              |
| <b>INTERNAL STANDARDS</b> |                        |                   |      |    |          |            |          |                |              |
|                           |                        | <b>Area Count</b> |      |    |          |            |          |                |              |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 364000            |      |    |          |            |          |                |              |
| 1146-65-2                 | Naphthalene-d8         | 1420000           |      |    |          |            |          |                |              |
| 15067-26-2                | Acenaphthene-d10       | 856000            |      |    |          |            |          |                |              |
| 1517-22-2                 | Phenanthrene-d10       | 1770000           |      |    |          |            |          |                |              |
| 1719-03-5                 | Chrysene-d12           | 1800000           |      |    |          |            |          |                |              |
| 1520-96-3                 | Perylene-d12           | 877000            |      |    |          |            |          |                |              |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

Client: Weston Solutions, Inc.  
Project: RFP 905  
Client Sample ID: P001-TW3-251023-01  
Lab Sample ID: Q3447-06  
Analytical Method: 8270E Level: LOW  
Sample Wt/Vol: 100 mL Final Vol: 1000 uL  
Prep Method : SW3510C Prep Date: 10/27/25

Date Collected: 10/23/25  
Date Received: 10/23/25  
SDG No.: Q3447  
Matrix: TCLP  
% Solid: 0  
Test: TCLP BNA

| CAS Number                | Parameter              | Conc.             | Qua. | DF | MDL      | LOQ / CRQL | Units    | Date Ana.      | Prep BatchID |
|---------------------------|------------------------|-------------------|------|----|----------|------------|----------|----------------|--------------|
| <b>TARGETS</b>            |                        |                   |      |    |          |            |          |                |              |
| 110-86-1                  | Pyridine               | 12.8              | U    | 1  | 12.8     | 50.0       | ug/L     | 10/29/25 00:09 | PB170267     |
| 106-46-7                  | 1,4-Dichlorobenzene    | 5.30              | U    | 1  | 5.30     | 50.0       | ug/L     | 10/29/25 00:09 | PB170267     |
| 95-48-7                   | 2-Methylphenol         | 11.2              | U    | 1  | 11.2     | 50.0       | ug/L     | 10/29/25 00:09 | PB170267     |
| 65794-96-9                | 3+4-Methylphenols      | 11.0              | U    | 1  | 11.0     | 100        | ug/L     | 10/29/25 00:09 | PB170267     |
| 67-72-1                   | Hexachloroethane       | 6.50              | U    | 1  | 6.50     | 50.0       | ug/L     | 10/29/25 00:09 | PB170267     |
| 98-95-3                   | Nitrobenzene           | 7.60              | U    | 1  | 7.60     | 50.0       | ug/L     | 10/29/25 00:09 | PB170267     |
| 87-68-3                   | Hexachlorobutadiene    | 5.40              | U    | 1  | 5.40     | 50.0       | ug/L     | 10/29/25 00:09 | PB170267     |
| 88-06-2                   | 2,4,6-Trichlorophenol  | 5.10              | U    | 1  | 5.10     | 50.0       | ug/L     | 10/29/25 00:09 | PB170267     |
| 95-95-4                   | 2,4,5-Trichlorophenol  | 6.20              | U    | 1  | 6.20     | 50.0       | ug/L     | 10/29/25 00:09 | PB170267     |
| 121-14-2                  | 2,4-Dinitrotoluene     | 12.2              | U    | 1  | 12.2     | 50.0       | ug/L     | 10/29/25 00:09 | PB170267     |
| 118-74-1                  | Hexachlorobenzene      | 5.20              | U    | 1  | 5.20     | 50.0       | ug/L     | 10/29/25 00:09 | PB170267     |
| 87-86-5                   | Pentachlorophenol      | 15.8              | U    | 1  | 15.8     | 100        | ug/L     | 10/29/25 00:09 | PB170267     |
| <b>SURROGATES</b>         |                        |                   |      |    |          |            |          |                |              |
| 367-12-4                  | 2-Fluorophenol         | 114               |      |    | 23 - 138 | 76%        | SPK: 150 |                |              |
| 13127-88-3                | Phenol-d6              | 109               |      |    | 10 - 134 | 73%        | SPK: 150 |                |              |
| 4165-60-0                 | Nitrobenzene-d5        | 81.8              |      |    | 67 - 132 | 82%        | SPK: 100 |                |              |
| 321-60-8                  | 2-Fluorobiphenyl       | 77.3              |      |    | 52 - 132 | 77%        | SPK: 100 |                |              |
| 118-79-6                  | 2,4,6-Tribromophenol   | 130               |      |    | 44 - 137 | 87%        | SPK: 150 |                |              |
| 1718-51-0                 | Terphenyl-d14          | 83.6              |      |    | 42 - 152 | 84%        | SPK: 100 |                |              |
| <b>INTERNAL STANDARDS</b> |                        |                   |      |    |          |            |          |                |              |
|                           |                        | <b>Area Count</b> |      |    |          |            |          |                |              |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 74200             |      |    |          |            |          |                |              |
| 1146-65-2                 | Naphthalene-d8         | 289000            |      |    |          |            |          |                |              |
| 15067-26-2                | Acenaphthene-d10       | 161000            |      |    |          |            |          |                |              |
| 1517-22-2                 | Phenanthrene-d10       | 268000            |      |    |          |            |          |                |              |
| 1719-03-5                 | Chrysene-d12           | 172000            |      |    |          |            |          |                |              |
| 1520-96-3                 | Perylene-d12           | 208000            |      |    |          |            |          |                |              |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

Client: Weston Solutions, Inc.  
Project: RFP 905  
Client Sample ID: P001-TW4-251023-01  
Lab Sample ID: Q3447-08  
Analytical Method: 8270E Level: LOW  
Sample Wt/Vol: 100 mL Final Vol: 1000 uL  
Prep Method : SW3510C Prep Date: 10/27/25

Date Collected: 10/23/25  
Date Received: 10/23/25  
SDG No.: Q3447  
Matrix: TCLP  
% Solid: 0  
Test: TCLP BNA

| CAS Number                | Parameter              | Conc.             | Qua. | DF | MDL      | LOQ / CRQL | Units    | Date Ana.      | Prep BatchID |
|---------------------------|------------------------|-------------------|------|----|----------|------------|----------|----------------|--------------|
| <b>TARGETS</b>            |                        |                   |      |    |          |            |          |                |              |
| 110-86-1                  | Pyridine               | 12.8              | U    | 1  | 12.8     | 50.0       | ug/L     | 10/31/25 14:50 | PB170267     |
| 106-46-7                  | 1,4-Dichlorobenzene    | 5.30              | U    | 1  | 5.30     | 50.0       | ug/L     | 10/31/25 14:50 | PB170267     |
| 95-48-7                   | 2-Methylphenol         | 11.2              | U    | 1  | 11.2     | 50.0       | ug/L     | 10/31/25 14:50 | PB170267     |
| 65794-96-9                | 3+4-Methylphenols      | 11.0              | U    | 1  | 11.0     | 100        | ug/L     | 10/31/25 14:50 | PB170267     |
| 67-72-1                   | Hexachloroethane       | 6.50              | U    | 1  | 6.50     | 50.0       | ug/L     | 10/31/25 14:50 | PB170267     |
| 98-95-3                   | Nitrobenzene           | 7.60              | U    | 1  | 7.60     | 50.0       | ug/L     | 10/31/25 14:50 | PB170267     |
| 87-68-3                   | Hexachlorobutadiene    | 5.40              | U    | 1  | 5.40     | 50.0       | ug/L     | 10/31/25 14:50 | PB170267     |
| 88-06-2                   | 2,4,6-Trichlorophenol  | 5.10              | U    | 1  | 5.10     | 50.0       | ug/L     | 10/31/25 14:50 | PB170267     |
| 95-95-4                   | 2,4,5-Trichlorophenol  | 6.20              | U    | 1  | 6.20     | 50.0       | ug/L     | 10/31/25 14:50 | PB170267     |
| 121-14-2                  | 2,4-Dinitrotoluene     | 12.2              | U    | 1  | 12.2     | 50.0       | ug/L     | 10/31/25 14:50 | PB170267     |
| 118-74-1                  | Hexachlorobenzene      | 5.20              | U    | 1  | 5.20     | 50.0       | ug/L     | 10/31/25 14:50 | PB170267     |
| 87-86-5                   | Pentachlorophenol      | 15.8              | U    | 1  | 15.8     | 100        | ug/L     | 10/31/25 14:50 | PB170267     |
| <b>SURROGATES</b>         |                        |                   |      |    |          |            |          |                |              |
| 367-12-4                  | 2-Fluorophenol         | 132               |      |    | 23 - 138 | 88%        | SPK: 150 |                |              |
| 13127-88-3                | Phenol-d6              | 104               |      |    | 10 - 134 | 69%        | SPK: 150 |                |              |
| 4165-60-0                 | Nitrobenzene-d5        | 105               |      |    | 67 - 132 | 105%       | SPK: 100 |                |              |
| 321-60-8                  | 2-Fluorobiphenyl       | 109               |      |    | 52 - 132 | 109%       | SPK: 100 |                |              |
| 118-79-6                  | 2,4,6-Tribromophenol   | 205               |      |    | 44 - 137 | 137%       | SPK: 150 |                |              |
| 1718-51-0                 | Terphenyl-d14          | 99.7              |      |    | 42 - 152 | 100%       | SPK: 100 |                |              |
| <b>INTERNAL STANDARDS</b> |                        |                   |      |    |          |            |          |                |              |
|                           |                        | <b>Area Count</b> |      |    |          |            |          |                |              |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 32300             |      |    |          |            |          |                |              |
| 1146-65-2                 | Naphthalene-d8         | 126000            |      |    |          |            |          |                |              |
| 15067-26-2                | Acenaphthene-d10       | 78100             |      |    |          |            |          |                |              |
| 1517-22-2                 | Phenanthrene-d10       | 257000            |      |    |          |            |          |                |              |
| 1719-03-5                 | Chrysene-d12           | 264000            |      |    |          |            |          |                |              |
| 1520-96-3                 | Perylene-d12           | 83100             |      |    |          |            |          |                |              |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## LAB CHRONICLE

|                 |                        |                   |                       |
|-----------------|------------------------|-------------------|-----------------------|
| <b>OrderID:</b> | Q3447                  | <b>OrderDate:</b> | 10/23/2025 1:50:00 PM |
| <b>Client:</b>  | Weston Solutions, Inc. | <b>Project:</b>   | RFP 905               |
| <b>Contact:</b> | Smita Sumbaly          | <b>Location:</b>  | D41,VOA Ref. #2 Soil  |

| LabID             | ClientID                         | Matrix      | Test             | Method | Sample Date     | Prep Date | Anal Date | Received        |
|-------------------|----------------------------------|-------------|------------------|--------|-----------------|-----------|-----------|-----------------|
| <b>Q3447-01</b>   | <b>P001-TW1-251023-01</b>        | <b>SOIL</b> | SVOC-TCL BNA -20 | 8270E  | <b>10/23/25</b> | 10/24/25  | 10/27/25  | <b>10/23/25</b> |
| <b>Q3447-01DL</b> | <b>P001-TW1-251023-01<br/>DL</b> | <b>SOIL</b> | SVOC-TCL BNA -20 | 8270E  | <b>10/23/25</b> | 10/24/25  | 10/28/25  | <b>10/23/25</b> |
| <b>Q3447-02</b>   | <b>P001-TW1-251023-01</b>        | <b>TCLP</b> | TCLP BNA         | 8270E  | <b>10/23/25</b> | 10/27/25  | 10/30/25  | <b>10/23/25</b> |
| <b>Q3447-03</b>   | <b>P001-TW2-251023-01</b>        | <b>SOIL</b> | SVOC-TCL BNA -20 | 8270E  | <b>10/23/25</b> | 10/24/25  | 10/27/25  | <b>10/23/25</b> |
| <b>Q3447-04</b>   | <b>P001-TW2-251023-01</b>        | <b>TCLP</b> | TCLP BNA         | 8270E  | <b>10/23/25</b> | 10/27/25  | 10/30/25  | <b>10/23/25</b> |
| <b>Q3447-05</b>   | <b>P001-TW3-251023-01</b>        | <b>SOIL</b> | SVOC-TCL BNA -20 | 8270E  | <b>10/23/25</b> | 10/24/25  | 10/27/25  | <b>10/23/25</b> |
| <b>Q3447-06</b>   | <b>P001-TW3-251023-01</b>        | <b>TCLP</b> | TCLP BNA         | 8270E  | <b>10/23/25</b> | 10/27/25  | 10/29/25  | <b>10/23/25</b> |
| <b>Q3447-07</b>   | <b>P001-TW4-251023-01</b>        | <b>SOIL</b> | SVOC-TCL BNA -20 | 8270E  | <b>10/23/25</b> | 10/24/25  | 10/27/25  | <b>10/23/25</b> |
| <b>Q3447-08</b>   | <b>P001-TW4-251023-01</b>        | <b>TCLP</b> | TCLP BNA         | 8270E  | <b>10/23/25</b> | 10/27/25  | 10/31/25  | <b>10/23/25</b> |