

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110325\
 Data File : VY023647.D
 Acq On : 03 Nov 2025 09:25
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 04 01:28:31 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 08 05:12:50 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	84	0.00
2 T	Dichlorodifluoromethane	0.360	0.304	15.6	80	0.00
3 P	Chloromethane	0.490	0.411	16.1	77	0.00
4 C	Vinyl Chloride	0.639	0.571	10.6#	80	0.00
5 T	Bromomethane	0.536	0.465	13.2	83	0.00
6 T	Chloroethane	0.435	0.418	3.9	85	0.00
7 T	Trichlorofluoromethane	0.887	0.885	0.2	88	0.00
8 T	Diethyl Ether	0.232	0.242	-4.3	95	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.460	0.497	-8.0	96	0.00
10 T	Methyl Iodide	0.512	0.597	-16.6	93	0.00
11 T	Tert butyl alcohol	0.031	0.034	-9.7	113	0.00
12 CM	1,1-Dichloroethene	0.446	0.463	-3.8#	91	0.00
13 T	Acrolein	0.044	0.007	84.1#	13#	0.00
14 T	Allyl chloride	0.544	0.588	-8.1	94	0.01
15 T	Acrylonitrile	0.089	0.096	-7.9	99	0.00
16 T	Acetone	0.100	0.109	-9.0	110	0.00
17 T	Carbon Disulfide	1.277	1.190	6.8	82	0.00
18 T	Methyl Acetate	0.261	0.343	-31.4#	118	0.00
19 T	Methyl tert-butyl Ether	1.072	1.196	-11.6	99	0.00
20 T	Methylene Chloride	0.538	0.512	4.8	94	0.00
21 T	trans-1,2-Dichloroethene	0.491	0.524	-6.7	94	0.00
22 T	Diisopropyl ether	1.202	1.360	-13.1	98	0.00
23 T	Vinyl Acetate	0.651	0.682	-4.8	92	0.00
24 P	1,1-Dichloroethane	0.796	0.878	-10.3	97	0.00
25 T	2-Butanone	0.122	0.129	-5.7	103	0.00
26 T	2,2-Dichloropropane	0.731	0.834	-14.1	99	0.00
27 T	cis-1,2-Dichloroethene	0.567	0.634	-11.8	98	0.00
28 T	Bromochloromethane	0.297	0.281	5.4	89	0.00
29 T	Tetrahydrofuran	0.069	0.073	-5.8	97	0.00
30 C	Chloroform	0.875	0.995	-13.7#	100	0.00
31 T	Cyclohexane	0.696	0.691	0.7	90	0.00
32 T	1,1,1-Trichloroethane	0.795	0.889	-11.8	97	0.00
33 S	1,2-Dichloroethane-d4	0.418	0.397	5.0	85	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	83	0.00
35 S	Dibromofluoromethane	0.307	0.311	-1.3	87	0.00
36 T	1,1-Dichloropropene	0.407	0.458	-12.5	96	0.00
37 T	Ethyl Acetate	0.161	0.169	-5.0	94	0.00
38 T	Carbon Tetrachloride	0.493	0.558	-13.2	97	0.00
39 T	Methylcyclohexane	0.530	0.575	-8.5	91	0.00
40 TM	Benzene	1.288	1.451	-12.7	96	0.00
41 T	Methacrylonitrile	0.087	0.089	-2.3	93	0.00
42 TM	1,2-Dichloroethane	0.332	0.365	-9.9	97	0.00
43 T	Isopropyl Acetate	0.321	0.344	-7.2	95	0.00
44 TM	Trichloroethene	0.377	0.418	-10.9	95	0.00
45 C	1,2-Dichloropropane	0.285	0.325	-14.0#	99	0.00
46 T	Dibromomethane	0.180	0.202	-12.2	97	0.00
47 T	Bromodichloromethane	0.453	0.517	-14.1	98	0.00
48 T	Methyl methacrylate	0.151	0.167	-10.6	94	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110325\
 Data File : VY023647.D
 Acq On : 03 Nov 2025 09:25
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 04 01:28:31 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 08 05:12:50 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.002	0.0	92	0.00
50 S	Toluene-d8	1.144	1.145	-0.1	85	0.00
51 T	4-Methyl-2-Pentanone	0.166	0.191	-15.1	100	0.00
52 CM	Toluene	0.836	0.958	-14.6#	97	0.00
53 T	t-1,3-Dichloropropene	0.394	0.447	-13.5	97	0.00
54 T	cis-1,3-Dichloropropene	0.465	0.529	-13.8	97	0.00
55 T	1,1,2-Trichloroethane	0.242	0.278	-14.9	100	0.00
56 T	Ethyl methacrylate	0.279	0.320	-14.7	96	0.00
57 T	1,3-Dichloropropane	0.383	0.433	-13.1	97	0.00
58 T	2-Chloroethyl Vinyl ether	0.125	0.139	-11.2	90	0.00
59 T	2-Hexanone	0.119	0.135	-13.4	100	0.00
60 T	Dibromochloromethane	0.339	0.388	-14.5	99	0.00
61 T	1,2-Dibromoethane	0.231	0.258	-11.7	97	0.00
62 S	4-Bromofluorobenzene	0.378	0.383	-1.3	87	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	84	0.00
64 T	Tetrachloroethene	0.516	0.598	-15.9	96	0.00
65 PM	Chlorobenzene	1.087	1.212	-11.5	96	0.00
66 T	1,1,1,2-Tetrachloroethane	0.388	0.448	-15.5	101	0.00
67 C	Ethyl Benzene	1.760	2.043	-16.1#	96	0.00
68 T	m/p-Xylenes	0.706	0.814	-15.3	95	0.00
69 T	o-Xylene	0.662	0.770	-16.3	96	0.00
70 T	Styrene	1.089	1.273	-16.9	96	0.00
71 P	Bromoform	0.240	0.269	-12.1	98	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	81	0.00
73 T	Isopropylbenzene	3.295	3.970	-20.5	97	0.00
74 T	N-amyl acetate	0.592	0.635	-7.3	89	0.00
75 P	1,1,2,2-Tetrachloroethane	0.539	0.605	-12.2	98	0.00
76 T	1,2,3-Trichloropropane	0.441	0.462	-4.8	86	0.00
77 T	Bromobenzene	0.876	0.999	-14.0	96	0.00
78 T	n-propylbenzene	3.813	4.599	-20.6	96	0.00
79 T	2-Chlorotoluene	2.233	2.626	-17.6	96	0.00
80 T	1,3,5-Trimethylbenzene	2.663	3.218	-20.8	96	0.00
81 T	trans-1,4-Dichloro-2-butene	0.180	0.203	-12.8	97	0.00
82 T	4-Chlorotoluene	2.300	2.687	-16.8	96	0.00
83 T	tert-Butylbenzene	2.458	2.970	-20.8	95	0.00
84 T	1,2,4-Trimethylbenzene	2.657	3.164	-19.1	95	0.00
85 T	sec-Butylbenzene	3.527	4.253	-20.6	96	0.00
86 T	p-Isopropyltoluene	3.003	3.601	-19.9	94	0.00
87 T	1,3-Dichlorobenzene	1.706	1.906	-11.7	93	0.00
88 T	1,4-Dichlorobenzene	1.685	1.856	-10.1	93	0.00
89 T	n-Butylbenzene	2.616	3.115	-19.1	94	0.00
90 T	Hexachloroethane	0.646	0.739	-14.4	96	0.00
91 T	1,2-Dichlorobenzene	1.496	1.656	-10.7	93	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.088	0.092	-4.5	90	0.00
93 T	1,2,4-Trichlorobenzene	0.932	0.972	-4.3	86	0.00
94 T	Hexachlorobutadiene	0.581	0.632	-8.8	89	0.00
95 T	Naphthalene	1.485	1.512	-1.8	84	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY110325\
Data File : VY023647.D
Acq On : 03 Nov 2025 09:25
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Nov 04 01:28:31 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y100725S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 08 05:12:50 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.808	0.817	-1.1	83	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6