

Report of Analysis

Client: Chemtech Consulting Group
Project: Weekly Storage Blanks
Client Sample ID: VN1024WBSD01
Lab Sample ID: VN1024WBSD01
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level : LOW
Final Vol: 5000 uL

Date Collected:
Date Received:
SDG No.: Q3463
Matrix: Water
% Solid: 0
Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-71-8	Dichlorodifluoromethane	20.2		1	0.22	1.00	ug/L	10/24/25 14:16	VN102425
74-87-3	Chloromethane	19.2		1	0.32	1.00	ug/L	10/24/25 14:16	VN102425
75-01-4	Vinyl Chloride	18.8		1	0.26	1.00	ug/L	10/24/25 14:16	VN102425
141-78-6	Ethyl Acetate	19.3		1	0.31	1.00	ug/L	10/24/25 14:16	VN102425
74-83-9	Bromomethane	18.5		1	1.40	5.00	ug/L	10/24/25 14:16	VN102425
75-00-3	Chloroethane	17.2		1	0.47	1.00	ug/L	10/24/25 14:16	VN102425
75-69-4	Trichlorofluoromethane	17.5		1	0.33	1.00	ug/L	10/24/25 14:16	VN102425
76-13-1	1,1,2-Trichlorotrifluoroethane	18.6		1	0.25	1.00	ug/L	10/24/25 14:16	VN102425
75-65-0	Tert butyl alcohol	100		1	5.50	25.0	ug/L	10/24/25 14:16	VN102425
75-35-4	1,1-Dichloroethene	17.0		1	0.23	1.00	ug/L	10/24/25 14:16	VN102425
107-02-8	Acrolein	100		1	7.10	25.0	ug/L	10/24/25 14:16	VN102425
107-13-1	Acrylonitrile	100		1	0.83	5.00	ug/L	10/24/25 14:16	VN102425
67-64-1	Acetone	87.5		1	1.50	5.00	ug/L	10/24/25 14:16	VN102425
75-15-0	Carbon Disulfide	18.7		1	0.21	1.00	ug/L	10/24/25 14:16	VN102425
1634-04-4	Methyl tert-butyl Ether	19.9		1	0.16	1.00	ug/L	10/24/25 14:16	VN102425
79-20-9	Methyl Acetate	21.0		1	0.27	1.00	ug/L	10/24/25 14:16	VN102425
75-09-2	Methylene Chloride	21.1		1	0.28	1.00	ug/L	10/24/25 14:16	VN102425
156-60-5	trans-1,2-Dichloroethene	18.4		1	0.23	1.00	ug/L	10/24/25 14:16	VN102425
108-05-4	Vinyl Acetate	100		1	0.66	5.00	ug/L	10/24/25 14:16	VN102425
75-34-3	1,1-Dichloroethane	19.9		1	0.23	1.00	ug/L	10/24/25 14:16	VN102425
110-82-7	Cyclohexane	19.9		1	1.50	5.00	ug/L	10/24/25 14:16	VN102425
78-93-3	2-Butanone	100		1	0.98	5.00	ug/L	10/24/25 14:16	VN102425
56-23-5	Carbon Tetrachloride	19.8		1	0.25	1.00	ug/L	10/24/25 14:16	VN102425
594-20-7	2,2-Dichloropropane	19.0		1	0.21	1.00	ug/L	10/24/25 14:16	VN102425
156-59-2	cis-1,2-Dichloroethene	19.2		1	0.19	1.00	ug/L	10/24/25 14:16	VN102425
74-97-5	Bromochloromethane	22.4		1	0.22	1.00	ug/L	10/24/25 14:16	VN102425
67-66-3	Chloroform	19.9		1	0.25	1.00	ug/L	10/24/25 14:16	VN102425
71-55-6	1,1,1-Trichloroethane	18.9		1	0.20	1.00	ug/L	10/24/25 14:16	VN102425
108-87-2	Methylcyclohexane	18.4		1	0.16	1.00	ug/L	10/24/25 14:16	VN102425
563-58-6	1,1-Dichloropropene	19.3		1	0.15	1.00	ug/L	10/24/25 14:16	VN102425
71-43-2	Benzene	19.5		1	0.15	1.00	ug/L	10/24/25 14:16	VN102425
107-06-2	1,2-Dichloroethane	21.4		1	0.22	1.00	ug/L	10/24/25 14:16	VN102425
79-01-6	Trichloroethene	19.2		1	0.090	1.00	ug/L	10/24/25 14:16	VN102425
78-87-5	1,2-Dichloropropane	20.4		1	0.20	1.00	ug/L	10/24/25 14:16	VN102425
74-95-3	Dibromomethane	20.4		1	0.25	1.00	ug/L	10/24/25 14:16	VN102425
75-27-4	Bromodichloromethane	20.2		1	0.22	1.00	ug/L	10/24/25 14:16	VN102425
108-10-1	4-Methyl-2-Pentanone	100		1	0.68	5.00	ug/L	10/24/25 14:16	VN102425
108-88-3	Toluene	19.3		1	0.14	1.00	ug/L	10/24/25 14:16	VN102425
10061-02-6	t-1,3-Dichloropropene	20.0		1	0.17	1.00	ug/L	10/24/25 14:16	VN102425
10061-01-5	cis-1,3-Dichloropropene	20.2		1	0.16	1.00	ug/L	10/24/25 14:16	VN102425
79-00-5	1,1,2-Trichloroethane	20.2		1	0.21	1.00	ug/L	10/24/25 14:16	VN102425
142-28-9	1,3-Dichloropropane	20.4		1	0.19	1.00	ug/L	10/24/25 14:16	VN102425
110-75-8	2-Chloroethyl Vinyl ether	98.5		1	0.30	5.00	ug/L	10/24/25 14:16	VN102425

Report of Analysis

Client: Chemtech Consulting Group

Project: Weekly Storage Blanks

Client Sample ID: VN1024WBSD01

Lab Sample ID: VN1024WBSD01

Analytical Method: 8260D

Sample Wt/Vol: 5 mL

Level : LOW

Final Vol: 5000 uL

Date Collected:

Date Received:

SDG No.: Q3463

Matrix: Water

% Solid: 0

Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
------------	-----------	-------	------	----	-----	------------	-------	-----------	---------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products