

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-21

SDG No : N/A

Start Digest Date: 10/28/2025 Time : 08:50 Temp : N/A

Matrix : SOIL

End Digest Date: 10/28/2025 Time : 10:20 Temp : N/A

Pipette ID : N/A

Balance ID : WC SC-7

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1,MC-2

Filter paper ID : N/A

Prep Technician Signature: RM

Weigh By : RM

pH Meter ID : N/A

Supervisor Signature: 12

Standardized Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP113836
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
10/28/2025 10.35	RM CWG	RM CWG
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB170280BL	PBS280	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3456-01DUP	OILY-DEBRISDUP	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3456-01	OILY-DEBRIS	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3460-04	WC-1	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3460-08	WC-2	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3460-12	WC-3	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3460-16	WC-4	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3460-20	WC-5	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3466-03	B8-0.0-1.0-20251023	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3469-04	TP-13	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3472-05	COMP-1	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3472-07	COMP-2	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3472-09	COMP-3	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3472-11	COMP-4	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3472-13	COMP-5	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3472-15	155	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3472-17	142	5.08	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3472-18	137	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A