

Report of Analysis

Client:	HDR, Inc.		Date Collected:	10/23/25
Project:	PVWC Linear Construction		Date Received:	10/24/25
Client Sample ID:	B9-0.0-1.0-20251023		SDG No.:	Q3466
Lab Sample ID:	Q3466-05		Matrix:	SOIL
Analytical Method:	8081B		% Solid:	83.2
Sample Wt/Vol:	30.01 g	Final Vol:	10000 uL	Test:
Prep Method:	SW3541	Prep Date	10/28/25	Pesticide-TCL

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
319-84-6	alpha-BHC	0.16	U	1	0.16	2.00	ug/kg	10/28/25 19:27	PB170283
319-85-7	beta-BHC	0.22	U	1	0.22	2.00	ug/kg	10/28/25 19:27	PB170283
319-86-8	delta-BHC	0.47	U	1	0.47	2.00	ug/kg	10/28/25 19:27	PB170283
58-89-9	gamma-BHC (Lindane)	0.17	U	1	0.17	2.00	ug/kg	10/28/25 19:27	PB170283
76-44-8	Heptachlor	0.14	U	1	0.14	2.00	ug/kg	10/28/25 19:27	PB170283
309-00-2	Aldrin	0.14	U	1	0.14	2.00	ug/kg	10/28/25 19:27	PB170283
1024-57-3	Heptachlor epoxide	0.52	J	1	0.23	2.00	ug/kg	10/28/25 19:27	PB170283
959-98-8	Endosulfan I	0.17	U	1	0.17	2.00	ug/kg	10/28/25 19:27	PB170283
60-57-1	Dieldrin	1.00	JP	1	0.17	2.00	ug/kg	10/28/25 19:27	PB170283
72-55-9	4,4-DDE	0.17	U	1	0.17	2.00	ug/kg	10/28/25 19:27	PB170283
72-20-8	Endrin	0.33	J	1	0.17	2.00	ug/kg	10/28/25 19:27	PB170283
33213-65-9	Endosulfan II	0.35	U	1	0.35	2.00	ug/kg	10/28/25 19:27	PB170283
72-54-8	4,4-DDD	0.18	U	1	0.18	2.00	ug/kg	10/28/25 19:27	PB170283
1031-07-8	Endosulfan Sulfate	0.16	U	1	0.16	2.00	ug/kg	10/28/25 19:27	PB170283
50-29-3	4,4-DDT	0.59	J	1	0.17	2.00	ug/kg	10/28/25 19:27	PB170283
72-43-5	Methoxychlor	0.44	U	1	0.44	2.00	ug/kg	10/28/25 19:27	PB170283
53494-70-5	Endrin ketone	0.23	U	1	0.23	2.00	ug/kg	10/28/25 19:27	PB170283
7421-93-4	Endrin aldehyde	0.44	U	1	0.44	2.00	ug/kg	10/28/25 19:27	PB170283
5103-71-9	alpha-Chlordane	3.40	P	1	0.14	2.00	ug/kg	10/28/25 19:27	PB170283
5103-74-2	gamma-Chlordane	1.20	J	1	0.18	2.00	ug/kg	10/28/25 19:27	PB170283
8001-35-2	Toxaphene	6.50	U	1	6.50	39.7	ug/kg	10/28/25 19:27	PB170283
SURROGATES									
2051-24-3	Decachlorobiphenyl	14.4			30 (20) - 150 (144)	72%	SPK: 20		
877-09-8	Tetrachloro-m-xylene	18.6			30 (19) - 150 (148)	93%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit