

Report of Analysis

Client:	PSEG	Date Collected:	
Project:	Edison Gas Training Center	Date Received:	
Client Sample ID:	RT3449MSD	SDG No.:	Q3480
Lab Sample ID:	Q3480-01MSD	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	87.7
Sample Wt/Vol:	30.06 g	Test:	EPH_NF
Prep Method :		Final Vol:	2000 uL
		Prep Date :	10/29/25

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Datafile	Date Ana.	Prep BatchID
------------	-----------	-------	------	----	-----	------------	-------	----------	-----------	--------------

TARGETS

Total AliphaticEPH	Total AliphaticEPH	82.0			2.38	6.84	mg/kg			
Total EPH	Total EPH	82.0			2.38	6.84	mg/kg			

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C40 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C40 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	PSEG	Date Collected:	
Project:	Edison Gas Training Center	Date Received:	
Client Sample ID:	RT3449MSD	SDG No.:	Q3480
Lab Sample ID:	Q3480-01MSD	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	87.7
Sample Wt/Vol:	30.06 g	Final Vol:	2000 uL
Prep Method :		Prep Date	10/29/25
		Test:	EPH_NF

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
Aliphatic C9-C28	Aliphatic C9-C28	56.5	1		1.03	4.56	mg/kg	10/29/25	PB170307
Aliphatic C28-C40	Aliphatic C28-C40	25.6	1		1.34	2.28	mg/kg	10/29/25	PB170307
SURROGATES									
3383-33-2	1-chlorooctadecane (SURR)	29.4			40 - 140	59%	SPK: 50		
84-15-1	ortho-Terphenyl (SURR)	27.8			40 - 140	56%	SPK: 50		

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q3480-01MSD	Acq On:	29 Oct 2025 16:39
Client Sample ID:	Q3480-01MSD	Operator:	YP\AJ
Data file:	FE056570.D	Misc:	
Instrument:	FID_E	ALS Vial:	17
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.236	6.863	19692201	119.291	300	ug/ml
Aliphatic C12-C16	6.864	10.312	28757944	168.623	200	ug/ml
Aliphatic C16-C21	10.313	13.688	39442387	220.795	300	ug/ml
Aliphatic C21-C28	13.689	17.359	41950272	234.242	400	ug/ml
Aliphatic C28-C40	17.360	22.313	46918293	338.021	600	ug/ml
Aliphatic EPH	3.236	22.313	176761097	1080		ug/ml
ortho-Terphenyl (SURR)	11.981	11.981	5676663	27.79		ug/ml
1-chlorooctadecane (SURR)	13.420	13.420	4494199	29.45		ug/ml
Aliphatic C9-C28	3.236	17.359	129842804	742.951	1200	ug/ml